Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	80	$PM_{2.5}$	1
2	Agra	Moderate	150	PM_{10}	5
3	Ahmedabad	Moderate	157	PM_{10}, $PM_{2.5}$	8
4	Aizawl	Satisfactory	96	O_3	1
5	Ajmer	Moderate	149	$PM_{2.5}$	1
6	Alwar	Moderate	102	PM_{10}	1
7	Amaravati	Good	48	PM_{10}	1
8	Ambala	Moderate	142	PM_{10}	1
9	Amritsar	Moderate	113	PM_{10}	1
10	Ankleshwar	Moderate	196	$PM_{2.5}$	1
11	Araria	Satisfactory	93	O_3	1
12	Arrah	Poor	255	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	179	$PM_{2.5}$	1
14	Baddi	Moderate	172	PM_{10}	1
15	Bagalkot	Satisfactory	52	PM_{10}	1
16	Baghpat	Poor	242	PM_{10}	1
17	Bahadurgarh	Poor	269	PM_{10}	1
18	Ballabgarh	Moderate	155	$PM_{2.5}$	1
19	Bathinda	Satisfactory	80	PM_{10}	1
20	Bengaluru	Satisfactory	88	CO, PM_{10}	8
21	Bettiah	Poor	256	$PM_{2.5}$	1
22	Bhagalpur	Poor	235	$PM_{2.5}$	2
23	Bhiwadi	Poor	288	$PM_{2.5}$	1
24	Bhiwani	Moderate	145	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	118	PM_{10}	1
26	Bidar	Moderate	167	PM_{10}	1
27	Bilaspur	Satisfactory	56	PM_{10}	1
28	Brajrajnagar	Moderate	199	$PM_{2.5}$	1
29	Bulandshahr	Very Poor	308	PM_{10}	1
30	Chamarajanagar	Good	48	PM_{10}	1
31	Chandigarh	Moderate	136	$PM_{2.5}, PM_{10}$	3
32	Chandrapur	Moderate	184	$PM_{2.5}$	2
33	Charkhi Dadri	Moderate	183	PM_{10}	1
34	Chennai	Good	44	CO, PM_{10}	8
35	Chhapra	Very Poor	329	PM_{10}	1
36	Chikkaballapur	Satisfactory	92	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	51	PM_{10}	1
38	Darbhanga	Moderate	196	PM_{10}	1
39	Davanagere	Satisfactory	83	PM_{10}	1
40	Delhi	Poor	274	PM_{10}, $PM_{2.5}$	31
41	Dewas	Moderate	136	PM_{10}	1
42	Dharuhera	Poor	244	PM_{10}	1
43	Durgapur	Very Poor	338	PM_{10}	1
44	Ernakulam	Good	33	$PM_{2.5}$	1
45	Faridabad	Poor	242	$PM_{2.5}$	2
46	Fatehabad	Moderate	152	PM_{10}	1
47	Firozabad	Moderate	182	O_3	1
48	Gadag	Satisfactory	67	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	173	$PM_{2.5}$, PM_{10}	3
50	Gaya	Moderate	190	PM_{10}, $PM_{2.5}$	3
51	Ghaziabad	Very Poor	338	PM_{10}	4
52	Gorakhpur	Satisfactory	96	$PM_{2.5}$	1
53	Greater Noida	Poor	229	PM_{10}	1
54	Gummidipoondi	Good	35	PM_{10}	1
55	Gurugram	Poor	266	PM_{10}, $PM_{2.5}$	2
56	Guwahati	Satisfactory	89	$PM_{2.5}$	2
57	Gwalior	Moderate	105	$PM_{2.5}$	1
58	Hajipur	Moderate	195	$PM_{2.5}$	1
59	Haldia	Satisfactory	59	$PM_{2.5}$	1
60	Hapur	Moderate	188	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	107	PM_{10}	1
62	Hisar	Poor	210	$PM_{2.5}$	1
63	Howrah	Satisfactory	96	PM_{10}	2
64	Hubballi	Satisfactory	96	PM_{10}	1
65	Hyderabad	Moderate	133	$PM_{2.5}$, PM_{10}	6
66	Indore	Moderate	133	PM_{10}	1
67	Jabalpur	Poor	218	PM_{10}	1
68	Jaipur	Moderate	133	$PM_{2.5}$	2
69	Jalandhar	Moderate	155	PM_{10}	1
70	Jhansi	Satisfactory	86	$PM_{2.5}$	1
71	Jind	Moderate	171	PM_{10}	1
72	Jodhpur	Poor	244	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	146	$PM_{2.5}$	1
74	Kalyan	Moderate	178	$PM_{2.5}$	1
75	Kannur	Satisfactory	58	CO	1
76	Kanpur	Moderate	147	$PM_{2.5}$, PM_{10}	3
77	Karnal	Moderate	126	PM_{10}	1
78	Katihar	Poor	298	PM_{10}	1
79	Katni	Poor	263	PM_{10}	1
80	Khanna	Moderate	136	PM_{10}	1
81	Kishanganj	Moderate	155	$PM_{2.5}$	1
82	Kochi	Good	41	$PM_{2.5}$	1
83	Kolkata	Satisfactory	89	PM_{10}	7
84	Kollam	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	114	$PM_{2.5}$	1
86	Kozhikode	Good	43	PM_{10}	1
87	Kurukshetra	Moderate	185	$PM_{2.5}$	1
88	Lucknow	Poor	210	$PM_{2.5}$, PM_{10}	6
89	Ludhiana	Moderate	128	PM_{10}	1
90	Madikeri	Satisfactory	63	PM_{10}	1
91	Mandi Gobindgarh	Satisfactory	70	PM_{10}	1
92	Mandideep	Moderate	101	PM_{10}	1
93	Mandikhera	Satisfactory	100	PM_{10}	1
94	Manesar	Very Poor	319	$PM_{2.5}$	1
95	Manglore	Good	46	CO	1
96	Manguraha	Moderate	168	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	260	PM_{10}	3
98	Moradabad	Moderate	178	$PM_{2.5}$, PM_{10}	4
99	Motihari	Poor	204	PM_{10}	1
100	Mumbai	Moderate	127	PM_{10}	14
101	Munger	Very Poor	318	$PM_{2.5}$	1
102	Muzaffarnagar	Poor	237	$PM_{2.5}$	1
103	Muzaffarpur	Poor	214	$PM_{2.5}$	3
104	Mysuru	Satisfactory	60	PM_{10}	1
105	Nagpur	Satisfactory	61	PM_{10}	1
106	Naharlagun	Satisfactory	87	PM_{10}	1
107	Narnaul	Moderate	144	$PM_{2.5}$	1
108	Nashik	Satisfactory	67	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	147	O_3, $PM_{2.5}$, PM_{10}	3
110	Noida	Poor	217	PM_{10}	3
111	Pali	Moderate	177	$PM_{2.5}$	1
112	Palwal	Moderate	150	PM_{10}	1
113	Patiala	Moderate	146	PM_{10}	1
114	Patna	Poor	285	$PM_{2.5}$	4
115	Pithampur	Satisfactory	68	PM_{10}	1
116	Prayagraj	Moderate	119	PM_{10}	3
117	Puducherry	Good	31	PM_{10}	1
118	Pune	Moderate	115	$PM_{2.5}$, PM_{10}	5
119	Rajamahendravaram	Good	40	PM_{10}	1
120	Ramanagara	Moderate	108	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	114	PM_{10}	1
122	Rohtak	Poor	248	$PM_{2.5}$	1
123	Rupnagar	Moderate	154	PM_{10}	1
124	Sagar	Satisfactory	98	$PM_{2.5}$	1
125	Samastipur	Very Poor	304	PM_{10}	1
126	Sasaram	Poor	217	$PM_{2.5}$	1
127	Satna	Satisfactory	68	PM_{10}	1
128	Shillong	Good	46	$PM_{2.5}$	1
129	Shivamogga	Satisfactory	60	PM_{10}	1
130	Siliguri	Satisfactory	75	PM_{10}	1
131	Singrauli	Poor	296	$PM_{2.5}$	1
132	Sirsa	Satisfactory	93	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siwan	Poor	268	$PM_{2.5}$	1
134	Solapur	Satisfactory	74	PM_{10}	1
135	Srinagar	Satisfactory	60	PM_{10}	1
136	Talcher	Moderate	110	$PM_{2.5}$	1
137	Thane	Moderate	170	$PM_{2.5}$	1
138	Thiruvananthapuram	Good	40	PM_{10}	2
139	Thoothukudi	Satisfactory	58	PM_{10}	1
140	Tirupati	Satisfactory	70	PM_{10}	1
141	Udaipur	Moderate	127	PM_{10}	1
142	Udupi	Satisfactory	52	O_3	1
143	Ujjain	Moderate	149	PM_{10}	1
144	Varanasi	Moderate	128	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	139	PM_{10}	1
146	Vijayapura	Good	50	PM_{10}	1
147	Visakhapatnam	Moderate	109	PM_{10}	1
148	Vrindavan	Moderate	147	PM_{10}	1
149	Yadgir	Satisfactory	98	PM_{10}	1
150	Yamunanagar	Poor	228	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bihar Sharif, Buxar, Coimbatore, Damoh, Eloor, Jorapokhar, Kalaburgi, Kohima, Kolar, Koppal, Maihar, Nandesari, Panchkula, Panipat, Purnia, Raichur, Rajgir, Saharsa, Sonipat, Thrissur, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.