



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	299	PM _{2.5}	1
2	Agra	Good	38	PM ₁₀	5
3	Ahmedabad	Moderate	111	PM _{2.5} , PM ₁₀	7
4	Aizawl	Moderate	111	PM ₁₀	1
5	Ajmer	Satisfactory	76	O ₃	1
6	Alwar	Satisfactory	63	NO ₂	1
7	Amaravati	Satisfactory	89	PM ₁₀	1
8	Ambala	Satisfactory	75	PM _{2.5}	1
9	Amritsar	Satisfactory	74	PM _{2.5}	1
10	Anantapur	Satisfactory	67	PM ₁₀	1
11	Ankleshwar	Satisfactory	75	PM ₁₀	1
12	Araria	Very Poor	304	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	77	PM _{2.5}	1
14	Arrah	Poor	221	PM _{2.5}	1
15	Asansol	Moderate	123	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	108	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Moderate	101	PM ₁₀	1
18	Baddi	Moderate	166	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Moderate	149	PM _{2.5}	1
21	Bahadurgarh	Satisfactory	84	PM _{2.5}	1
22	Bareilly	Satisfactory	57	PM ₁₀	1
23	Baripada	Moderate	188	O ₃	1
24	Belgaum	Moderate	136	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	86	O ₃ , NO ₂	11
26	Bettiah	Very Poor	332	PM _{2.5}	1
27	Bhagalpur	Poor	232	PM _{2.5}	2
28	Bharatpur	Satisfactory	77	PM ₁₀	1
29	Bhilai	Satisfactory	77	O ₃	2
30	Bhiwadi	Satisfactory	91	PM ₁₀	1
31	Bhiwani	Moderate	154	PM _{2.5}	1
32	Bhopal	Satisfactory	76	O ₃ , CO	3
33	Bihar Sharif	Satisfactory	52	PM ₁₀	1
34	Bilaspur	Poor	259	PM ₁₀	1
35	Bileipada	Moderate	188	PM _{2.5}	1
36	Bulandshahr	Satisfactory	80	O ₃	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara,

~~Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhal,~~

Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Poor	253	PM _{2.5}	1
38	Chamarajanagar	Good	42	PM ₁₀	1
39	Chandigarh	Moderate	104	PM _{2.5}	3
40	Chandrapur	Satisfactory	97	PM ₁₀	1
41	Charkhi Dadri	Moderate	105	PM _{2.5}	1
42	Chengalpattu	Satisfactory	92	PM ₁₀	1
43	Chennai	Satisfactory	87	PM _{2.5} , PM ₁₀	8
44	Chhapra	Poor	216	PM _{2.5}	1
45	Chikkaballapur	Satisfactory	75	PM ₁₀	1
46	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
47	Chittoor	Satisfactory	67	O ₃	1
48	Damoh	Good	26	CO	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Satisfactory	69	O ₃	1
50	Delhi	Moderate	119	O ₃ , PM _{2.5}	37
51	Dhanbad	Moderate	188	PM _{2.5}	1
52	Dharuhera	Moderate	115	PM ₁₀	1
53	Dindigul	Very Poor	308	NO ₂	1
54	Durgapur	Moderate	117	PM ₁₀	1
55	Eloor	Satisfactory	65	PM _{2.5}	1
56	Faridabad	Moderate	124	PM _{2.5}	3
57	Fatehabad	Moderate	154	PM ₁₀	1
58	Firozabad	Good	50	NO ₂ , PM ₁₀	2
59	Gadag	Satisfactory	92	PM ₁₀	1
60	Gandhinagar	Good	44	PM ₁₀ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Satisfactory	73	PM _{2.5}	1
62	Gaya	Moderate	134	O ₃ , PM _{2.5}	3
63	Ghaziabad	Moderate	101	PM ₁₀	4
64	Gorakhpur	Satisfactory	83	PM _{2.5}	1
65	Greater Noida	Satisfactory	78	NO ₂ , PM ₁₀	2
66	Gummidipoondi	Moderate	102	PM ₁₀	1
67	Gurugram	Satisfactory	84	PM _{2.5} , O ₃	3
68	Guwahati	Moderate	182	O ₃ , PM _{2.5}	3
69	Gwalior	Satisfactory	98	O ₃	3
70	Hajipur	Moderate	166	PM ₁₀	1
71	Haldia	Moderate	132	PM ₁₀	1
72	Hapur	Satisfactory	81	O ₃	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	71	PM ₁₀	1
74	Hosur	Moderate	108	CO	1
75	Howrah	Moderate	137	PM ₁₀	3
76	Hubballi	Moderate	128	PM ₁₀	2
77	Hyderabad	Satisfactory	99	NO ₂ , PM ₁₀	13
78	Imphal	Poor	206	PM _{2.5}	1
79	Indore	Satisfactory	56	CO	1
80	Jabalpur	Moderate	115	PM ₁₀	1
81	Jaipur	Satisfactory	66	PM ₁₀	3
82	Jalandhar	Satisfactory	60	PM ₁₀	1
83	Jhansi	Satisfactory	54	SO ₂	1
84	Jodhpur	Moderate	114	PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	117	PM ₁₀	1
86	Kadapa	Satisfactory	87	PM _{2.5}	1
87	Kaithal	Moderate	101	PM _{2.5}	1
88	Kalaburgi	Satisfactory	73	PM ₁₀	2
89	Kanchipuram	Satisfactory	80	PM ₁₀	1
90	Kanpur	Satisfactory	76	NO ₂ , O ₃	3
91	Karnal	Satisfactory	75	PM ₁₀	1
92	Kashipur	Satisfactory	62	PM ₁₀	1
93	Katihar	Poor	238	PM _{2.5}	1
94	Katni	Satisfactory	68	PM ₁₀	1
95	Keonjhar	Moderate	167	PM _{2.5}	1
96	Khanna	Good	44	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Satisfactory	64	PM _{2.5}	1
98	Kishanganj	Poor	250	PM _{2.5}	1
99	Kohima	Moderate	163	PM _{2.5}	1
100	Kolar	Moderate	129	PM ₁₀	1
101	Kolkata	Moderate	105	PM _{2.5}	7
102	Kollam	Satisfactory	85	PM ₁₀	1
103	Koppal	Satisfactory	76	CO	1
104	Korba	Satisfactory	61	NO ₂	2
105	Kota	Satisfactory	65	O ₃ , PM ₁₀	3
106	Kozhikode	Satisfactory	75	PM _{2.5}	1
107	Lucknow	Satisfactory	75	PM _{2.5}	6
108	Ludhiana	Moderate	104	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Satisfactory	57	O ₃	1
110	Maihar	Good	40	CO	1
111	Mandi Gobindgarh	Satisfactory	58	PM _{2.5}	1
112	Mandideep	Satisfactory	57	PM ₁₀	1
113	Mandikhera	Satisfactory	65	PM ₁₀	1
114	Manesar	Satisfactory	76	PM ₁₀	1
115	Mangalore	Moderate	126	PM ₁₀	1
116	Manguraha	Moderate	152	PM _{2.5}	1
117	Meerut	Moderate	137	PM ₁₀ , PM _{2.5}	3
118	Moradabad	Moderate	120	PM _{2.5}	6
119	Motihari	Moderate	150	PM ₁₀	1
120	Mumbai	Moderate	156	NO ₂ , PM ₁₀	17

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara,

~~Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel,~~

Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Munger	Moderate	199	PM _{2.5}	1
122	Muzaffarnagar	Poor	216	PM _{2.5}	1
123	Muzaffarpur	Moderate	191	PM _{2.5}	3
124	Mysuru	Satisfactory	63	O ₃	1
125	Nagaon	Poor	253	PM _{2.5}	1
126	Nagpur	Satisfactory	91	O ₃	1
127	Naharlagun	Satisfactory	54	PM ₁₀	1
128	Nalbari	Poor	239	PM _{2.5}	1
129	Nandesari	Good	38	CO	1
130	Narnaul	Good	50	PM _{2.5}	1
131	Nashik	Satisfactory	61	PM ₁₀	1
132	Navi Mumbai	Moderate	160	PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Moderate	149	PM ₁₀	1
134	Noida	Satisfactory	90	CO, PM ₁₀	4
135	Ooty	Satisfactory	83	PM ₁₀	1
136	Pali	Satisfactory	59	PM ₁₀	1
137	Palwal	Satisfactory	52	PM ₁₀	1
138	Panchkula	Good	28	PM _{2.5}	1
139	Patiala	Satisfactory	76	PM ₁₀	1
140	Patna	Poor	209	PM _{2.5}	6
141	Pithampur	Satisfactory	53	CO	1
142	Prayagraj	Satisfactory	92	O ₃ , PM ₁₀	3
143	Puducherry	Satisfactory	65	PM ₁₀	1
144	Pune	Moderate	122	PM _{2.5} , PM ₁₀	4

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirahi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Satisfactory	84	NO ₂	4
146	Rairangpur	Moderate	177	O ₃	1
147	Rajamahendravaram	Moderate	115	PM _{2.5}	1
148	Ramanagara	Satisfactory	75	PM ₁₀	1
149	Ramanathapuram	Satisfactory	54	PM _{2.5}	1
150	Ratlam	Good	46	NO ₂	1
151	Rishikesh	Satisfactory	51	PM ₁₀	1
152	Rohtak	Satisfactory	94	PM _{2.5}	1
153	Rourkela	Moderate	187	PM _{2.5}	3
154	Rupnagar	Satisfactory	76	PM ₁₀	1
155	Sagar	Satisfactory	82	O ₃ , CO	2
156	Saharsa	Poor	237	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Salem	Satisfactory	64	PM ₁₀	1
158	Samastipur	Poor	259	PM _{2.5}	1
159	Sasaram	Satisfactory	80	O ₃	1
160	Satna	Satisfactory	60	O ₃	1
161	Shillong	Moderate	133	PM _{2.5}	1
162	Shivamogga	Moderate	115	O ₃	1
163	Siliguri	Moderate	128	PM _{2.5}	1
164	Singrauli	Moderate	142	PM _{2.5}	1
165	Sirsa	Satisfactory	91	PM ₁₀	1
166	Sivasagar	Satisfactory	65	PM _{2.5}	1
167	Siwan	Poor	271	PM _{2.5}	1
168	Solapur	Moderate	124	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sonipat	Moderate	147	PM ₁₀	1
170	Suakati	Poor	233	PM _{2.5}	1
171	Surat	Moderate	135	PM _{2.5}	1
172	Talcher	Moderate	110	PM ₁₀	1
173	Thiruvananthapuram	Satisfactory	65	PM _{2.5}	2
174	Thoothukudi	Satisfactory	53	PM ₁₀	1
175	Thrissur	Moderate	124	PM _{2.5}	1
176	Tirupati	Satisfactory	80	PM _{2.5} , NO ₂	2
177	Udaipur	Satisfactory	63	PM ₁₀	1
178	Udupi	Moderate	125	O ₃	1
179	Ujjain	Severe	500	PM _{2.5}	1
180	Vapi	Poor	219	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhel, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirahi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 09, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Varanasi	Good	46	SO ₂ , O ₃	4
182	Vatva	Satisfactory	62	CO	1
183	Vijayapura	Good	46	PM ₁₀	1
184	Vijayawada	Moderate	184	PM _{2.5}	1
185	Visakhapatnam	Moderate	173	PM ₁₀	1
186	Vrindavan	Moderate	128	PM ₁₀	1
187	Yadgir	Satisfactory	81	PM ₁₀	1
188	Yamunanagar	Satisfactory	95	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ballabgarh, Banswara, Barmer, Bathinda, Begusarai, Bidar, Bikaner, Brijrajnagar, Buxar, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hanumangarh, Haveri, Hisar, Jhunjhunu, Jind, Kalyan, Kannur, Karauli, Kochi, Kunjemura, Kurukshetra, Milupara, Panipat, Pratapgarh, Purnia, Raichur, Rajgir, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Srinagar, Tensa, Thane, Tirupur, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases