



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	39	PM _{2.5} , PM ₁₀	2
2	Agra	Good	33	PM ₁₀ , O ₃ , SO ₂	6
3	Ahmedabad	Satisfactory	80	PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	55	PM ₁₀	1
7	Amaravati	Good	17	CO	1
8	Ambala	Moderate	102	PM ₁₀	1
9	Amritsar	Satisfactory	76	O ₃	1
10	Ankleshwar	Satisfactory	85	PM ₁₀	1
11	Araria	Satisfactory	68	NO ₂	1
12	Asansol	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	88	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Satisfactory	81	PM ₁₀	1
15	Baddi	Moderate	131	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Moderate	107	PM ₁₀	1
18	Bahadurgarh	Satisfactory	64	PM ₁₀	1
19	Ballabgarh	Moderate	127	PM ₁₀	1
20	Bareilly	Satisfactory	74	PM _{2.5} , PM ₁₀	2
21	Bathinda	Satisfactory	84	PM ₁₀	1
22	Belgaum	Good	46	CO	1
23	Bengaluru	Satisfactory	74	PM ₁₀ , NO ₂	6
24	Bettiah	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	91	NO ₂ , PM ₁₀	2
26	Bhiwadi	Moderate	127	NO ₂	1
27	Bhiwani	Satisfactory	79	PM _{2.5}	1
28	Bhopal	Good	49	PM ₁₀	1
29	Bihar Sharif	Satisfactory	82	PM ₁₀	1
30	Bilaspur	Satisfactory	61	PM ₁₀	1
31	Brajrajnagar	Good	46	CO	1
32	Bulandshahr	Satisfactory	85	PM ₁₀	1
33	Buxar	Satisfactory	62	PM _{2.5}	1
34	Chamarajanagar	Good	32	PM ₁₀	1
35	Chandigarh	Satisfactory	91	PM _{2.5} , PM ₁₀	3
36	Chandrapur	Satisfactory	55	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonapat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Satisfactory	75	PM ₁₀	1
38	Chennai	Good	48	CO, PM ₁₀ , O ₃	6
39	Chhapra	Satisfactory	96	PM _{2.5}	1
40	Chikkaballapur	Good	29	NO ₂	1
41	Chikkamagaluru	Good	31	PM ₁₀	1
42	Coimbatore	Good	27	CO	1
43	Damoh	Good	24	PM _{2.5}	1
44	Darbhanga	Satisfactory	68	PM ₁₀	1
45	Dehradun	Satisfactory	57	O ₃	1
46	Delhi	Moderate	110	PM _{2.5} , PM ₁₀	36
47	Dewas	Good	49	PM _{2.5}	1
48	Dharuhera	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Satisfactory	85	PM ₁₀	1
50	Eloor	Satisfactory	51	PM ₁₀	1
51	Ernakulam	Good	39	NO ₂	1
52	Faridabad	Moderate	159	PM _{2.5} , PM ₁₀ , O ₃	4
53	Fatehabad	Satisfactory	83	PM ₁₀	1
54	Firozabad	Moderate	104	O ₃ , PM ₁₀	2
55	Gandhinagar	Satisfactory	59	PM ₁₀	1
56	Gangtok	Good	20	O ₃	1
57	Gaya	Satisfactory	94	PM _{2.5} , CO, PM ₁₀	3
58	Ghaziabad	Moderate	136	PM ₁₀	4
59	Gorakhpur	Good	46	SO ₂	1
60	Greater Noida	Moderate	134	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	116	PM ₁₀	3
62	Guwahati	Satisfactory	80	PM ₁₀ , PM _{2.5}	2
63	Gwalior	Good	42	O ₃ , PM ₁₀	2
64	Hajipur	Satisfactory	79	PM ₁₀	1
65	Hapur	Moderate	106	PM ₁₀	1
66	Hassan	Good	35	NO ₂	1
67	Haveri	Satisfactory	58	CO	1
68	Hisar	Satisfactory	70	O ₃	1
69	Howrah	Satisfactory	51	PM ₁₀ , CO	3
70	Hubballi	Satisfactory	56	CO	1
71	Hyderabad	Good	48	CO, PM ₁₀ , PM _{2.5}	12
72	Imphal	Satisfactory	71	O ₃ , SO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	68	NO ₂	1
74	Jabalpur	Good	47	CO	1
75	Jaipur	Satisfactory	80	PM ₁₀	3
76	Jalandhar	Satisfactory	63	O ₃	1
77	Jhansi	Good	35	CO	1
78	Jind	Satisfactory	68	PM ₁₀	1
79	Jodhpur	Satisfactory	78	PM ₁₀	1
80	Kaithal	Satisfactory	80	PM ₁₀	1
81	Kalaburgi	Good	29	SO ₂	1
82	Kalyan	Satisfactory	67	PM ₁₀	1
83	Kannur	Satisfactory	53	PM _{2.5}	1
84	Kanpur	Good	30	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonapat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Satisfactory	95	PM ₁₀	1
86	Katihar	Moderate	122	PM ₁₀	1
87	Katni	Satisfactory	59	PM ₁₀	1
88	Khanna	Satisfactory	54	PM ₁₀	1
89	Khurja	Satisfactory	88	PM _{2.5}	1
90	Kohima	Satisfactory	51	SO ₂	1
91	Kolkata	Good	37	O ₃ , PM ₁₀	7
92	Kollam	Good	43	PM _{2.5}	1
93	Koppal	Moderate	119	O ₃	1
94	Kota	Satisfactory	61	PM ₁₀	1
95	Kozhikode	Satisfactory	68	PM ₁₀	1
96	Kurukshetra	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Satisfactory	56	CO, NO ₂ , O ₃	5
98	Ludhiana	Satisfactory	73	PM ₁₀	1
99	Madikeri	Good	20	SO ₂	1
100	Maihar	Good	28	CO	1
101	Mandi Gobindgarh	Moderate	106	PM ₁₀	1
102	Mandideep	Good	48	O ₃	1
103	Mandikhera	Satisfactory	57	SO ₂	1
104	Manesar	Satisfactory	94	PM ₁₀	1
105	Manglore	Satisfactory	51	CO	1
106	Manguraha	Good	43	PM ₁₀	1
107	Meerut	Moderate	134	PM ₁₀	3
108	Moradabad	Satisfactory	66	CO, PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	73	PM _{2.5} , CO, PM ₁₀	13
110	Munger	Satisfactory	75	PM ₁₀	1
111	Muzaffarnagar	Moderate	109	PM _{2.5}	1
112	Muzaffarpur	Satisfactory	70	PM ₁₀ , CO	2
113	Mysuru	Good	49	O ₃	1
114	Nagpur	Satisfactory	70	CO	1
115	Narnaul	Good	40	PM _{2.5}	1
116	Navi Mumbai	Satisfactory	88	PM _{2.5} , PM ₁₀	2
117	Noida	Moderate	112	PM ₁₀	4
118	Ooty	Satisfactory	64	CO	1
119	Pali	Satisfactory	83	PM ₁₀	1
120	Palwal	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonapat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Satisfactory	74	PM ₁₀	1
122	Patiala	Satisfactory	62	PM ₁₀	1
123	Patna	Satisfactory	86	PM ₁₀ , PM _{2.5}	6
124	Pithampur	Satisfactory	81	PM ₁₀	1
125	Prayagraj	Satisfactory	74	PM _{2.5} , SO ₂ , PM ₁₀	3
126	Puducherry	Good	41	PM ₁₀	1
127	Purnia	Moderate	130	PM _{2.5}	1
128	Raichur	Satisfactory	77	CO	1
129	Rajamahendravaram	Good	18	CO	1
130	Rajgir	Moderate	109	CO	1
131	Ramanagara	Good	47	O ₃	1
132	Ramanathapuram	Good	24	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.
 # Some stations have data available at 3PM
 * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
 * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Good	35	PM ₁₀	1
134	Rupnagar	Satisfactory	83	PM _{2.5}	1
135	Sagar	Satisfactory	61	CO	1
136	Samastipur	Moderate	121	PM ₁₀	1
137	Sasaram	Satisfactory	65	NO ₂	1
138	Satna	Good	21	PM ₁₀	1
139	Shillong	Good	26	PM ₁₀	2
140	Shivamogga	Good	44	PM ₁₀	1
141	Siliguri	Satisfactory	51	PM ₁₀	1
142	Singrauli	Satisfactory	90	NO ₂	1
143	Sirsa	Satisfactory	80	PM ₁₀	1
144	Siwan	Satisfactory	99	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonapat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Solapur	Satisfactory	68	PM ₁₀	1
146	Srinagar	Good	45	PM ₁₀	1
147	Talcher	Good	35	CO	1
148	Thane	Satisfactory	90	O ₃	1
149	Thiruvananthapuram	Good	30	CO, NO ₂	2
150	Thoothukudi	Good	38	PM ₁₀	1
151	Tirupati	Good	42	CO	1
152	Tiruppur	Satisfactory	71	PM ₁₀	1
153	Udaipur	Satisfactory	82	PM ₁₀	1
154	Ujjain	Satisfactory	53	PM ₁₀	1
155	Varanasi	Satisfactory	64	PM ₁₀	4
156	Vijayapura	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonapat, Thrissur, Udupi, Vapi, Vatva as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Sep 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Good	33	PM ₁₀	1
158	Vrindavan	Good	45	SO ₂	1
159	Yadgir	Good	34	CO	1
160	Yamunanagar	Moderate	178	PM _{2.5}	1
161	vellore	Good	39	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Arrah, Begusarai, Bhilai, Bidar, Chengalpattu, Davanagere, Gadag, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kochi, Kolar, Motihari, Naharlagun, Nandesari, Nashik, Panchkula, Pune, Rohtak, Saharsa, Salem, Sonipat, Thrissur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.