

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	174	PM ₁₀ , PM _{2.5}	2
2	Agra	Satisfactory	51	NO ₂ , PM ₁₀	6
3	Ahmedabad	Moderate	114	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	97	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Satisfactory	90	PM ₁₀	1
7	Amaravati	Satisfactory	73	PM ₁₀	1
8	Ambala	Satisfactory	92	PM ₁₀	1
9	Amritsar	Moderate	138	PM _{2.5}	1
10	Anantapur	Moderate	157	03	1
11	Ankleshwar	Moderate	188	PM _{2.5}	1
12	Araria	Very Poor	303	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	63	PM _{2.5}	1
14	Arrah	Poor	274	PM _{2.5}	1
15	Asansol	Poor	231	PM _{2.5}	1
16	Aurangabad (Bihar)	Poor	224	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Moderate	159	PM _{2.5}	1
18	Baddi	Moderate	140	PM ₁₀	1
19	Bagalkot	Good	49	PM ₁₀	1
20	Baghpat	Poor	296	PM _{2.5}	1
21	Bahadurgarh	Poor	205	PM _{2.5}	1
22	Ballabgarh	Satisfactory	66	со	1
23	Bareilly	Satisfactory	92	PM ₁₀	2
24	Baripada	Moderate	131	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	116	PM ₁₀	1
26	Begusarai	Severe	410	PM _{2.5}	1
27	Belgaum	Moderate	198	PM _{2.5}	1
28	Bengaluru	Satisfactory	95	PM _{2.5} , PM ₁₀	10
29	Bettiah	Very Poor	383	PM _{2.5}	1
30	Bhagalpur	Poor	254	PM _{2.5}	2
31	Bharatpur	Moderate	157	PM _{2.5}	1
32	Bhilai	Satisfactory	100	O ₃ , PM ₁₀	3
33	Bhiwadi	Moderate	182	PM _{2.5}	1
34	Bhiwani	Moderate	117	PM ₁₀	1
35	Bhopal	Moderate	119	PM ₁₀	2
36	Bidar	Satisfactory	78	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	114	PM ₁₀	1
38	Bilaspur	Satisfactory	58	PM ₁₀	1
39	Bileipada	Moderate	142	PM ₁₀	1
40	Brajrajnagar	Satisfactory	95	PM ₁₀	1
41	Bulandshahr	Moderate	181	PM _{2.5}	1
42	Byrnihat	Very Poor	337	PM _{2.5}	1
43	Chamarajanagar	Good	37	PM ₁₀	1
44	Chandigarh	Moderate	166	PM _{2.5}	3
45	Chandrapur	Moderate	149	PM _{2.5}	1
46	Charkhi Dadri	Moderate	162	PM ₁₀	1
47	Chengalpattu	Satisfactory	94	PM _{2.5}	1
48	Chennai	Satisfactory	99	PM _{2.5}	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Very Poor	325	PM ₁₀	1
50	Chikkaballapur	Moderate	123	PM ₁₀	1
51	Chittoor	Satisfactory	87	PM _{2.5}	1
52	Coimbatore	Moderate	163	PM _{2.5}	1
53	Damoh	Good	26	со	1
54	Delhi	Poor	275	PM ₁₀ , PM _{2.5}	38
55	Dewas	Moderate	140	PM ₁₀	1
56	Dharuhera	Poor	246	PM _{2.5}	1
57	Durgapur	Poor	263	PM ₁₀	1
58	Eloor	Satisfactory	72	PM ₁₀	1
59	Faridabad	Poor	235	PM _{2.5}	4
60	Fatehabad	Moderate	157	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Firozabad	Satisfactory	90	PM ₁₀	2
62	Gadag	Satisfactory	65	03	1
63	Gandhinagar	Moderate	121	PM _{2.5} , PM ₁₀	3
64	Gaya	Moderate	133	PM _{2.5}	3
65	Ghaziabad	Moderate	196	PM ₁₀	3
66	Gorakhpur	Satisfactory	94	PM ₁₀	1
67	Greater Noida	Poor	232	PM ₁₀ , PM _{2.5}	2
68	Gurugram	Poor	262	PM _{2.5}	4
69	Guwahati	Moderate	158	PM _{2.5}	4
70	Gwalior	Moderate	140	PM ₁₀	3
71	Hajipur	Poor	299	PM _{2.5}	1
72	Haldia	Moderate	131	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hapur	Satisfactory	73	PM _{2.5}	1
74	Hassan	Satisfactory	83	PM ₁₀	1
75	Haveri	Satisfactory	86	PM _{2.5}	1
76	Hosur	Moderate	196	PM _{2.5}	1
77	Howrah	Moderate	181	PM _{2.5}	3
78	Hubballi	Moderate	119	PM ₁₀	1
79	Hyderabad	Moderate	111	PM _{2.5} , PM ₁₀	12
80	Imphal	Moderate	127	PM _{2.5} , SO ₂	2
81	Indore	Moderate	118	PM ₁₀	1
82	Jabalpur	Moderate	148	PM ₁₀	1
83	Jaipur	Moderate	147	PM _{2.5} , PM ₁₀	3
84	Jalandhar	Moderate	118	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Satisfactory	74	PM ₁₀	1
86	Jind	Moderate	160	PM _{2.5}	1
87	Jodhpur	Moderate	156	PM _{2.5}	2
88	Jorapokhar	Moderate	199	PM ₁₀	1
89	Kadapa	Moderate	190	PM _{2.5}	1
90	Kaithal	Poor	219	PM _{2.5}	1
91	Kalaburgi	Moderate	127	PM _{2.5}	1
92	Kalyan	Moderate	197	PM ₁₀	1
93	Kanchipuram	Satisfactory	84	PM ₁₀	1
94	Kanpur	Moderate	121	PM _{2.5}	3
95	Karnal	Moderate	176	PM _{2.5}	1
96	Katihar	Very Poor	310	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Moderate	122	PM ₁₀	1
98	Khanna	Satisfactory	95	PM ₁₀	1
99	Khurja	Moderate	127	PM _{2.5}	1
100	Kishanganj	Very Poor	304	PM _{2.5}	1
101	Kochi	Moderate	183	PM _{2.5}	1
102	Kohima	Moderate	138	PM _{2.5}	1
103	Kolkata	Moderate	134	PM _{2.5}	7
104	Kollam	Satisfactory	83	PM ₁₀	1
105	Koppal	Moderate	111	PM ₁₀	1
106	Korba	Moderate	138	PM _{2.5} , PM ₁₀	2
107	Kota	Satisfactory	88	PM ₁₀	3
108	Kozhikode	Satisfactory	75	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Poor	203	PM _{2.5}	1
110	Lucknow	Moderate	166	PM _{2.5}	6
111	Ludhiana	Moderate	194	PM _{2.5}	1
112	Madikeri	Good	41	03	1
113	Maihar	Good	29	PM ₁₀	1
114	Mandi Gobindgarh	Moderate	109	PM ₁₀	1
115	Mandideep	Moderate	133	PM ₁₀	1
116	Mandikhera	Satisfactory	99	PM ₁₀	1
117	Manesar	Moderate	142	PM _{2.5}	1
118	Mangalore	Moderate	147	PM ₁₀	1
119	Manguraha	Poor	259	PM _{2.5}	1
120	Meerut	Poor	284	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Satisfactory	96	PM _{2.5} , PM ₁₀	6
122	Motihari	Poor	266	PM ₁₀	1
123	Mumbai	Moderate	172	PM _{2.5} , PM ₁₀	19
124	Munger	Poor	287	PM ₁₀	1
125	Muzaffarnagar	Poor	227	PM _{2.5}	1
126	Muzaffarpur	Very Poor	316	PM _{2.5}	3
127	Mysuru	Satisfactory	60	PM ₁₀	1
128	Nagaon	Poor	204	PM _{2.5}	1
129	Nagpur	Moderate	136	PM _{2.5}	1
130	Naharlagun	Good	38	PM ₁₀	1
131	Nalbari	Moderate	168	PM _{2.5}	1
132	Nandesari	Good	30	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Narnaul	Moderate	102	PM ₁₀	1
134	Navi Mumbai	Poor	279	PM _{2.5}	3
135	Nayagarh	Moderate	127	PM ₁₀	1
136	Noida	Poor	235	PM _{2.5}	4
137	Pali	Satisfactory	82	PM ₁₀	1
138	Palwal	Satisfactory	74	PM ₁₀	1
139	Panchkula	Moderate	109	со	1
140	Panipat	Moderate	152	PM ₁₀	1
141	Patiala	Moderate	133	PM ₁₀	1
142	Patna	Poor	297	PM ₁₀ , PM _{2.5}	5
143	Pithampur	Moderate	130	PM ₁₀	1
144	Prayagraj	Satisfactory	89	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	92	PM _{2.5}	1
146	Pune	Satisfactory	100	PM _{2.5} , PM ₁₀	4
147	Raipur	Moderate	106	PM _{2.5} , NO ₂	4
148	Rairangpur	Moderate	125	PM _{2.5}	1
149	Rajamahendravaram	Satisfactory	85	PM ₁₀	1
150	Rajgir	Moderate	199	PM _{2.5}	1
151	Ramanagara	Satisfactory	89	PM ₁₀	1
152	Ramanathapuram	Satisfactory	59	PM ₁₀	1
153	Ratlam	Moderate	110	PM ₁₀	1
154	Rishikesh	Satisfactory	71	PM ₁₀	1
155	Rohtak	Moderate	168	PM _{2.5}	1
156	Rourkela	Poor	214	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rupnagar	Poor	225	PM ₁₀	1
158	Sagar	Satisfactory	70	PM ₁₀ , CO	2
159	Saharsa	Very Poor	344	PM ₁₀	1
160	Samastipur	Very Poor	370	PM ₁₀	1
161	Sasaram	Moderate	166	PM _{2.5}	1
162	Satna	Moderate	154	PM ₁₀	1
163	Shillong	Moderate	140	PM _{2.5}	1
164	Shivamogga	Satisfactory	68	O ₃	1
165	Singrauli	Poor	284	PM ₁₀	1
166	Sirsa	Moderate	122	PM ₁₀	1
167	Sivasagar	Satisfactory	87	PM _{2.5}	1
168	Siwan	Very Poor	352	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Solapur	Moderate	140	PM ₁₀	1
170	Srinagar	Good	33	PM ₁₀	1
171	Suakati	Moderate	122	03	1
172	Surat	Moderate	194	PM _{2.5}	1
173	Talcher	Moderate	192	PM _{2.5}	1
174	Tensa	Satisfactory	98	PM ₁₀	1
175	Thane	Moderate	180	PM ₁₀	1
176	Thiruvananthapuram	Satisfactory	90	PM _{2.5}	2
177	Thoothukudi	Good	43	PM ₁₀	1
178	Thrissur	Moderate	142	PM ₁₀	1
179	Tirupati	Moderate	103	PM _{2.5}	2
180	Tirupur	Satisfactory	84	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Udaipur	Satisfactory	76	PM ₁₀	1
182	Udupi	Moderate	104	СО	1
183	Ujjain	Moderate	107	PM ₁₀	1
184	Vapi	Poor	257	PM _{2.5}	1
185	Varanasi	Satisfactory	76	PM ₁₀	4
186	Vatva	Moderate	163	PM ₁₀	1
187	Vijayapura	Good	46	PM ₁₀	1
188	Vijayawada	Moderate	196	O ₃	1
189	Visakhapatnam	Moderate	132	PM ₁₀	1
190	Vrindavan	Moderate	192	PM ₁₀	1
191	Yamunanagar	Moderate	200	PM _{2.5}	1
192	vellore	Satisfactory	87	PM ₁₀	1

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bikaner, Buxar, Chhal, Notes: Chikkamagaluru, Darbhanga, Davanagere, Dehradun, Dharwad, Dholpur, Dindigul, Ernakulam, Gangtok, Gummidipoondi, Hisar, Kannur, Katni, Kolar, Kunjemura, Milupara, Nashik, Ooty, Purnia, Raichur, Salem, Silchar, Siliguri, Sirohi, Sonipat, Tonk, Tumakuru, Tumidih, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.