Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	209	$PM_{2.5}$	1
2	Ahmedabad	Moderate	134	$PM_{2.5}$	1
3	Ajmer	Satisfactory	80	PM_{10}	1
4	Alwar	Satisfactory	83	PM_{10}	1
5	Amaravati	Satisfactory	99	$PM_{2.5}$	1
6	Ambala	Satisfactory	54	NO_2	1
7	Amritsar	Good	36	$PM_{2.5}$	1
8	Ankleshwar	Moderate	172	$PM_{2.5}$	1
9	Asanol	Poor	296	$PM_{2.5}$	1
10	Aurangabad	Moderate	103	$PM_{2.5}$	1
11	Baghpat	Poor	214	$PM_{2.5}$	1
12	Bahadurgarh	Moderate	119	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	311	$PM_{2.5}$	1
14	Bathinda	Satisfactory	91	$PM_{2.5}$	1
15	Bengaluru	Satisfactory	95	O_3, CO, PM_{10}	9
16	Bhiwadi	Moderate	198	$PM_{2.5}$	1
17	Bhiwani	Moderate	178	$PM_{2.5}$	1
18	Bhopal	Moderate	158	$PM_{2.5}$	1
19	Brajrajnagar	Moderate	156	$PM_{2.5}$	1
20	Bulandshahr	Very Poor	325	$PM_{2.5}$	1
21	Chandigarh	Satisfactory	64	$PM_{2.5}$	1
22	Chandrapur	Satisfactory	78	$PM_{2.5}$, PM_{10}	2
23	Chennai	Satisfactory	78	$PM_{2.5}$	4
24	Chikkaballapur	Satisfactory	63	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	50	O_3	1
26	Damoh	Moderate	118	$PM_{2.5}$	1
27	Delhi	Poor	266	$PM_{2.5}$	33
28	Dewas	Moderate	143	$PM_{2.5}$	1
29	Dharuhera	Poor	260	$PM_{2.5}$	1
30	Eloor	Satisfactory	91	PM_{10}	1
31	Faridabad	Poor	269	$PM_{2.5}$	1
32	Fatehabad	Satisfactory	96	PM_{10}	1
33	GandhiNagar	Satisfactory	71	PM_{10}	1
34	Gaya	Moderate	195	$PM_{2.5}$	1
35	Ghaziabad	Poor	262	$PM_{2.5}$, PM_{10}	4
36	Greater_Noida	Very Poor	316	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	169	$PM_{2.5}$	1
38	Guwahati	Poor	283	$PM_{2.5}$	1
39	Hapur	Moderate	122	PM_{10}	1
40	Howrah	Very Poor	350	PM_{10}, $PM_{2.5}$	3
41	Hubballi	Satisfactory	67	PM_{10}	1
42	Hyderabad	Satisfactory	79	$PM_{2.5}$, PM_{10}	5
43	Indore	Moderate	171	$PM_{2.5}$	1
44	Jabalpur	Moderate	138	$PM_{2.5}$	1
45	Jaipur	Moderate	123	$PM_{2.5}$, PM_{10}	3
46	Jalandhar	Satisfactory	57	$PM_{2.5}$	1
47	Jind	Moderate	144	$PM_{2.5}$	1
48	Jodhpur	Moderate	111	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	229	PM_{10}	1
50	Kaithal	Satisfactory	59	$PM_{2.5}$	1
51	Kalaburagi	Very Poor	400	PM_{10}	1
52	Kalyan	Moderate	186	PM_{10}	1
53	Kanpur	Very Poor	316	$PM_{2.5}$	1
54	Karnal	Satisfactory	82	$PM_{2.5}$	1
55	Katni	Moderate	160	$PM_{2.5}$	1
56	Khanna	Satisfactory	74	$PM_{2.5}$	1
57	Kolkata	Poor	255	$PM_{2.5}$	7
58	Kota	Satisfactory	91	PM_{10}	1
59	Kurukshetra	Satisfactory	73	$PM_{2.5}$	1
60	Lucknow	Very Poor	318	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Good	43	PM_{10}	1
62	Mandi Gobindgarh	Moderate	107	$PM_{2.5}$	1
63	Mandideep	Moderate	172	PM_{10}	1
64	Mandikhera	Moderate	151	$PM_{2.5}$	1
65	Manesar	Moderate	120	$PM_{2.5}$	1
66	Meerut	Moderate	107	PM_{10}, $PM_{2.5}$	3
67	Mumbai	Moderate	152	$PM_{2.5}$, PM_{10}, O_3	10
68	Muzaffarpur	Severe	425	$PM_{2.5}$	1
69	Mysuru	Satisfactory	51	O_3	1
70	Nagpur	Moderate	118	PM_{10}	1
71	Nashik	Moderate	106	PM_{10}	1
72	Navi Mumbai	Moderate	188	$PM_{2.5}$, CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Very Poor	313	$PM_{2.5}$	4
74	Pali	Moderate	140	$PM_{2.5}$	1
75	Panchkula	Good	46	$PM_{2.5}$	1
76	Panipat	Moderate	142	PM_{10}	1
77	Patiala	Good	44	CO	1
78	Patna	Very Poor	343	$PM_{2.5}$	4
79	Pithampur	Moderate	112	PM_{10}	1
80	Pune	Moderate	105	$PM_{2.5}$	1
81	Rajamahendravaram	Moderate	110	$PM_{2.5}$	1
82	Ramanagara	Good	37	PM_{10}	1
83	Ratlam	Moderate	174	PM_{10}	1
84	Rohtak	Moderate	144	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rupnagar	Satisfactory	62	PM_{10}	1
86	Satna	Satisfactory	69	PM_{10}	1
87	Siliguri	Poor	221	$PM_{2.5}$	1
88	Singrauli	Poor	275	$PM_{2.5}$	1
89	Sirsa	Satisfactory	77	PM_{10}	1
90	Solapur	Moderate	102	CO	1
91	Sonipat	Moderate	181	PM_{10}	1
92	Talcher	Very Poor	318	$PM_{2.5}$	1
93	Thane	Satisfactory	81	PM_{10}	1
94	Thiruvananthapuram	Good	45	O_3	1
95	Tirupati	Good	49	PM_{10}	1
96	Udaipur	Satisfactory	84	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 08, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	117	$PM_{2.5}$	1
98	Vapi	Poor	300	$PM_{2.5}$	1
99	Varanasi	Poor	257	$PM_{2.5}$	1
100	Vatva	Poor	239	$PM_{2.5}$	1
101	Visakhapatnam	Satisfactory	96	PM_{10}	1
102	Yadgir	Satisfactory	63	$PM_{2.5}$	1
103	Yamunanagar	Moderate	115	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Haldia, Hisar, Maihar, Moradabad, Narnaul, Palwal, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.