

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	138	PM _{2.5}	2
2	Agra	Moderate	136	PM ₁₀	5
3	Ahmedabad	Moderate	106	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	56	PM ₁₀	1
5	Ajmer	Moderate	124	PM ₁₀	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Satisfactory	88	PM ₁₀	1
8	Ambala	Moderate	106	PM ₁₀	1
9	Amritsar	Satisfactory	93	PM ₁₀	1
10	Ankleshwar	Moderate	150	PM _{2.5}	1
11	Araria	Satisfactory	89	PM _{2.5}	1
12	Arrah	Poor	222	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	185	03	1
14	Baddi	Moderate	148	PM ₁₀	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Baghpat	Moderate	172	PM _{2.5}	1
17	Bahadurgarh	Poor	206	PM _{2.5}	1
18	Ballabgarh	Moderate	139	PM ₁₀	1
19	Bathinda	Moderate	107	PM ₁₀	1
20	Bengaluru	Satisfactory	86	CO, PM ₁₀ , O ₃	8
21	Bettiah	Poor	278	PM _{2.5}	1
22	Bhagalpur	Very Poor	322	PM ₁₀ , PM _{2.5}	2
23	Bhiwadi	Poor	266	PM _{2.5}	1
24	Bhiwani	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	136	PM ₁₀	1
26	Bidar	Moderate	115	PM ₁₀	1
27	Bihar Sharif	Poor	231	PM _{2.5}	1
28	Bilaspur	Satisfactory	55	со	1
29	Brajrajnagar	Poor	258	03	1
30	Bulandshahr	Moderate	171	PM ₁₀	1
31	Buxar	Poor	224	PM _{2.5}	1
32	Chamarajanagar	Good	45	PM ₁₀	1
33	Chandigarh	Moderate	126	O ₃ , PM ₁₀ , PM _{2.5}	3
34	Chandrapur	Moderate	152	PM _{2.5}	2
35	Charkhi Dadri	Poor	229	PM _{2.5}	1
36	Chennai	Moderate	102	PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	62	O ₃	1
38	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
39	Coimbatore	Satisfactory	76	SO ₂	1
40	Damoh	Moderate	115	PM ₁₀	1
41	Darbhanga	Moderate	193	PM ₁₀	1
42	Davanagere	Satisfactory	75	PM ₁₀	1
43	Delhi	Moderate	180	PM _{2.5}	38
44	Dewas	Moderate	117	PM ₁₀	1
45	Dharuhera	Moderate	192	PM ₁₀	1
46	Durgapur	Very Poor	346	PM ₁₀	1
47	Eloor	Satisfactory	66	PM ₁₀	1
48	Ernakulam	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	183	PM _{2.5} , PM ₁₀	3
50	Firozabad	Moderate	161	O ₃	1
51	Gadag	Satisfactory	60	PM ₁₀	1
52	Gandhinagar	Moderate	101	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	129	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Poor	204	PM _{2.5} , PM ₁₀	4
55	Gorakhpur	Satisfactory	95	PM _{2.5}	1
56	Greater Noida	Moderate	157	PM ₁₀	1
57	Gurugram	Poor	204	PM _{2.5} , PM ₁₀	3
58	Guwahati	Poor	282	PM _{2.5}	2
59	Hajipur	Satisfactory	68	O ₃	1
60	Haldia	Good	27	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	136	PM ₁₀	1
62	Hassan	Satisfactory	68	PM _{2.5}	1
63	Hisar	Moderate	188	PM _{2.5}	1
64	Howrah	Satisfactory	88	PM _{2.5} , PM ₁₀	2
65	Hyderabad	Moderate	135	PM _{2.5} , PM ₁₀	6
66	Indore	Moderate	186	PM ₁₀	1
67	Jabalpur	Poor	203	PM ₁₀	1
68	Jaipur	Moderate	140	PM ₁₀ , PM _{2.5}	3
69	Jalandhar	Moderate	139	PM ₁₀	1
70	Jhansi	Moderate	153	PM ₁₀	1
71	Jind	Moderate	130	PM ₁₀	1
72	Jodhpur	Moderate	175	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	144	PM ₁₀	1
74	Kalaburgi	Moderate	124	PM ₁₀	1
75	Kannur	Satisfactory	60	PM ₁₀	1
76	Kanpur	Moderate	118	PM ₁₀	3
77	Karnal	Moderate	108	PM ₁₀	1
78	Katihar	Very Poor	363	PM _{2.5}	1
79	Katni	Poor	241	PM ₁₀	1
80	Khanna	Moderate	123	PM ₁₀	1
81	Kishanganj	Moderate	194	PM _{2.5}	1
82	Kochi	Satisfactory	88	PM _{2.5}	1
83	Kohima	Moderate	149	PM _{2.5}	1
84	Kolar	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	78	PM ₁₀ , O ₃	7
86	Kollam	Satisfactory	86	PM ₁₀	1
87	Koppal	Satisfactory	51	03	1
88	Kota	Moderate	149	PM _{2.5}	1
89	Kozhikode	Satisfactory	55	PM ₁₀	1
90	Kurukshetra	Moderate	146	PM _{2.5}	1
91	Lucknow	Moderate	152	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Satisfactory	98	PM ₁₀	1
93	Madikeri	Satisfactory	62	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	118	PM ₁₀	1
95	Mandideep	Moderate	133	PM ₁₀	1
96	Mandikhera	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	178	PM _{2.5}	1
98	Manglore	Satisfactory	62	NO ₂	1
99	Meerut	Moderate	181	PM ₁₀ , PM _{2.5}	3
100	Moradabad	Moderate	105	PM ₁₀	4
101	Motihari	Moderate	195	PM ₁₀	1
102	Mumbai	Moderate	152	PM _{2.5} , PM ₁₀	18
103	Munger	Very Poor	303	PM ₁₀	1
104	Muzaffarnagar	Moderate	162	PM _{2.5}	1
105	Muzaffarpur	Poor	283	PM _{2.5}	3
106	Mysuru	Satisfactory	55	PM ₁₀	1
107	Nagpur	Satisfactory	77	PM ₁₀	1
108	Narnaul	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	70	PM ₁₀	1
110	Navi Mumbai	Moderate	199	PM ₁₀ , PM _{2.5}	2
111	Noida	Moderate	148	PM ₁₀	4
112	Pali	Moderate	132	PM _{2.5}	1
113	Palwal	Moderate	122	PM ₁₀	1
114	Panchkula	Moderate	163	PM _{2.5}	1
115	Panipat	Moderate	129	PM ₁₀	1
116	Patiala	Moderate	119	PM ₁₀	1
117	Patna	Poor	212	PM _{2.5} , PM ₁₀	6
118	Pithampur	Satisfactory	91	PM ₁₀	1
119	Prayagraj	Moderate	130	PM ₁₀	3
120	Pune	Moderate	172	PM _{2.5}	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	195	PM _{2.5}	1
122	Raichur	Moderate	116	PM ₁₀	1
123	Rajamahendravaram	Satisfactory	94	PM ₁₀	1
124	Rajgir	Moderate	145	PM ₁₀	1
125	Ramanagara	Satisfactory	98	PM ₁₀	1
126	Ratlam	Moderate	128	PM ₁₀	1
127	Rohtak	Moderate	179	PM _{2.5}	1
128	Rupnagar	Poor	214	PM ₁₀	1
129	Saharsa	Very Poor	322	PM ₁₀	1
130	Satna	Satisfactory	59	PM ₁₀	1
131	Shillong	Good	42	PM _{2.5}	1
132	Shivamogga	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	110	PM ₁₀	1
134	Singrauli	Very Poor	370	PM ₁₀	1
135	Sirsa	Moderate	108	PM ₁₀	1
136	Solapur	Moderate	108	PM ₁₀	1
137	Sonipat	Moderate	159	PM ₁₀	1
138	Srinagar	Good	40	PM ₁₀	1
139	Talcher	Moderate	112	SO ₂	1
140	Thane	Moderate	195	PM ₁₀	1
141	Thiruvananthapuram	Satisfactory	58	PM ₁₀	2
142	Thoothukudi	Satisfactory	88	PM ₁₀	1
143	Thrissur	Satisfactory	75	PM ₁₀	1
144	Tirupati	Moderate	108	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	125	PM ₁₀	1
146	Udupi	Satisfactory	62	со	1
147	Ujjain	Moderate	182	PM ₁₀	1
148	Varanasi	Moderate	107	PM ₁₀	4
149	Vatva	Moderate	106	PM ₁₀	1
150	Vijayapura	Satisfactory	51	PM ₁₀	1
151	Visakhapatnam	Moderate	110	PM ₁₀	1
152	Vrindavan	Moderate	125	PM ₁₀	1
153	Yadgir	Satisfactory	84	PM ₁₀	1
154	Yamunanagar	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chhapra, Fatehabad, Gummidipoondi, Gwalior, Hubballi, Jorapokhar, Kalyan, Maihar, Manguraha, Naharlagun, Nandesari, Puducherry, Sagar, Sasaram, Siwan, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.