

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	281	PM _{2.5}	2
2	Agra	Satisfactory	56	NO ₂ , PM ₁₀	6
3	Ahmedabad	Moderate	161	PM _{2.5}	6
4	Aizawl	Satisfactory	99	PM ₁₀	1
5	Ajmer	Satisfactory	97	PM ₁₀	1
6	Alwar	Satisfactory	78	PM _{2.5}	1
7	Amaravati	Satisfactory	94	PM ₁₀	1
8	Ambala	Moderate	116	PM _{2.5}	1
9	Amritsar	Satisfactory	100	PM _{2.5}	1
10	Anantapur	Satisfactory	85	O ₃	1
11	Ankleshwar	Moderate	188	PM _{2.5}	1
12	Araria	Poor	290	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Rogboot, Releasum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	72	СО	1
14	Arrah	Moderate	182	PM _{2.5}	1
15	Asansol	Moderate	141	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	145	PM ₁₀	1
17	Aurangabad (Maharashtra)	Moderate	109	PM ₁₀	1
18	Baddi	Moderate	131	PM _{2.5}	1
19	Bagalkot	Satisfactory	64	O ₃	1
20	Bahadurgarh	Moderate	163	PM _{2.5}	1
21	Ballabgarh	Satisfactory	98	со	1
22	Bareilly	Moderate	102	PM _{2.5} , PM ₁₀	2
23	Baripada	Moderate	119	PM ₁₀	1
24	Bathinda	Moderate	124	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	383	PM _{2.5}	1
26	Bengaluru	Satisfactory	95	O ₃ , CO	10
27	Bettiah	Poor	248	PM _{2.5}	1
28	Bhagalpur	Poor	292	PM _{2.5}	2
29	Bharatpur	Poor	228	PM _{2.5}	1
30	Bhilai	Satisfactory	86	PM ₁₀	2
31	Bhiwadi	Poor	205	PM ₁₀	1
32	Bhiwani	Moderate	112	PM _{2.5}	1
33	Bhopal	Moderate	139	PM ₁₀	2
34	Bilaspur	Moderate	116	PM ₁₀	1
35	Bileipada	Moderate	172	PM _{2.5}	1
36	Bulandshahr	Moderate	156	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	392	PM _{2.5}	1
38	Chamarajanagar	Good	41	PM ₁₀	1
39	Chandigarh	Moderate	152	PM _{2.5}	3
40	Chandrapur	Satisfactory	95	PM ₁₀	1
41	Charkhi Dadri	Moderate	172	PM _{2.5}	1
42	Chennai	Moderate	108	PM _{2.5}	8
43	Chhapra	Poor	298	PM _{2.5}	1
44	Chikkaballapur	Moderate	107	PM ₁₀	1
45	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
46	Chittoor	Moderate	115	PM _{2.5}	1
47	Coimbatore	Moderate	125	PM ₁₀	1
48	Davanagere	Satisfactory	85	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Rogboot, Releasum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	265	PM ₁₀ , PM _{2.5}	37
50	Dewas	Satisfactory	71	PM ₁₀	1
51	Dharuhera	Poor	272	PM _{2.5}	1
52	Dindigul	Poor	255	NO ₂	1
53	Durgapur	Poor	225	PM ₁₀	1
54	Faridabad	Very Poor	312	PM ₁₀ , PM _{2.5}	4
55	Firozabad	Moderate	118	PM ₁₀ , PM _{2.5}	2
56	Gandhinagar	Moderate	148	PM _{2.5} , PM ₁₀	2
57	Gaya	Moderate	162	PM ₁₀ , PM _{2.5}	3
58	Ghaziabad	Poor	241	PM _{2.5} , PM ₁₀	3
59	Gorakhpur	Moderate	114	PM ₁₀	1
60	Greater Noida	Poor	225	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Rogboot, Releasum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gummidipoondi	Moderate	144	PM _{2.5}	1
62	Gurugram	Poor	218	PM _{2.5}	4
63	Guwahati	Very Poor	339	PM _{2.5}	4
64	Gwalior	Moderate	196	PM ₁₀ , PM _{2.5}	3
65	Hajipur	Poor	269	PM _{2.5}	1
66	Haldia	Moderate	136	PM ₁₀	1
67	Hapur	Satisfactory	78	PM _{2.5}	1
68	Hassan	Satisfactory	71	PM ₁₀	1
69	Haveri	Satisfactory	83	PM _{2.5}	1
70	Hisar	Moderate	187	PM ₁₀	1
71	Hosur	Moderate	142	со	1
72	Howrah	Poor	221	PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Moderate	133	PM ₁₀	2
74	Hyderabad	Moderate	112	PM _{2.5} , PM ₁₀	13
75	Imphal	Moderate	122	PM _{2.5}	1
76	Indore	Moderate	102	PM ₁₀	1
77	Jabalpur	Moderate	149	PM ₁₀	1
78	Jaipur	Moderate	161	PM _{2.5} , PM ₁₀	3
79	Jalandhar	Satisfactory	74	PM _{2.5}	1
80	Jhansi	Satisfactory	100	PM ₁₀	1
81	Jind	Satisfactory	100	PM _{2.5}	1
82	Jodhpur	Moderate	134	PM ₁₀	1
83	Jorapokhar	Moderate	132	PM ₁₀	1
84	Kadapa	Moderate	134	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	162	PM _{2.5}	1
86	Kalaburgi	Moderate	128	PM _{2.5}	1
87	Kalyan	Moderate	184	PM ₁₀	1
88	Kanchipuram	Satisfactory	80	PM ₁₀	1
89	Kannur	Satisfactory	68	PM _{2.5}	1
90	Kanpur	Moderate	143	PM _{2.5}	3
91	Karnal	Moderate	102	PM _{2.5}	1
92	Katihar	Very Poor	308	PM _{2.5}	1
93	Keonjhar	Moderate	102	PM ₁₀	1
94	Khanna	Satisfactory	84	PM ₁₀	1
95	Khurja	Moderate	123	PM _{2.5}	1
96	Kishanganj	Poor	281	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	131	PM _{2.5}	1
98	Kolkata	Moderate	177	PM _{2.5}	7
99	Kollam	Satisfactory	73	PM ₁₀	1
100	Koppal	Moderate	127	PM ₁₀	1
101	Korba	Satisfactory	93	PM _{2.5} , PM ₁₀	2
102	Kota	Moderate	146	PM _{2.5}	2
103	Kozhikode	Satisfactory	75	PM _{2.5}	1
104	Kurukshetra	Satisfactory	95	PM _{2.5}	1
105	Lucknow	Moderate	177	PM _{2.5}	6
106	Ludhiana	Poor	206	PM _{2.5}	1
107	Madikeri	Satisfactory	53	O ₃	1
108	Maihar	Good	28	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	157	PM ₁₀	1
110	Mandideep	Poor	229	PM ₁₀	1
111	Mandikhera	Satisfactory	92	PM ₁₀	1
112	Manesar	Moderate	174	PM ₁₀	1
113	Mangalore	Moderate	117	PM ₁₀	1
114	Meerut	Poor	290	PM ₁₀ , PM _{2.5}	3
115	Moradabad	Moderate	101	PM _{2.5}	6
116	Motihari	Poor	217	PM ₁₀	1
117	Mumbai	Moderate	185	PM _{2.5} , PM ₁₀	17
118	Munger	Poor	210	PM ₁₀	1
119	Muzaffarnagar	Poor	208	PM _{2.5}	1
120	Muzaffarpur	Very Poor	332	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	48	PM ₁₀	1
122	Nagpur	Moderate	167	03	1
123	Nandesari	Good	29	PM _{2.5}	1
124	Narnaul	Moderate	185	PM _{2.5}	1
125	Nashik	Satisfactory	83	PM _{2.5}	1
126	Navi Mumbai	Poor	283	PM _{2.5}	3
127	Nayagarh	Moderate	126	PM ₁₀	1
128	Noida	Poor	226	PM _{2.5}	4
129	Ooty	Satisfactory	80	PM ₁₀	1
130	Pali	Satisfactory	87	PM ₁₀	1
131	Palwal	Satisfactory	66	PM ₁₀	1
132	Panipat	Moderate	165	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AOL is not calculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	117	PM ₁₀	1
134	Patna	Poor	288	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Good	44	PM _{2.5}	1
136	Prayagraj	Satisfactory	91	PM ₁₀	3
137	Puducherry	Satisfactory	71	PM _{2.5}	1
138	Pune	Moderate	166	PM _{2.5} , PM ₁₀	3
139	Raichur	Moderate	109	PM ₁₀	1
140	Raipur	Moderate	118	NO ₂ , PM ₁₀	4
141	Rairangpur	Moderate	111	PM ₁₀	1
142	Rajgir	Moderate	146	PM _{2.5}	1
143	Ramanagara	Satisfactory	75	PM ₁₀	1
144	Ramanathapuram	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Moderate	128	PM _{2.5}	1
146	Rourkela	Moderate	132	PM _{2.5}	3
147	Rupnagar	Moderate	138	PM ₁₀	1
148	Sagar	Satisfactory	56	PM ₁₀ , CO	2
149	Saharsa	Very Poor	386	PM _{2.5}	1
150	Samastipur	Severe	405	PM _{2.5}	1
151	Sasaram	Moderate	101	PM _{2.5}	1
152	Satna	Satisfactory	87	PM ₁₀	1
153	Shillong	Poor	240	PM _{2.5}	1
154	Shivamogga	Satisfactory	63	O ₃	1
155	Siliguri	Moderate	191	PM _{2.5}	1
156	Singrauli	Poor	268	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Moderate	106	PM ₁₀	1
158	Sivasagar	Satisfactory	91	PM ₁₀	1
159	Siwan	Very Poor	397	PM _{2.5}	1
160	Solapur	Satisfactory	89	PM ₁₀	1
161	Srinagar	Satisfactory	56	PM ₁₀	1
162	Suakati	Satisfactory	97	PM ₁₀	1
163	Surat	Poor	216	PM _{2.5}	1
164	Tensa	Satisfactory	68	PM ₁₀	1
165	Thane	Moderate	190	PM ₁₀	1
166	Thiruvananthapuram	Satisfactory	67	PM _{2.5}	2
167	Thoothukudi	Satisfactory	95	03	1
168	Thrissur	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Paghnat, Palgaum, Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Satisfactory	86	NO ₂ , PM _{2.5}	2
170	Udaipur	Moderate	111	PM ₁₀	1
171	Vapi	Poor	296	PM _{2.5}	1
172	Varanasi	Satisfactory	55	PM ₁₀ , NO ₂	4
173	Vatva	Poor	233	PM _{2.5}	1
174	Vijayapura	Good	46	PM ₁₀	1
175	Vrindavan	Poor	248	PM ₁₀	1
176	Yadgir	Satisfactory	95	PM ₁₀	1
177	Yamunanagar	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Belgaum, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.