

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	111	PM <sub>2.5</sub>	1
2	Agra	Poor	295	PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	44	SO <sub>2</sub>	1
5	Ajmer	Moderate	155	PM <sub>2.5</sub>	1
6	Alwar	Moderate	137	PM <sub>2.5</sub>	1
7	Amaravati	Good	46	PM <sub>2.5</sub>	1
8	Ambala	Poor	295	PM <sub>2.5</sub>	1
9	Amritsar	Poor	261	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	186	PM <sub>2.5</sub>	1
11	Asansol	Moderate	197	O <sub>3</sub>	1
12	Aurangabad	Satisfactory	57	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	49	PM <sub>2.5</sub>	1
14	Baghpat	Very Poor	345	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	385	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	203	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	74	CO, PM <sub>2.5</sub> , NO <sub>2</sub>	7
18	Bhilai	Satisfactory	74	PM <sub>10</sub>	1
19	Bhiwadi	Very Poor	323	PM <sub>2.5</sub>	1
20	Bhiwani	Poor	261	PM <sub>2.5</sub>	1
21	Bhopal	Poor	288	PM <sub>2.5</sub>	1
22	Bidar	Good	50	со	1
23	Bilaspur	Satisfactory	70	PM <sub>10</sub>	1
24	Brajrajnagar	Satisfactory	71	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Very Poor	347	PM <sub>2.5</sub>	1
26	Chamarajanagar	Good	40	PM <sub>10</sub>	1
27	Chandigarh	Moderate	150	O <sub>3</sub> , PM <sub>10</sub>	2
28	Chandrapur	Satisfactory	78	PM <sub>10</sub>	2
29	Chennai	Good	39	CO, SO <sub>2</sub>	8
30	Chikkaballapur	Good	30	NO <sub>2</sub>	1
31	Chikkamagaluru	Good	28	NO <sub>2</sub>	1
32	Damoh	Poor	227	PM <sub>2.5</sub>	1
33	Davanagere	Good	29	СО	1
34	Delhi	Very Poor	380	PM <sub>2.5</sub> , PM <sub>10</sub>	35
35	Dewas	Satisfactory	90	PM <sub>10</sub>	1
36	Dharuhera	Poor	273	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Very Poor	328	PM <sub>2.5</sub>	1
38	Eloor	Good	49	СО	1
39	Ernakulam	Satisfactory	71	со	1
40	Faridabad	Very Poor	352	PM <sub>10</sub>	3
41	Fatehabad	Poor	273	PM <sub>2.5</sub>	1
42	Firozabad	Poor	277	PM <sub>2.5</sub>	1
43	Gandhinagar	Satisfactory	67	PM <sub>2.5</sub> , PM <sub>10</sub>	3
44	Gaya	Moderate	131	PM <sub>2.5</sub>	2
45	Ghaziabad	Very Poor	377	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Gorakhpur	Very Poor	309	PM <sub>2.5</sub>	1
47	Greater Noida	Very Poor	382	PM <sub>10</sub> , PM <sub>2.5</sub>	2
48	Gurugram	Very Poor	324	PM <sub>2.5</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	136	PM <sub>2.5</sub>	2
50	Gwalior	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	2
51	Hajipur	Poor	246	PM <sub>2.5</sub>	1
52	Haldia	Moderate	113	PM <sub>10</sub>	1
53	Hapur	Very Poor	374	PM <sub>2.5</sub>	1
54	Hisar	Very Poor	366	PM <sub>2.5</sub>	1
55	Howrah	Poor	204	PM <sub>2.5</sub>	3
56	Hubballi	Good	48	PM <sub>10</sub>	1
57	Hyderabad	Satisfactory	69	PM <sub>2.5</sub> , PM <sub>10</sub>	5
58	Indore	Poor	225	PM <sub>2.5</sub>	1
59	Jabalpur	Poor	235	PM <sub>2.5</sub>	1
60	Jaipur	Poor	214	PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Poor	239	PM <sub>2.5</sub>	1
62	Jodhpur	Poor	228	PM <sub>2.5</sub>	1
63	Kaithal	Poor	210	PM <sub>2.5</sub>	1
64	Kalaburgi	Satisfactory	69	PM <sub>10</sub>	1
65	Kanpur	Poor	277	PM <sub>2.5</sub>	3
66	Katni	Very Poor	303	PM <sub>2.5</sub>	1
67	Khanna	Moderate	148	PM <sub>2.5</sub>	1
68	Kochi	Moderate	112	PM <sub>2.5</sub>	1
69	Kohima	Satisfactory	63	PM <sub>10</sub>	1
70	Kolkata	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	6
71	Kollam	Satisfactory	62	PM <sub>10</sub>	1
72	Koppal	Satisfactory	53	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Poor	239	PM <sub>2.5</sub>	1
74	Kozhikode	Satisfactory	51	PM <sub>10</sub>	1
75	Kurukshetra	Poor	259	PM <sub>2.5</sub>	1
76	Lucknow	Poor	255	PM <sub>2.5</sub>	6
77	Ludhiana	Poor	205	PM <sub>2.5</sub>	1
78	Mandi Gobindgarh	Moderate	169	PM <sub>10</sub>	1
79	Mandideep	Moderate	133	PM <sub>2.5</sub>	1
80	Mandikhera	Moderate	103	со	1
81	Manesar	Very Poor	335	PM <sub>2.5</sub>	1
82	Manglore	Satisfactory	96	PM <sub>10</sub>	1
83	Medikeri	Good	19	O <sub>3</sub>	1
84	Meerut	Very Poor	361	PM <sub>2.5</sub>	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	280	PM <sub>2.5</sub>	2
86	Motihari	Very Poor	342	PM <sub>2.5</sub>	1
87	Mumbai	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	18
88	Munger	Poor	265	PM <sub>2.5</sub>	1
89	Muzaffarnagar	Poor	259	PM <sub>2.5</sub>	1
90	Muzaffarpur	Very Poor	305	PM <sub>2.5</sub> , PM <sub>10</sub>	3
91	Naharlagun	Moderate	175	O <sub>3</sub>	1
92	Narnaul	Very Poor	318	PM <sub>2.5</sub>	1
93	Nashik	Good	43	PM <sub>2.5</sub>	1
94	Navi Mumbai	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	3
95	Noida	Very Poor	376	PM <sub>10</sub> , PM <sub>2.5</sub>	4
96	Pali	Poor	222	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	82	PM <sub>10</sub>	1
98	Panchkula	Moderate	144	PM <sub>2.5</sub>	1
99	Panipat	Very Poor	350	PM <sub>10</sub>	1
100	Patiala	Moderate	180	PM <sub>2.5</sub>	1
101	Patna	Poor	267	PM <sub>2.5</sub> , PM <sub>10</sub>	5
102	Pithampur	Moderate	194	PM <sub>2.5</sub>	1
103	Prayagraj	Poor	250	PM <sub>2.5</sub>	3
104	Pune	Satisfactory	91	SO <sub>2</sub> , CO	2
105	Raichur	Satisfactory	83	PM <sub>10</sub>	1
106	Rajamahendravaram	Satisfactory	76	PM <sub>2.5</sub>	1
107	Ramanagara	Good	35	03	1
108	Ratlam	Moderate	135	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Very Poor	337	PM <sub>2.5</sub>	1
110	Rupnagar	Moderate	148	PM <sub>10</sub>	1
111	Sagar	Moderate	105	PM <sub>2.5</sub>	1
112	Sasaram	Poor	213	PM <sub>2.5</sub>	1
113	Satna	Satisfactory	68	PM <sub>10</sub>	1
114	Siliguri	Moderate	112	PM <sub>10</sub>	1
115	Singrauli	Very Poor	311	PM <sub>2.5</sub>	1
116	Sirsa	Poor	238	PM <sub>2.5</sub>	1
117	Solapur	Satisfactory	75	PM <sub>10</sub>	1
118	Sonipat	Poor	299	PM <sub>2.5</sub>	1
119	Srinagar	Moderate	110	PM <sub>10</sub>	1
120	Talcher	Satisfactory	74	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	111	PM <sub>10</sub>	1
122	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub> , CO	2
123	Thoothukudi	Good	49	PM <sub>10</sub>	1
124	Thrissur	Good	45	PM <sub>10</sub>	1
125	Tirupati	Good	37	со	1
126	Udaipur	Moderate	123	PM <sub>2.5</sub>	1
127	Ujjain	Moderate	141	PM <sub>2.5</sub>	1
128	Varanasi	Poor	255	PM <sub>2.5</sub>	4
129	Vatva	Moderate	141	PM <sub>2.5</sub>	1
130	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1
131	Visakhapatnam	Moderate	153	PM <sub>2.5</sub>	1
132	Vrindavan	Poor	298	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Poor	276	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Charkhi Dadri, Coimbatore, Darbhanga, Gadag, Gummidipoondi, Hassan Jind, Jorapokhar, Kalyan, Kannur, Karnal, Kolar, Maihar, Mysuru, Nagpur, Nandesari, Puducherry, Shillong, Shivamogga, Udupi, Vapi, Yadgir as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.