

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM ₁₀	2
2	Agra	Good	40	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	89	CO, PM ₁₀	2
4	Aizawl	Good	33	PM ₁₀	1
5	Ajmer	Moderate	128	PM _{2.5}	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Good	34	PM _{2.5}	1
8	Ambala	Moderate	160	PM _{2.5}	1
9	Amritsar	Moderate	101	O ₃	1
10	Ankleshwar	Moderate	106	PM ₁₀	1
11	Araria	Satisfactory	93	PM _{2.5}	1
12	Arrah	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	67	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	93	PM ₁₀	1
15	Baddi	Moderate	106	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Moderate	101	PM ₁₀	1
18	Bahadurgarh	Satisfactory	90	PM ₁₀	1
19	Ballabgarh	Satisfactory	85	PM ₁₀	1
20	Bareilly	Satisfactory	86	PM ₁₀	2
21	Bathinda	Satisfactory	61	PM ₁₀	1
22	Begusarai	Satisfactory	68	PM _{2.5}	1
23	Belgaum	Satisfactory	70	PM _{2.5}	1
24	Bengaluru	Satisfactory	58	PM _{2.5} , NO ₂ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	130	PM ₁₀	1
26	Bhopal	Satisfactory	84	PM ₁₀	1
27	Bihar Sharif	Moderate	109	PM ₁₀	1
28	Bilaspur	Satisfactory	61	PM ₁₀	1
29	Bulandshahr	Satisfactory	85	PM ₁₀	1
30	Chamarajanagar	Good	34	PM ₁₀	1
31	Chandigarh	Satisfactory	75	PM ₁₀	3
32	Chandrapur	Good	39	NO ₂	1
33	Charkhi Dadri	Moderate	116	PM ₁₀	1
34	Chengalpattu	Satisfactory	80	PM ₁₀	1
35	Chennai	Satisfactory	70	PM _{2.5} , PM ₁₀ , CO	8
36	Chhapra	Moderate	157	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	54	PM ₁₀	1
38	Chikkamagaluru	Satisfactory	52	PM ₁₀	1
39	Damoh	Good	30	PM _{2.5}	1
40	Darbhanga	Satisfactory	91	PM ₁₀	1
41	Davanagere	Good	21	PM ₁₀	1
42	Dehradun	Satisfactory	66	PM ₁₀	1
43	Delhi	Moderate	116	PM ₁₀ , O ₃	36
44	Dewas	Satisfactory	83	PM ₁₀	1
45	Dharuhera	Moderate	138	PM ₁₀	1
46	Durgapur	Satisfactory	69	PM ₁₀	1
47	Eloor	Satisfactory	53	PM ₁₀	1
48	Ernakulam	Good	31	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	132	O ₃ , PM ₁₀	3
50	Fatehabad	Satisfactory	91	PM ₁₀	1
51	Firozabad	Satisfactory	64	PM ₁₀ , O ₃	2
52	Gadag	Good	37	PM _{2.5}	1
53	Gandhinagar	Satisfactory	67	PM ₁₀	1
54	Gangtok	Good	20	PM _{2.5}	1
55	Gaya	Moderate	102	PM _{2.5} , CO	3
56	Ghaziabad	Moderate	110	PM ₁₀	4
57	Gorakhpur	Good	45	SO ₂	1
58	Greater Noida	Satisfactory	88	PM ₁₀	2
59	Gurugram	Moderate	114	PM ₁₀ , PM _{2.5}	3
60	Guwahati	Good	40	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Satisfactory	97	PM ₁₀	1
62	Hajipur	Satisfactory	68	PM ₁₀	1
63	Hapur	Satisfactory	62	PM _{2.5}	1
64	Hassan	Good	25	PM _{2.5}	1
65	Haveri	Satisfactory	57	СО	1
66	Hisar	Moderate	114	PM ₁₀	1
67	Howrah	Good	48	PM ₁₀ , CO	3
68	Hubballi	Satisfactory	61	СО	1
69	Hyderabad	Satisfactory	62	CO, PM _{2.5} , PM ₁₀	11
70	Imphal	Satisfactory	64	O ₃ , PM ₁₀	2
71	Indore	Satisfactory	99	PM ₁₀	1
72	Jabalpur	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	140	PM ₁₀	3
74	Jalandhar	Satisfactory	51	PM ₁₀	1
75	Jind	Satisfactory	92	PM ₁₀	1
76	Jodhpur	Moderate	110	PM _{2.5}	1
77	Kaithal	Moderate	120	PM ₁₀	1
78	Kalaburgi	Satisfactory	51	PM _{2.5}	1
79	Kannur	Satisfactory	64	PM ₁₀	1
80	Kanpur	Good	41	PM ₁₀ , CO	4
81	Karnal	Moderate	115	PM ₁₀	1
82	Katihar	Moderate	104	со	1
83	Katni	Satisfactory	77	PM ₁₀	1
84	Khanna	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Satisfactory	91	PM _{2.5}	1
86	Kishanganj	Satisfactory	64	O ₃	1
87	Kochi	Moderate	141	PM _{2.5}	1
88	Kohima	Satisfactory	52	SO ₂	1
89	Kolkata	Good	43	PM ₁₀ , NO ₂ , O ₃	5
90	Kollam	Satisfactory	68	PM ₁₀	1
91	Koppal	Satisfactory	89	O ₃	1
92	Kota	Moderate	102	PM ₁₀	1
93	Kozhikode	Satisfactory	65	PM ₁₀	1
94	Kurukshetra	Moderate	105	PM ₁₀	1
95	Lucknow	Satisfactory	62	CO, PM _{2.5} , PM ₁₀	6
96	Ludhiana	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	29	03	1
98	Maihar	Good	32	со	1
99	Mandi Gobindgarh	Satisfactory	67	PM ₁₀	1
100	Mandideep	Satisfactory	60	PM ₁₀	1
101	Mandikhera	Satisfactory	72	PM ₁₀	1
102	Manglore	Satisfactory	54	со	1
103	Manguraha	Good	47	PM ₁₀	1
104	Meerut	Moderate	118	PM ₁₀	3
105	Moradabad	Satisfactory	80	PM ₁₀ , CO, PM _{2.5}	6
106	Motihari	Satisfactory	82	PM _{2.5}	1
107	Mumbai	Satisfactory	86	PM _{2.5} , PM ₁₀ , CO	17
108	Muzaffarnagar	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	97	PM _{2.5} , PM ₁₀	3
110	Mysuru	Satisfactory	51	PM ₁₀	1
111	Nagpur	Satisfactory	66	со	1
112	Naharlagun	Good	22	SO ₂	1
113	Nandesari	Moderate	133	PM _{2.5}	1
114	Narnaul	Satisfactory	72	PM _{2.5}	1
115	Nashik	Satisfactory	73	PM ₁₀	1
116	Navi Mumbai	Moderate	162	PM _{2.5} , PM ₁₀	3
117	Noida	Satisfactory	90	CO, PM ₁₀	4
118	Ooty	Satisfactory	56	со	1
119	Pali	Satisfactory	80	PM ₁₀	1
120	Palwal	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panchkula	Satisfactory	64	PM _{2.5}	1
122	Panipat	Satisfactory	81	PM ₁₀	1
123	Patiala	Satisfactory	88	PM ₁₀	1
124	Patna	Moderate	113	PM _{2.5} , PM ₁₀	6
125	Pithampur	Moderate	127	PM ₁₀	1
126	Prayagraj	Satisfactory	97	PM _{2.5} , SO ₂ , PM ₁₀	3
127	Puducherry	Good	46	PM ₁₀	1
128	Purnia	Moderate	165	PM _{2.5}	1
129	Raichur	Satisfactory	84	со	1
130	Rajamahendravaram	Good	40	PM ₁₀	1
131	Rajgir	Moderate	107	со	1
132	Ramanagara	Satisfactory	55	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanathapuram	Good	47	PM ₁₀	1
134	Ratlam	Moderate	111	PM ₁₀	1
135	Rupnagar	Satisfactory	90	PM ₁₀	1
136	Sagar	Satisfactory	57	со	1
137	Saharsa	Poor	212	PM ₁₀	1
138	Samastipur	Moderate	151	PM ₁₀	1
139	Sasaram	Satisfactory	63	NO ₂	1
140	Satna	Good	31	PM ₁₀	1
141	Shillong	Good	23	PM ₁₀	1
142	Shivamogga	Good	49	PM ₁₀	1
143	Siliguri	Good	38	PM _{2.5}	1
144	Singrauli	Satisfactory	93	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Satisfactory	97	PM ₁₀	1
146	Siwan	Moderate	132	NO ₂	1
147	Solapur	Satisfactory	71	PM ₁₀	1
148	Sonipat	Moderate	130	PM ₁₀	1
149	Srinagar	Good	38	SO ₂	1
150	Talcher	Good	36	со	1
151	Thane	Moderate	128	PM ₁₀	1
152	Thiruvananthapuram	Good	32	CO, PM ₁₀	2
153	Thoothukudi	Good	31	PM ₁₀	1
154	Tirupati	Satisfactory	75	PM _{2.5}	1
155	Tiruppur	Satisfactory	73	PM ₁₀	1
156	Udaipur	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Udupi	Satisfactory	88	O ₃	1
158	Ujjain	Moderate	126	PM ₁₀	1
159	Varanasi	Satisfactory	58	PM ₁₀	4
160	Vatva	Satisfactory	83	PM _{2.5}	1
161	Vijayapura	Good	40	PM ₁₀	1
162	Visakhapatnam	Satisfactory	69	PM ₁₀	1
163	Vrindavan	Satisfactory	78	SO ₂	1
164	Yadgir	Good	40	PM _{2.5}	1
165	Yamunanagar	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Aurangabad (Bihar), Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Brajrajnagar, Buxar, Coimbatore, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kalyan, Kolar, Manesar, Munger, Pune, Rohtak, Thrissur, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.