

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1 | Agra | Satisfactory | 100 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Moderate | 111 | OZONE | 1 |
| 3 | Ajmer | Moderate | 128 | PM _{2.5} | 1 |
| 4 | Alwar | Satisfactory | 90 | PM ₁₀ | 1 |
| 5 | Amaravati | Good | 43 | со | 1 |
| 6 | Ambala | Very Poor | 343 | PM _{2.5} | 1 |
| 7 | Amritsar | Moderate | 182 | PM _{2.5} | 1 |
| 8 | Ankleshwar | Satisfactory | 75 | со | 1 |
| 9 | Aurangabad | Satisfactory | 64 | PM ₁₀ | 1 |
| 10 | Baghpat | Very Poor | 326 | PM _{2.5} | 1 |
| 11 | Bahadurgarh | Poor | 268 | PM _{2.5} | 1 |
| 12 | Ballabgarh | Poor | 219 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------|--------------|-------------|---|--|
| 13 | Bathinda | Moderate | 140 | PM ₁₀ | 1 |
| 14 | Bengaluru | Satisfactory | 62 | PM _{2.5} , PM ₁₀ , CO | 9 |
| 15 | Bhiwadi | Poor | 230 | PM _{2.5} | 1 |
| 16 | Bhiwani | Very Poor | 340 | PM _{2.5} | 1 |
| 17 | Bhopal | Satisfactory | 88 | PM _{2.5} | 1 |
| 18 | Brajrajnagar | Moderate | 101 | со | 1 |
| 19 | Bulandshahr | Poor | 285 | PM _{2.5} | 1 |
| 20 | Chandigarh | Poor | 248 | PM _{2.5} | 1 |
| 21 | Chandrapur | Good | 22 | OZONE, PM ₁₀ | 2 |
| 22 | Chennai | Poor | 260 | PM _{2.5} | 3 |
| 23 | Delhi | Very Poor | 337 | PM ₁₀ , PM _{2.5} | 36 |
| 24 | Dewas | Satisfactory | 58 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 25 | Dharuhera | Poor | 281 | PM _{2.5} | 1 |
| 26 | Eloor | Good | 25 | со | 1 |
| 27 | Faridabad | Very Poor | 323 | PM _{2.5} | 1 |
| 28 | Fatehabad | Poor | 204 | PM ₁₀ | 1 |
| 29 | GandhiNagar | Satisfactory | 81 | PM ₁₀ | 1 |
| 30 | Gaya | Satisfactory | 68 | PM _{2.5} | 1 |
| 31 | Ghaziabad | Very Poor | 395 | PM _{2.5} | 4 |
| 32 | Greater_Noida | Very Poor | 325 | PM _{2.5} | 2 |
| 33 | Gurugram | Poor | 299 | PM _{2.5} | 2 |
| 34 | Guwahati | Good | 18 | OZONE | 1 |
| 35 | Haldia | Good | 37 | PM ₁₀ | 1 |
| 36 | Hapur | Poor | 298 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 37 | Hisar | Very Poor | 385 | PM _{2.5} | 1 |
| 38 | Howrah | Moderate | 129 | PM _{2.5} , PM ₁₀ | 3 |
| 39 | Hyderabad | Satisfactory | 54 | PM _{2.5} , PM ₁₀ | 6 |
| 40 | Indore | Satisfactory | 59 | NO ₂ | 1 |
| 41 | Jabalpur | Satisfactory | 84 | PM ₁₀ | 1 |
| 42 | Jaipur | Moderate | 134 | PM _{2.5} , PM ₁₀ | 3 |
| 43 | Jalandhar | Moderate | 198 | PM _{2.5} | 1 |
| 44 | Jind | Very Poor | 338 | PM _{2.5} | 1 |
| 45 | Jodhpur | Poor | 223 | PM _{2.5} | 1 |
| 46 | Jorapokhar | Satisfactory | 95 | PM ₁₀ | 1 |
| 47 | Kaithal | Very Poor | 343 | PM ₁₀ | 1 |
| 48 | Kalaburagi | Good | 40 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|-------------------------------------|--|
| 49 | Kalyan | Satisfactory | 88 | PM ₁₀ | 1 |
| 50 | Karnal | Poor | 286 | PM _{2.5} | 1 |
| 51 | Katni | Satisfactory | 84 | PM ₁₀ | 1 |
| 52 | Khanna | Moderate | 195 | PM ₁₀ | 1 |
| 53 | Kolkata | Moderate | 125 | PM _{2.5} | 7 |
| 54 | Kota | Moderate | 150 | PM _{2.5} | 1 |
| 55 | Kurukshetra | Very Poor | 337 | PM _{2.5} | 1 |
| 56 | Lucknow | Moderate | 186 | PM _{2.5} , NO ₂ | 4 |
| 57 | Ludhiana | Poor | 239 | PM _{2.5} | 1 |
| 58 | Maihar | Satisfactory | 92 | PM ₁₀ | 1 |
| 59 | Mandi Gobindgarh | Poor | 296 | PM _{2.5} | 1 |
| 60 | Mandideep | Satisfactory | 63 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---|--|
| 61 | Mandikhera | Poor | 219 | PM _{2.5} | 1 |
| 62 | Manesar | Poor | 275 | PM _{2.5} | 1 |
| 63 | Meerut | Very Poor | 326 | PM _{2.5} | 3 |
| 64 | Moradabad | Very Poor | 304 | PM _{2.5} | 1 |
| 65 | Mumbai | Satisfactory | 92 | PM _{2.5} , CO | 10 |
| 66 | Muzaffarnagar | Very Poor | 357 | PM _{2.5} | 1 |
| 67 | Muzaffarpur | Moderate | 186 | OZONE | 1 |
| 68 | Mysuru | Good | 31 | PM ₁₀ | 1 |
| 69 | Narnaul | Poor | 259 | PM _{2.5} | 1 |
| 70 | Nashik | Good | 33 | PM ₁₀ | 1 |
| 71 | Navi Mumbai | Satisfactory | 85 | PM ₁₀ , PM _{2.5} , CO | 3 |
| 72 | Noida | Very Poor | 358 | PM _{2.5} | 4 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 73 | Pali | Satisfactory | 97 | PM ₁₀ | 1 |
| 74 | Palwal | Poor | 256 | PM _{2.5} | 1 |
| 75 | Panchkula | Poor | 206 | PM _{2.5} | 1 |
| 76 | Panipat | Very Poor | 348 | PM ₁₀ | 1 |
| 77 | Patiala | Very Poor | 305 | PM _{2.5} | 1 |
| 78 | Patna | Moderate | 174 | PM _{2.5} | 1 |
| 79 | Pithampur | Satisfactory | 60 | PM _{2.5} | 1 |
| 80 | Pune | Satisfactory | 82 | SO ₂ | 1 |
| 81 | Rajamahendravaram | Satisfactory | 51 | OZONE | 1 |
| 82 | Ramanagara | Good | 44 | SO ₂ | 1 |
| 83 | Ratlam | Moderate | 105 | PM ₁₀ | 1 |
| 84 | Rohtak | Very Poor | 306 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 85 | Rupnagar | Moderate | 126 | PM _{2.5} | 1 |
| 86 | Satna | Satisfactory | 85 | PM ₁₀ | 1 |
| 87 | Siliguri | Satisfactory | 56 | PM ₁₀ | 1 |
| 88 | Singrauli | Moderate | 142 | NO ₂ | 1 |
| 89 | Sirsa | Very Poor | 379 | PM _{2.5} | 1 |
| 90 | Solapur | Satisfactory | 57 | СО | 1 |
| 91 | Sonipat | Poor | 215 | PM ₁₀ | 1 |
| 92 | Thane | Satisfactory | 55 | PM ₁₀ | 1 |
| 93 | Thiruvananthapuram | Satisfactory | 68 | PM _{2.5} | 1 |
| 94 | Tirupati | Good | 32 | PM ₁₀ | 1 |
| 95 | Udaipur | Moderate | 139 | PM ₁₀ | 1 |
| 96 | Ujjain | Satisfactory | 80 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 97 | Vapi | Moderate | 104 | PM _{2.5} | 1 |
| 98 | Varanasi | Moderate | 153 | PM _{2.5} | 1 |
| 99 | Vatva | Moderate | 107 | PM ₁₀ | 1 |
| 100 | Vijayawada | Satisfactory | 89 | со | 1 |
| 101 | Visakhapatnam | Moderate | 115 | PM ₁₀ | 1 |
| 102 | Yadgir | Good | 48 | OZONE | 1 |
| 103 | Yamunanagar | Very Poor | 373 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Asanol, Chikkaballapur, Coimbatore, Damoh, Hubballi, Kanpur, Nagpur, Shillong, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.