

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	PM <sub>10</sub>	2
2	Agra	Good	20	CO, PM <sub>10</sub>	4
3	Ahmedabad	Good	33	PM <sub>10</sub>	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	70	PM <sub>10</sub>	1
6	Alwar	Satisfactory	61	PM <sub>10</sub>	1
7	Amaravati	Good	25	03	1
8	Araria	Satisfactory	69	NO <sub>2</sub>	1
9	Arrah	Satisfactory	55	03	1
10	Asansol	Satisfactory	68	NO <sub>2</sub>	1
11	Aurangabad (Bihar)	Satisfactory	52	PM <sub>2.5</sub>	1
12	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	72	O <sub>3</sub>	1
14	Bagalkot	Satisfactory	51	PM <sub>10</sub>	1
15	Baghpat	Good	45	O <sub>3</sub>	1
16	Bahadurgarh	Satisfactory	53	PM <sub>10</sub>	1
17	Ballabgarh	Satisfactory	58	со	1
18	Bareilly	Good	45	PM <sub>10</sub>	2
19	Bathinda	Satisfactory	65	PM <sub>10</sub>	1
20	Begusarai	Good	46	03	1
21	Belgaum	Good	45	со	1
22	Bengaluru	Satisfactory	58	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	7
23	Bettiah	Good	38	со	1
24	Bhagalpur	Satisfactory	62	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	71	PM <sub>10</sub>	1
26	Bhiwani	Satisfactory	80	O <sub>3</sub>	1
27	Bhopal	Good	43	со	1
28	Bihar Sharif	Satisfactory	69	со	1
29	Bilaspur	Satisfactory	55	PM <sub>10</sub>	1
30	Brajrajnagar	Good	50	со	1
31	Bulandshahr	Satisfactory	51	PM <sub>10</sub>	1
32	Buxar	Satisfactory	66	PM <sub>10</sub>	1
33	Chandigarh	Good	48	O <sub>3</sub> , PM <sub>10</sub>	3
34	Chandrapur	Satisfactory	62	со	1
35	Chennai	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	8
36	Chhapra	Satisfactory	95	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	29	со	1
38	Chikkamagaluru	Good	34	PM <sub>10</sub>	1
39	Coimbatore	Good	33	PM <sub>2.5</sub>	1
40	Damoh	Good	21	со	1
41	Darbhanga	Satisfactory	53	PM <sub>10</sub>	1
42	Davanagere	Good	15	PM <sub>10</sub>	1
43	Dehradun	Good	23	PM <sub>10</sub>	1
44	Delhi	Satisfactory	88	PM <sub>10</sub> , CO	13
45	Dharuhera	Moderate	107	PM <sub>10</sub>	1
46	Eloor	Satisfactory	55	PM <sub>10</sub>	1
47	Ernakulam	Good	49	со	1
48	Faridabad	Moderate	118	O <sub>3</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	61	O <sub>3</sub> , PM <sub>10</sub>	2
50	Gadag	Good	27	PM <sub>2.5</sub>	1
51	Gandhinagar	Good	23	со	1
52	Gaya	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	3
53	Ghaziabad	Satisfactory	58	PM <sub>10</sub>	4
54	Gorakhpur	Good	45	SO <sub>2</sub>	1
55	Greater Noida	Satisfactory	70	CO, O <sub>3</sub>	2
56	Gummidipoondi	Good	21	NO <sub>2</sub>	1
57	Gurugram	Satisfactory	61	PM <sub>10</sub> , O <sub>3</sub>	3
58	Guwahati	Good	35	PM <sub>10</sub> , O <sub>3</sub>	2
59	Gwalior	Good	33	PM <sub>10</sub>	1
60	Hajipur	Good	31	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	40	PM <sub>10</sub>	1
62	Hapur	Good	40	03	1
63	Hassan	Satisfactory	56	SO <sub>2</sub>	1
64	Haveri	Good	49	со	1
65	Hisar	Satisfactory	68	03	1
66	Howrah	Good	40	PM <sub>10</sub> , CO	2
67	Hubballi	Satisfactory	51	со	1
68	Hyderabad	Good	42	CO, NO <sub>2</sub> , PM <sub>10</sub>	13
69	Imphal	Satisfactory	68	O <sub>3</sub> , PM <sub>10</sub>	2
70	Indore	Good	39	03	1
71	Jabalpur	Satisfactory	76	со	1
72	Jaipur	Good	44	03	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Good	36	O <sub>3</sub>	1
74	Jhansi	Good	27	PM <sub>10</sub>	1
75	Jind	Good	47	со	1
76	Jodhpur	Satisfactory	83	PM <sub>10</sub>	1
77	Kaithal	Satisfactory	75	03	1
78	Kalyan	Good	49	PM <sub>10</sub>	1
79	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
80	Kanpur	Good	26	PM <sub>10</sub>	3
81	Karnal	Good	38	PM <sub>10</sub>	1
82	Katihar	Satisfactory	59	со	1
83	Khanna	Satisfactory	53	со	1
84	Khurja	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	65	03	1
86	Kohima	Satisfactory	55	SO <sub>2</sub>	1
87	Kolkata	Good	44	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	6
88	Kollam	Satisfactory	51	PM <sub>2.5</sub>	1
89	Koppal	Satisfactory	71	03	1
90	Kota	Good	38	PM <sub>10</sub>	1
91	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
92	Kurukshetra	Good	40	PM <sub>10</sub>	1
93	Lucknow	Good	49	CO, NO <sub>2</sub> , O <sub>3</sub>	5
94	Ludhiana	Satisfactory	53	PM <sub>10</sub>	1
95	Madikeri	Good	23	SO <sub>2</sub>	1
96	Maihar	Good	43	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Good	35	PM <sub>2.5</sub>	1
98	Mandideep	Good	35	03	1
99	Mandikhera	Good	36	PM <sub>10</sub>	1
100	Manesar	Satisfactory	65	PM <sub>10</sub>	1
101	Manglore	Good	46	со	1
102	Meerut	Satisfactory	65	PM <sub>10</sub> , NO <sub>2</sub>	3
103	Moradabad	Satisfactory	56	O <sub>3</sub> , PM <sub>10</sub>	4
104	Motihari	Satisfactory	60	03	1
105	Mumbai	Good	46	PM <sub>10</sub> , CO	13
106	Muzaffarnagar	Satisfactory	51	PM <sub>10</sub>	1
107	Muzaffarpur	Satisfactory	59	CO, PM <sub>10</sub>	3
108	Mysuru	Good	36	03	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Good	36	PM <sub>10</sub>	1
110	Narnaul	Good	30	PM <sub>2.5</sub>	1
111	Nashik	Good	45	03	1
112	Navi Mumbai	Good	34	PM <sub>10</sub>	1
113	Noida	Satisfactory	73	CO, PM <sub>10</sub>	4
114	Palwal	Satisfactory	62	PM <sub>10</sub>	1
115	Panchkula	Good	36	СО	1
116	Panipat	Satisfactory	57	PM <sub>10</sub>	1
117	Patiala	Good	38	PM <sub>10</sub>	1
118	Patna	Satisfactory	70	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	6
119	Pithampur	Good	38	O <sub>3</sub>	1
120	Prayagraj	Satisfactory	70	SO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	52	PM <sub>10</sub>	1
122	Purnia	Satisfactory	62	со	1
123	Raichur	Satisfactory	64	со	1
124	Rajamahendravaram	Good	36	PM <sub>10</sub>	1
125	Rajgir	Moderate	105	со	1
126	Ramanagara	Good	41	03	1
127	Ramanathapuram	Moderate	110	СО	1
128	Ratlam	Good	18	PM <sub>2.5</sub>	1
129	Rohtak	Good	48	NO <sub>2</sub>	1
130	Saharsa	Good	27	03	1
131	Sasaram	Good	46	NO <sub>2</sub>	1
132	Satna	Good	13	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	29	PM <sub>10</sub> , SO <sub>2</sub>	2
134	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
135	Singrauli	Satisfactory	100	NO <sub>2</sub>	1
136	Sirsa	Satisfactory	61	03	1
137	Siwan	Satisfactory	57	NO <sub>2</sub>	1
138	Solapur	Satisfactory	74	PM <sub>10</sub>	1
139	Srinagar	Satisfactory	67	SO <sub>2</sub>	1
140	Thiruvananthapuram	Good	44	PM <sub>2.5</sub> , CO	2
141	Thoothukudi	Moderate	165	03	1
142	Thrissur	Good	40	PM <sub>10</sub>	1
143	Tirupati	Good	35	PM <sub>10</sub>	1
144	Ujjain	Good	40	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Ambala, Amritsar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Good	32	SO <sub>2</sub> , PM <sub>10</sub>	4
146	Vatva	Good	34	СО	1
147	Vijayapura	Good	39	PM <sub>10</sub>	1
148	Visakhapatnam	Satisfactory	88	PM <sub>10</sub>	1
149	Vrindavan	Good	43	SO <sub>2</sub>	1
150	Yadgir	Good	30	со	1
151	Yamunanagar	Satisfactory	74	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Amritsar, Notes: Ankleshwar, Bhilai, Bidar, Chamarajanagar, Charkhi Dadri, Chengalpattu, Dewas, Durgapur, Fatehabad, Gangtok, Hosur, Jorapokhar, Kalaburgi, Katni, Kochi, Kolar, Manguraha, Munger, Naharlagun, Nandesari, Pali, Pune, Rupnagar, Sagar, Samastipur, Siliguri, Sonipat, Talcher, Thane, Udaipur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.