



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	300	PM _{2.5}	2
2	Agra	Satisfactory	58	PM ₁₀	6
3	Ahmedabad	Moderate	114	PM _{2.5} , PM ₁₀	6
4	Aizawl	Moderate	103	PM ₁₀	1
5	Ajmer	Satisfactory	78	PM _{2.5}	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Satisfactory	93	PM ₁₀	1
8	Ambala	Satisfactory	92	PM _{2.5}	1
9	Amritsar	Moderate	119	PM _{2.5}	1
10	Anantapur	Satisfactory	61	PM ₁₀	1
11	Araria	Poor	267	PM _{2.5}	1
12	Ariyalur	Satisfactory	69	NO ₂	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	242	PM _{2.5}	1
14	Asansol	Moderate	182	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	168	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	70	PM ₁₀	1
17	Baddi	Moderate	134	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Moderate	174	PM _{2.5}	1
20	Bahadurgarh	Moderate	125	PM _{2.5}	1
21	Ballabgarh	Moderate	110	PM ₁₀	1
22	Bareilly	Satisfactory	62	PM ₁₀	2
23	Baripada	Poor	231	O ₃	1
24	Bathinda	Satisfactory	90	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	256	PM _{2.5}	1
26	Belgaum	Moderate	156	PM ₁₀	1
27	Bengaluru	Satisfactory	84	PM _{2.5} , PM ₁₀	11
28	Bettiah	Poor	260	PM _{2.5}	1
29	Bhagalpur	Moderate	150	PM ₁₀	2
30	Bharatpur	Moderate	185	PM _{2.5}	1
31	Bhilai	Satisfactory	67	O ₃	2
32	Bhiwadi	Moderate	187	PM ₁₀	1
33	Bhiwani	Moderate	145	PM _{2.5}	1
34	Bhopal	Satisfactory	80	CO	3
35	Bidar	Satisfactory	75	PM ₁₀	1
36	Bihar Sharif	Satisfactory	76	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Good	48	CO	1
38	Bileipada	Moderate	170	PM _{2.5}	1
39	Brajrajnagar	Moderate	127	PM ₁₀	1
40	Bulandshahr	Moderate	163	O ₃	1
41	Byrnihat	Poor	282	PM _{2.5}	1
42	Chamarajanagar	Good	45	PM ₁₀	1
43	Chandigarh	Moderate	155	PM _{2.5}	3
44	Chandrapur	Moderate	101	PM _{2.5}	1
45	Charkhi Dadri	Moderate	174	PM _{2.5}	1
46	Chennai	Satisfactory	91	PM _{2.5} , PM ₁₀	8
47	Chhapra	Moderate	188	PM ₁₀	1
48	Chikkamagaluru	Good	48	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	68	O ₃	1
50	Damoh	Good	26	CO	1
51	Dehradun	Satisfactory	90	PM ₁₀	1
52	Delhi	Moderate	173	PM _{2.5}	37
53	Dewas	Satisfactory	84	PM ₁₀	1
54	Dhanbad	Moderate	166	PM _{2.5}	1
55	Dharuhera	Poor	207	PM _{2.5}	1
56	Dindigul	Very Poor	303	NO ₂	1
57	Durgapur	Moderate	145	PM ₁₀	1
58	Eloor	Satisfactory	95	PM ₁₀	1
59	Faridabad	Moderate	120	PM _{2.5}	3
60	Firozabad	Satisfactory	93	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	58	O ₃	1
62	Gandhinagar	Satisfactory	85	PM ₁₀ , PM _{2.5}	3
63	Gangtok	Moderate	111	PM _{2.5}	1
64	Gaya	Moderate	157	PM _{2.5}	3
65	Ghaziabad	Moderate	140	PM _{2.5} , PM ₁₀	4
66	Greater Noida	Moderate	144	PM ₁₀	2
67	Gummidipoondi	Moderate	187	PM _{2.5}	1
68	Gurugram	Moderate	164	PM _{2.5}	4
69	Guwahati	Poor	202	PM ₁₀	4
70	Gwalior	Moderate	120	O ₃	2
71	Hajipur	Moderate	184	PM ₁₀	1
72	Haldia	Satisfactory	100	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hapur	Satisfactory	85	O ₃	1
74	Hassan	Satisfactory	96	PM ₁₀	1
75	Haveri	Moderate	113	PM ₁₀	1
76	Hisar	Moderate	135	PM _{2.5}	1
77	Hosur	Moderate	112	PM _{2.5}	1
78	Howrah	Moderate	128	PM _{2.5} , PM ₁₀	3
79	Hubballi	Moderate	144	PM ₁₀	2
80	Hyderabad	Satisfactory	96	PM ₁₀	14
81	Imphal	Moderate	117	PM ₁₀	1
82	Indore	Satisfactory	56	O ₃	1
83	Jabalpur	Satisfactory	83	PM ₁₀	1
84	Jaipur	Satisfactory	77	PM _{2.5} , PM ₁₀	3

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Moderate	113	PM ₁₀	1
86	Jhansi	Satisfactory	58	SO ₂	1
87	Jind	Satisfactory	75	PM _{2.5}	1
88	Jodhpur	Moderate	110	PM _{2.5}	2
89	Jorapokhar	Moderate	140	PM ₁₀	1
90	Kadapa	Moderate	105	PM _{2.5}	1
91	Kaithal	Satisfactory	89	PM _{2.5}	1
92	Kalaburgi	Moderate	121	PM ₁₀	1
93	Kalyan	Satisfactory	92	PM _{2.5}	1
94	Kanchipuram	Moderate	103	PM ₁₀	1
95	Kannur	Satisfactory	72	CO	1
96	Kanpur	Moderate	111	PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nayagarh, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Satisfactory	61	PM ₁₀	1
98	Kashipur	Satisfactory	98	PM ₁₀	1
99	Katihar	Moderate	188	PM ₁₀	1
100	Katni	Moderate	110	PM ₁₀	1
101	Keonjhar	Moderate	113	PM ₁₀	1
102	Khanna	Satisfactory	79	PM ₁₀	1
103	Kishanganj	Moderate	148	PM ₁₀	1
104	Kochi	Poor	215	PM _{2.5}	1
105	Kohima	Moderate	145	PM _{2.5}	1
106	Kolkata	Moderate	112	PM _{2.5}	7
107	Kollam	Satisfactory	96	PM ₁₀	1
108	Koppal	Satisfactory	82	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagaygarh, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	73	PM ₁₀	2
110	Kota	Satisfactory	69	PM _{2.5}	3
111	Kozhikode	Satisfactory	75	PM _{2.5}	1
112	Kurukshetra	Satisfactory	88	O ₃	1
113	Lucknow	Moderate	107	PM _{2.5}	6
114	Ludhiana	Moderate	128	PM ₁₀	1
115	Madikeri	Good	34	O ₃	1
116	Maihar	Good	34	CO	1
117	Mandi Gobindgarh	Poor	213	PM _{2.5}	1
118	Mandideep	Satisfactory	90	PM ₁₀	1
119	Mandikhera	Moderate	107	PM ₁₀	1
120	Manesar	Moderate	121	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mangalore	Moderate	143	PM ₁₀	1
122	Meerut	Moderate	181	PM _{2.5} , PM ₁₀	3
123	Moradabad	Moderate	140	PM _{2.5}	6
124	Motihari	Moderate	142	PM ₁₀	1
125	Mumbai	Moderate	139	PM _{2.5} , NO ₂	18
126	Munger	Moderate	172	PM ₁₀	1
127	Muzaffarnagar	Moderate	149	PM _{2.5}	1
128	Muzaffarpur	Moderate	183	PM _{2.5}	3
129	Mysuru	Satisfactory	61	O ₃	1
130	Nagaon	Poor	222	PM _{2.5}	1
131	Nagpur	Moderate	110	PM _{2.5}	1
132	Naharlagun	Good	47	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagarhar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Moderate	125	PM ₁₀	1
134	Narnaul	Moderate	121	PM _{2.5}	1
135	Navi Mumbai	Moderate	140	PM ₁₀	2
136	Noida	Moderate	144	PM ₁₀	4
137	Ooty	Satisfactory	63	PM ₁₀	1
138	Pali	Satisfactory	65	PM ₁₀	1
139	Palwal	Satisfactory	66	PM _{2.5}	1
140	Panchkula	Moderate	106	CO	1
141	Panipat	Moderate	126	PM ₁₀	1
142	Patiala	Satisfactory	82	PM ₁₀	1
143	Patna	Poor	214	PM _{2.5} , PM ₁₀	6
144	Pithampur	Satisfactory	77	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Prayagraj	Moderate	106	O ₃ , PM ₁₀	3
146	Puducherry	Satisfactory	60	PM ₁₀	1
147	Pune	Moderate	132	PM _{2.5} , PM ₁₀	4
148	Raichur	Moderate	123	PM ₁₀	1
149	Raipur	Moderate	106	NO ₂ , PM ₁₀	4
150	Rairangpur	Poor	251	PM _{2.5}	1
151	Rajamahendravaram	Moderate	140	PM _{2.5}	1
152	Rajgir	Satisfactory	92	PM ₁₀	1
153	Ramanagara	Satisfactory	80	PM ₁₀	1
154	Ramanathapuram	Satisfactory	52	PM ₁₀	1
155	Ratlam	Satisfactory	60	PM ₁₀	1
156	Rishikesh	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagargarh, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Satisfactory	93	PM _{2.5}	1
158	Rourkela	Poor	219	PM ₁₀	3
159	Rupnagar	Moderate	104	PM ₁₀	1
160	Sagar	Satisfactory	56	O ₃	2
161	Saharsa	Moderate	155	PM ₁₀	1
162	Salem	Satisfactory	58	PM ₁₀	1
163	Samastipur	Moderate	169	PM _{2.5}	1
164	Sasaram	Satisfactory	95	PM ₁₀	1
165	Satna	Satisfactory	59	O ₃	1
166	Shillong	Satisfactory	99	PM _{2.5}	1
167	Shivamogga	Satisfactory	65	O ₃	1
168	Siliguri	Moderate	123	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagaygarh, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Singrauli	Moderate	157	PM _{2.5}	1
170	Sirsa	Satisfactory	88	PM ₁₀	1
171	Sivasagar	Satisfactory	54	PM _{2.5}	1
172	Siwan	Moderate	181	PM _{2.5}	1
173	Sonipat	Moderate	170	PM ₁₀	1
174	Suakati	Moderate	151	O ₃	1
175	Talcher	Moderate	106	PM _{2.5}	1
176	Thiruvananthapuram	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
177	Thoothukudi	Satisfactory	57	PM ₁₀	1
178	Thrissur	Moderate	119	PM ₁₀	1
179	Tirupati	Satisfactory	96	PM _{2.5} , NO ₂	2
180	Tirupur	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Udaipur	Satisfactory	56	PM ₁₀	1
182	Udupi	Moderate	119	O ₃	1
183	Ujjain	Satisfactory	73	O ₃	1
184	Varanasi	Satisfactory	70	SO ₂ , PM ₁₀	4
185	Vatva	Satisfactory	69	CO	1
186	Vijayapura	Good	46	PM ₁₀	1
187	Vijayawada	Moderate	178	PM _{2.5}	1
188	Visakhapatnam	Poor	202	PM ₁₀	1
189	Vrindavan	Moderate	127	PM ₁₀	1
190	Yadgir	Satisfactory	96	PM ₁₀	1
191	Yamunanagar	Moderate	114	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ankleshwar, Banswara, Barmer, Bikaner, Buxar, Chengalpattu, Chhal, Chikkaballepur, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Hanumangarh, Karauli, Khurja, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Nashik, Nagar, Pratapgarh, Purnia, Sawai Madhopur, Sikar, Silchar, Sirohi, Solapur, Sri Ganganagar, Srinagar, Surat, Tensa, Thane, Tonk, Tumakuru, Tumidih, Vapi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases