

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	183	PM <sub>2.5</sub>	1
2	Agra	Moderate	163	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	152	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	43	PM <sub>10</sub>	1
5	Ajmer	Moderate	129	PM <sub>10</sub>	1
6	Alwar	Satisfactory	100	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	62	O <sub>3</sub>	1
8	Ambala	Very Poor	314	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	127	PM <sub>10</sub>	1
10	Ankleshwar	Poor	266	PM <sub>2.5</sub>	1
11	Asansol	Poor	241	03	1
12	Aurangabad	Satisfactory	90	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	250	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	235	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	227	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	102	PM <sub>2.5</sub>	1
17	Bengaluru	Good	47	PM <sub>10</sub> , CO	8
18	Bettiah	Very Poor	353	PM <sub>10</sub>	1
19	Bhagalpur	Very Poor	323	PM <sub>2.5</sub>	2
20	Bhiwadi	Moderate	178	PM <sub>10</sub>	1
21	Bhiwani	Poor	256	03	1
22	Bhopal	Moderate	130	PM <sub>2.5</sub>	1
23	Bidar	Satisfactory	99	PM <sub>10</sub>	1
24	Bihar Sharif	Very Poor	377	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	87	PM <sub>10</sub>	1
26	Brajrajnagar	Satisfactory	98	O <sub>3</sub>	1
27	Bulandshahr	Poor	259	PM <sub>2.5</sub>	1
28	Buxar	Very Poor	389	PM <sub>2.5</sub>	1
29	Chamarajanagar	Good	38	PM <sub>10</sub>	1
30	Chandigarh	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	2
31	Chandrapur	Moderate	168	PM <sub>2.5</sub>	2
32	Charkhi Dadri	Moderate	187	PM <sub>2.5</sub>	1
33	Chennai	Good	39	PM <sub>10</sub> , CO	8
34	Chhapra	Very Poor	353	PM <sub>2.5</sub>	1
35	Chikkaballapur	Good	28	O <sub>3</sub>	1
36	Chikkamagaluru	Good	27	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	154	PM <sub>2.5</sub>	1
38	Darbhanga	Very Poor	338	PM <sub>2.5</sub>	1
39	Davanagere	Good	40	PM <sub>10</sub>	1
40	Delhi	Poor	254	PM <sub>2.5</sub>	35
41	Dharuhera	Moderate	112	PM <sub>10</sub>	1
42	Durgapur	Poor	274	PM <sub>10</sub>	1
43	Eloor	Satisfactory	62	PM <sub>10</sub>	1
44	Ernakulam	Satisfactory	57	PM <sub>2.5</sub>	1
45	Faridabad	Poor	250	PM <sub>10</sub> , PM <sub>2.5</sub>	4
46	Fatehabad	Poor	201	PM <sub>2.5</sub>	1
47	Gadag	Good	40	O <sub>3</sub>	1
48	Gandhinagar	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Poor	230	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Ghaziabad	Poor	272	PM <sub>2.5</sub>	4
51	Gorakhpur	Moderate	136	PM <sub>2.5</sub>	1
52	Greater Noida	Moderate	152	PM <sub>2.5</sub>	1
53	Gurugram	Poor	207	PM <sub>2.5</sub>	4
54	Guwahati	Moderate	167	PM <sub>2.5</sub>	2
55	Gwalior	Moderate	140	PM <sub>2.5</sub>	2
56	Hajipur	Poor	295	PM <sub>2.5</sub>	1
57	Haldia	Moderate	187	PM <sub>2.5</sub>	1
58	Hapur	Very Poor	318	PM <sub>2.5</sub>	1
59	Hassan	Good	27	O <sub>3</sub>	1
60	Hisar	Poor	291	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Moderate	176	PM <sub>2.5</sub>	2
62	Hubballi	Satisfactory	67	PM <sub>10</sub>	1
63	Hyderabad	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	6
64	Indore	Moderate	127	PM <sub>2.5</sub>	1
65	Jabalpur	Moderate	132	PM <sub>10</sub>	1
66	Jaipur	Poor	203	PM <sub>2.5</sub> , PM <sub>10</sub>	2
67	Jalandhar	Poor	205	PM <sub>2.5</sub>	1
68	Jind	Poor	284	PM <sub>2.5</sub>	1
69	Jodhpur	Moderate	174	PM <sub>2.5</sub>	1
70	Kaithal	Poor	261	PM <sub>2.5</sub>	1
71	Kalaburgi	Moderate	157	PM <sub>2.5</sub>	1
72	Kalyan	Moderate	198	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	57	PM <sub>2.5</sub>	1
74	Kanpur	Moderate	178	PM <sub>10</sub> , PM <sub>2.5</sub>	3
75	Karnal	Moderate	188	PM <sub>2.5</sub>	1
76	Katihar	Very Poor	320	PM <sub>2.5</sub>	1
77	Katni	Poor	232	PM <sub>2.5</sub>	1
78	Khanna	Moderate	158	PM <sub>2.5</sub>	1
79	Kishanganj	Very Poor	344	PM <sub>2.5</sub>	1
80	Kochi	Satisfactory	95	PM <sub>2.5</sub>	1
81	Kohima	Satisfactory	97	PM <sub>2.5</sub>	1
82	Kolar	Good	42	SO <sub>2</sub>	1
83	Kolkata	Moderate	196	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
84	Kollam	Satisfactory	88	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	82	03	1
86	Kota	Poor	224	PM <sub>2.5</sub>	1
87	Kozhikode	Good	38	PM <sub>10</sub>	1
88	Kurukshetra	Poor	288	PM <sub>2.5</sub>	1
89	Lucknow	Moderate	156	PM <sub>2.5</sub>	6
90	Ludhiana	Poor	255	PM <sub>2.5</sub>	1
91	Maihar	Satisfactory	77	PM <sub>2.5</sub>	1
92	Mandi Gobindgarh	Moderate	198	PM <sub>2.5</sub>	1
93	Mandideep	Satisfactory	98	PM <sub>10</sub>	1
94	Mandikhera	Good	39	со	1
95	Manesar	Poor	276	PM <sub>2.5</sub>	1
96	Manglore	Good	38	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Medikeri	Good	28	PM <sub>10</sub>	1
98	Meerut	Very Poor	313	PM <sub>2.5</sub>	3
99	Moradabad	Poor	274	PM <sub>2.5</sub>	2
100	Motihari	Poor	298	PM <sub>2.5</sub>	1
101	Mumbai	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	20
102	Munger	Very Poor	399	PM <sub>2.5</sub>	1
103	Muzaffarnagar	Very Poor	327	PM <sub>2.5</sub>	1
104	Muzaffarpur	Very Poor	333	PM <sub>2.5</sub>	3
105	Mysuru	Good	38	03	1
106	Nagpur	Moderate	154	PM <sub>2.5</sub>	1
107	Narnaul	Moderate	167	PM <sub>2.5</sub>	1
108	Nashik	Moderate	160	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	196	PM <sub>2.5</sub> , PM <sub>10</sub>	3
110	Noida	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	4
111	Pali	Satisfactory	89	PM <sub>2.5</sub>	1
112	Palwal	Moderate	118	PM <sub>10</sub>	1
113	Panchkula	Moderate	117	PM <sub>2.5</sub>	1
114	Panipat	Poor	218	PM <sub>10</sub>	1
115	Patiala	Moderate	198	PM <sub>2.5</sub>	1
116	Patna	Very Poor	304	PM <sub>2.5</sub> , PM <sub>10</sub>	6
117	Pithampur	Moderate	136	PM <sub>2.5</sub>	1
118	Prayagraj	Moderate	130	PM <sub>2.5</sub>	3
119	Puducherry	Good	36	O <sub>3</sub>	1
120	Pune	Moderate	183	PM <sub>2.5</sub>	4

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Very Poor	335	PM <sub>2.5</sub>	1
122	Rajamahendravaram	Satisfactory	75	03	1
123	Ramanagara	Good	40	PM <sub>10</sub>	1
124	Ratlam	Satisfactory	90	PM <sub>10</sub>	1
125	Rohtak	Moderate	158	PM <sub>2.5</sub>	1
126	Rupnagar	Poor	236	PM <sub>2.5</sub>	1
127	Sagar	Satisfactory	69	PM <sub>2.5</sub>	1
128	Saharsa	Poor	289	PM <sub>10</sub>	1
129	Sasaram	Poor	270	PM <sub>2.5</sub>	1
130	Satna	Satisfactory	74	PM <sub>10</sub>	1
131	Shillong	Good	28	PM <sub>2.5</sub>	1
132	Shivamogga	Good	48	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	133	PM <sub>10</sub>	1
134	Singrauli	Poor	266	PM <sub>2.5</sub>	1
135	Sirsa	Moderate	149	PM <sub>2.5</sub>	1
136	Sonipat	Moderate	154	PM <sub>10</sub>	1
137	Srinagar	Satisfactory	78	PM <sub>10</sub>	1
138	Talcher	Satisfactory	100	PM <sub>2.5</sub>	1
139	Thane	Poor	229	PM <sub>10</sub>	1
140	Thiruvananthapuram	Moderate	136	NO <sub>2</sub> , PM <sub>10</sub>	2
141	Thoothukudi	Good	24	PM <sub>10</sub>	1
142	Thrissur	Good	49	PM <sub>2.5</sub>	1
143	Tirupati	Good	40	СО	1
144	Udaipur	Moderate	181	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Satisfactory	77	03	1
146	Ujjain	Moderate	148	PM <sub>2.5</sub>	1
147	Vapi	Poor	211	PM <sub>2.5</sub>	1
148	Varanasi	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	4
149	Vatva	Moderate	148	PM <sub>2.5</sub>	1
150	Vijayapura	Good	46	PM <sub>2.5</sub>	1
151	Visakhapatnam	Satisfactory	66	PM <sub>10</sub>	1
152	Vrindavan	Moderate	165	PM <sub>2.5</sub>	1
153	Yadgir	Satisfactory	72	PM <sub>10</sub>	1
154	Yamunanagar	Poor	258	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bhilai, Coimbatore, Dewas, Firozabad, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Nandesari, Raichur, Rajgir, Siwan, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.