

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	SO ₂	1
2	Agra	Good	49	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Satisfactory	82	O ₃ , PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Ajmer	Satisfactory	59	PM ₁₀	1
6	Alwar	Satisfactory	95	PM ₁₀	1
7	Amaravati	Satisfactory	66	PM _{2.5}	1
8	Amritsar	Moderate	107	PM _{2.5}	1
9	Anantapur	Satisfactory	93	PM ₁₀	1
10	Araria	Satisfactory	96	со	1
11	Arrah	Satisfactory	81	NO ₂	1
12	Asansol	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	88	PM ₁₀	1
14	Baddi	Poor	229	O ₃	1
15	Bagalkot	Good	37	СО	1
16	Bahadurgarh	Moderate	142	PM _{2.5}	1
17	Ballabgarh	Moderate	110	PM _{2.5}	1
18	Bareilly	Good	44	PM ₁₀	2
19	Bathinda	Moderate	104	PM ₁₀	1
20	Belgaum	Satisfactory	72	PM _{2.5}	1
21	Bengaluru	Moderate	104	PM ₁₀ , PM _{2.5}	7
22	Bhagalpur	Good	41	O ₃	1
23	Bhiwani	Moderate	106	PM _{2.5}	1
24	Bhopal	Moderate	134	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	62	со	1
26	Bulandshahr	Moderate	191	PM _{2.5}	1
27	Buxar	Satisfactory	83	со	1
28	Chamarajanagar	Good	35	PM ₁₀	1
29	Chandigarh	Moderate	113	O ₃ , PM ₁₀	3
30	Chandrapur	Satisfactory	72	PM ₁₀	1
31	Chennai	Moderate	129	PM _{2.5} , CO, PM ₁₀	7
32	Chhapra	Satisfactory	54	со	1
33	Chikkaballapur	Satisfactory	79	PM ₁₀	1
34	Chikkamagaluru	Satisfactory	62	PM ₁₀	1
35	Coimbatore	Good	35	PM ₁₀	1
36	Darbhanga	Satisfactory	51	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Good	38	PM ₁₀	1
38	Dehradun	Satisfactory	93	O ₃	1
39	Delhi	Poor	211	PM ₁₀ , PM _{2.5}	34
40	Dewas	Moderate	109	PM ₁₀	1
41	Dharuhera	Poor	215	PM ₁₀	1
42	Dindigul	Good	40	PM ₁₀	1
43	Durgapur	Good	35	PM ₁₀	1
44	Eloor	Good	46	PM ₁₀	1
45	Ernakulam	Satisfactory	54	со	1
46	Faridabad	Moderate	196	PM _{2.5} , PM ₁₀	2
47	Fatehabad	Moderate	107	PM ₁₀	1
48	Firozabad	Satisfactory	64	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	51	PM ₁₀	1
50	Gaya	Satisfactory	57	NO ₂ , CO, O ₃	3
51	Ghaziabad	Poor	248	PM _{2.5}	4
52	Gorakhpur	Good	49	SO ₂	1
53	Greater Noida	Poor	234	PM ₁₀ , PM _{2.5}	2
54	Gurugram	Poor	238	PM _{2.5}	2
55	Guwahati	Good	46	PM ₁₀	1
56	Gwalior	Satisfactory	65	PM ₁₀	1
57	Hajipur	Good	23	O ₃	1
58	Haldia	Good	32	со	1
59	Hassan	Good	38	PM _{2.5}	1
60	Haveri	Good	38	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	123	PM ₁₀	1
62	Howrah	Good	26	PM ₁₀ , CO	3
63	Hubballi	Satisfactory	59	со	1
64	Hyderabad	Satisfactory	74	PM _{2.5} , CO, PM ₁₀	12
65	Imphal	Moderate	118	03	1
66	Indore	Moderate	117	PM ₁₀	1
67	Jabalpur	Satisfactory	99	СО	1
68	Jaipur	Moderate	114	PM ₁₀ , O ₃	3
69	Jalandhar	Moderate	113	PM ₁₀	1
70	Jhansi	Satisfactory	60	PM ₁₀	1
71	Jind	Moderate	108	PM ₁₀	1
72	Jodhpur	Satisfactory	89	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	95	PM ₁₀	1
74	Kalaburgi	Good	49	PM _{2.5}	1
75	Kalyan	Moderate	114	PM ₁₀	1
76	Kannur	Satisfactory	67	PM ₁₀	1
77	Kanpur	Good	27	PM _{2.5} , PM ₁₀	4
78	Karnal	Moderate	118	PM ₁₀	1
79	Katihar	Good	48	NO ₂	1
80	Katni	Good	34	со	1
81	Khanna	Satisfactory	92	PM ₁₀	1
82	Khurja	Poor	211	PM _{2.5}	1
83	Kishanganj	Good	42	O ₃	1
84	Kolkata	Good	40	O ₃ , NO ₂ , PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	114	PM ₁₀	1
86	Kozhikode	Satisfactory	77	PM ₁₀	1
87	Kurukshetra	Moderate	156	PM _{2.5}	1
88	Lucknow	Good	42	PM _{2.5} , O ₃ , CO	6
89	Ludhiana	Moderate	115	PM ₁₀	1
90	Madikeri	Good	40	O ₃	1
91	Maihar	Good	13	PM ₁₀	1
92	Mandi Gobindgarh	Satisfactory	81	PM ₁₀	1
93	Mandideep	Satisfactory	76	PM ₁₀	1
94	Mandikhera	Satisfactory	66	PM ₁₀	1
95	Manesar	Moderate	151	PM _{2.5}	1
96	Manglore	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manguraha	Good	28	со	1
98	Meerut	Moderate	175	PM ₁₀ , PM _{2.5}	3
99	Moradabad	Satisfactory	70	PM ₁₀ , PM _{2.5}	6
100	Motihari	Satisfactory	53	03	1
101	Mumbai	Satisfactory	75	PM _{2.5} , PM ₁₀ , CO	14
102	Munger	Satisfactory	65	PM ₁₀	1
103	Muzaffarnagar	Moderate	172	PM _{2.5}	1
104	Muzaffarpur	Good	49	CO, PM _{2.5} , O ₃	3
105	Mysuru	Satisfactory	61	PM ₁₀	1
106	Nagpur	Satisfactory	75	PM _{2.5}	1
107	Naharlagun	Good	22	SO ₂	1
108	Nandesari	Moderate	197	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Satisfactory	87	PM ₁₀	1
110	Nashik	Satisfactory	63	PM _{2.5}	1
111	Navi Mumbai	Moderate	123	PM _{2.5} , PM ₁₀	3
112	Noida	Poor	215	PM _{2.5} , PM ₁₀	4
113	Pali	Satisfactory	71	PM ₁₀	1
114	Palwal	Moderate	118	PM ₁₀	1
115	Panchkula	Good	44	PM _{2.5}	1
116	Panipat	Poor	221	PM ₁₀	1
117	Patiala	Satisfactory	91	PM ₁₀	1
118	Patna	Good	43	PM ₁₀ , NO ₂ , O ₃	6
119	Pithampur	Moderate	167	PM ₁₀	1
120	Prayagraj	Good	50	PM _{2.5} , SO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Moderate	118	PM _{2.5}	1
122	Purnia	Satisfactory	72	PM ₁₀	1
123	Rajamahendravaram	Good	47	PM ₁₀	1
124	Rajgir	Satisfactory	84	со	1
125	Ramanagara	Satisfactory	53	PM _{2.5}	1
126	Ramanathapuram	Good	47	PM ₁₀	1
127	Ratlam	Satisfactory	84	PM ₁₀	1
128	Rupnagar	Moderate	200	PM _{2.5}	1
129	Saharsa	Good	29	PM ₁₀	1
130	Satna	Good	22	PM _{2.5}	1
131	Shillong	Good	20	SO ₂	1
132	Shivamogga	Good	43	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Good	31	PM ₁₀	1
134	Singrauli	Satisfactory	88	NO ₂	1
135	Sirsa	Satisfactory	88	PM ₁₀	1
136	Sivasagar	Good	12	PM ₁₀	1
137	Solapur	Satisfactory	67	PM ₁₀	1
138	Talcher	Satisfactory	63	со	1
139	Thane	Satisfactory	79	PM ₁₀	1
140	Thiruvananthapuram	Good	46	PM _{2.5} , PM ₁₀	2
141	Thoothukudi	Good	48	PM ₁₀	1
142	Thrissur	Good	48	PM ₁₀	1
143	Tirupati	Satisfactory	85	PM ₁₀	1
144	Tiruppur	Moderate	104	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Satisfactory	53	PM ₁₀	1
146	Ujjain	Moderate	179	O ₃	1
147	Varanasi	Good	38	SO ₂ , PM ₁₀	4
148	Vatva	Satisfactory	70	PM ₁₀	1
149	Vijayapura	Good	40	PM ₁₀	1
150	Visakhapatnam	Good	35	PM ₁₀	1
151	Vrindavan	Satisfactory	61	PM ₁₀	1
152	Yadgir	Satisfactory	53	PM ₁₀	1
153	Yamunanagar	Moderate	180	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.