

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	152	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Poor	217	PM <sub>2.5</sub>	1
4	Aizawl	Good	23	PM <sub>10</sub>	1
5	Ajmer	Moderate	108	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	94	PM <sub>10</sub>	1
7	Amaravati	Moderate	134	PM <sub>2.5</sub>	1
8	Ambala	Poor	283	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	140	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	88	03	1
11	Ankleshwar	Moderate	198	PM <sub>2.5</sub>	1
12	Araria	Moderate	195	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	187	PM <sub>10</sub>	1
14	Asansol	Poor	222	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Moderate	176	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Moderate	171	PM <sub>2.5</sub>	1
17	Baddi	Moderate	178	O <sub>3</sub>	1
18	Bagalkot	Good	39	PM <sub>10</sub>	1
19	Baghpat	Poor	290	PM <sub>2.5</sub>	1
20	Bahadurgarh	Poor	278	PM <sub>2.5</sub>	1
21	Ballabgarh	Very Poor	311	PM <sub>2.5</sub>	1
22	Bareilly	Moderate	113	PM <sub>10</sub>	2
23	Bathinda	Moderate	102	PM <sub>10</sub>	1
24	Begusarai	Very Poor	355	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	152	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	8
27	Bettiah	Poor	276	PM <sub>2.5</sub>	1
28	Bhagalpur	Poor	206	PM <sub>2.5</sub>	2
29	Bhiwadi	Poor	298	PM <sub>2.5</sub>	1
30	Bhiwani	Very Poor	327	PM <sub>2.5</sub>	1
31	Bhopal	Poor	250	PM <sub>2.5</sub>	2
32	Bidar	Satisfactory	71	со	1
33	Bihar Sharif	Poor	223	PM <sub>2.5</sub>	1
34	Bilaspur	Satisfactory	58	PM <sub>10</sub>	1
35	Bulandshahr	Poor	219	PM <sub>2.5</sub>	1
36	Chamarajanagar	Good	42	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Poor	235	PM <sub>2.5</sub>	3
38	Chandrapur	Moderate	149	PM <sub>2.5</sub>	1
39	Charkhi Dadri	Poor	294	PM <sub>2.5</sub>	1
40	Chennai	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	7
41	Chhapra	Poor	237	PM <sub>2.5</sub>	1
42	Chikkaballapur	Moderate	107	PM <sub>10</sub>	1
43	Chikkamagaluru	Satisfactory	65	PM <sub>10</sub>	1
44	Damoh	Satisfactory	91	PM <sub>2.5</sub>	1
45	Darbhanga	Poor	263	PM <sub>2.5</sub>	1
46	Davanagere	Satisfactory	96	PM <sub>10</sub>	1
47	Delhi	Very Poor	372	PM <sub>2.5</sub>	36
48	Dewas	Moderate	131	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dindigul	Satisfactory	51	PM <sub>10</sub>	1
50	Durgapur	Moderate	160	PM <sub>2.5</sub>	1
51	Eloor	Satisfactory	66	PM <sub>10</sub>	1
52	Faridabad	Very Poor	345	PM <sub>10</sub> , PM <sub>2.5</sub>	4
53	Fatehabad	Moderate	183	PM <sub>2.5</sub>	1
54	Firozabad	Satisfactory	68	CO, PM <sub>2.5</sub>	2
55	Gadag	Satisfactory	67	O <sub>3</sub>	1
56	Gandhinagar	Moderate	127	PM <sub>10</sub>	1
57	Gangtok	Good	36	PM <sub>10</sub>	1
58	Gaya	Moderate	154	PM <sub>2.5</sub>	3
59	Ghaziabad	Very Poor	333	PM <sub>10</sub>	4
60	Gorakhpur	Moderate	184	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	348	PM <sub>10</sub> , PM <sub>2.5</sub>	2
62	Gurugram	Poor	287	PM <sub>2.5</sub>	4
63	Guwahati	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	3
64	Gwalior	Poor	245	PM <sub>2.5</sub>	2
65	Hajipur	Poor	236	PM <sub>10</sub>	1
66	Haldia	Moderate	108	PM <sub>10</sub>	1
67	Hapur	Moderate	185	PM <sub>2.5</sub>	1
68	Hassan	Satisfactory	71	PM <sub>2.5</sub>	1
69	Haveri	Moderate	106	PM <sub>10</sub>	1
70	Hisar	Moderate	160	PM <sub>10</sub>	1
71	Hosur	Satisfactory	98	со	1
72	Howrah	Moderate	183	PM <sub>2.5</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	97	PM <sub>10</sub>	1
74	Hyderabad	Satisfactory	93	PM <sub>2.5</sub> , PM <sub>10</sub>	13
75	Imphal	Satisfactory	87	PM <sub>10</sub> , SO <sub>2</sub>	2
76	Indore	Moderate	127	PM <sub>10</sub>	1
77	Jabalpur	Moderate	133	PM <sub>2.5</sub>	1
78	Jaipur	Moderate	129	PM <sub>10</sub>	3
79	Jalandhar	Moderate	177	PM <sub>2.5</sub>	1
80	Jhansi	Satisfactory	93	PM <sub>10</sub>	1
81	Jind	Very Poor	368	PM <sub>2.5</sub>	1
82	Jodhpur	Moderate	176	PM <sub>2.5</sub>	1
83	Kaithal	Very Poor	355	PM <sub>2.5</sub>	1
84	Kalaburgi	Moderate	121	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	178	PM <sub>10</sub>	1
86	Kannur	Satisfactory	76	PM <sub>10</sub>	1
87	Kanpur	Moderate	170	PM <sub>2.5</sub>	3
88	Karnal	Poor	252	PM <sub>2.5</sub>	1
89	Katihar	Very Poor	372	PM <sub>2.5</sub>	1
90	Katni	Poor	226	PM <sub>2.5</sub>	1
91	Khanna	Poor	207	PM <sub>2.5</sub>	1
92	Khurja	Moderate	171	PM <sub>2.5</sub>	1
93	Kishanganj	Moderate	167	PM <sub>10</sub>	1
94	Kochi	Satisfactory	54	со	1
95	Kohima	Moderate	116	SO <sub>2</sub>	1
96	Kolar	Moderate	127	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Moderate	152	PM <sub>2.5</sub>	7
98	Kollam	Satisfactory	66	PM <sub>10</sub>	1
99	Koppal	Satisfactory	67	со	1
100	Kota	Poor	218	PM <sub>2.5</sub>	1
101	Kozhikode	Satisfactory	73	PM <sub>10</sub>	1
102	Kurukshetra	Very Poor	319	PM <sub>2.5</sub>	1
103	Lucknow	Moderate	165	PM <sub>2.5</sub>	6
104	Ludhiana	Very Poor	351	PM <sub>2.5</sub>	1
105	Madikeri	Satisfactory	70	PM <sub>2.5</sub>	1
106	Maihar	Satisfactory	65	PM <sub>10</sub>	1
107	Mandi Gobindgarh	Moderate	105	PM <sub>2.5</sub>	1
108	Mandideep	Poor	248	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Moderate	149	PM <sub>10</sub>	1
110	Manesar	Poor	299	PM <sub>2.5</sub>	1
111	Meerut	Poor	239	PM <sub>2.5</sub>	3
112	Moradabad	Moderate	129	PM <sub>2.5</sub>	6
113	Motihari	Very Poor	324	PM <sub>2.5</sub>	1
114	Mumbai	Moderate	168	PM <sub>2.5</sub> , NO <sub>2</sub>	18
115	Munger	Moderate	141	PM <sub>10</sub>	1
116	Muzaffarnagar	Poor	276	PM <sub>2.5</sub>	1
117	Muzaffarpur	Poor	266	PM <sub>2.5</sub>	3
118	Mysuru	Satisfactory	67	PM <sub>10</sub>	1
119	Nagpur	Moderate	181	PM <sub>2.5</sub>	1
120	Narnaul	Poor	203	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Moderate	116	PM <sub>2.5</sub>	1
122	Navi Mumbai	Very Poor	305	PM <sub>2.5</sub>	3
123	Noida	Very Poor	331	PM <sub>2.5</sub>	4
124	Ooty	Good	49	SO <sub>2</sub>	1
125	Pali	Moderate	104	PM <sub>2.5</sub>	1
126	Panchkula	Moderate	192	PM <sub>2.5</sub>	1
127	Panipat	Moderate	190	PM <sub>10</sub>	1
128	Patiala	Poor	252	PM <sub>2.5</sub>	1
129	Patna	Poor	220	PM <sub>2.5</sub> , PM <sub>10</sub>	6
130	Pithampur	Moderate	120	PM <sub>10</sub>	1
131	Prayagraj	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	3
132	Puducherry	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Poor	228	PM <sub>2.5</sub>	1
134	Raichur	Moderate	132	PM <sub>10</sub>	1
135	Rajamahendravaram	Moderate	160	PM <sub>2.5</sub>	1
136	Rajgir	Moderate	133	PM <sub>2.5</sub>	1
137	Ramanagara	Satisfactory	86	PM <sub>10</sub>	1
138	Ramanathapuram	Good	40	PM <sub>10</sub>	1
139	Ratlam	Moderate	109	PM <sub>10</sub>	1
140	Rohtak	Poor	283	PM <sub>2.5</sub>	1
141	Rupnagar	Moderate	172	PM <sub>2.5</sub>	1
142	Sagar	Satisfactory	79	O <sub>3</sub> , CO	2
143	Saharsa	Poor	230	PM <sub>2.5</sub>	1
144	Salem	Satisfactory	67	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Samastipur	Poor	283	PM <sub>10</sub>	1
146	Sasaram	Moderate	159	PM <sub>2.5</sub>	1
147	Satna	Satisfactory	59	O <sub>3</sub>	1
148	Shillong	Good	32	PM <sub>2.5</sub>	1
149	Shivamogga	Satisfactory	56	PM <sub>10</sub>	1
150	Siliguri	Moderate	108	PM <sub>10</sub>	1
151	Singrauli	Poor	269	PM <sub>2.5</sub>	1
152	Sirsa	Moderate	157	PM <sub>10</sub>	1
153	Sivasagar	Good	32	PM <sub>10</sub>	1
154	Siwan	Very Poor	318	PM <sub>2.5</sub>	1
155	Sonipat	Very Poor	311	PM <sub>10</sub>	1
156	Srinagar	Satisfactory	60	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Talcher	Satisfactory	96	PM <sub>2.5</sub>	1
158	Thane	Poor	238	O <sub>3</sub>	1
159	Thiruvananthapuram	Satisfactory	55	со	2
160	Thoothukudi	Good	32	PM <sub>10</sub>	1
161	Thrissur	Satisfactory	86	PM <sub>2.5</sub>	1
162	Tirupur	Poor	267	PM <sub>2.5</sub>	1
163	Udaipur	Moderate	109	PM <sub>10</sub>	1
164	Ujjain	Moderate	157	PM <sub>10</sub>	1
165	Varanasi	Moderate	104	PM <sub>2.5</sub>	4
166	Vatva	Poor	296	PM <sub>2.5</sub>	1
167	Vijayapura	Good	46	PM <sub>10</sub>	1
168	Visakhapatnam	Moderate	181	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vrindavan	Moderate	137	PM <sub>10</sub>	1
170	Yadgir	Satisfactory	86	PM <sub>10</sub>	1
171	Yamunanagar	Poor	212	PM <sub>2.5</sub>	1
172	vellore	Satisfactory	96	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha, Naharlagun, Nandesari, Palwal, Pune, Raipur, Solapur, Surat, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.