

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	75	PM ₁₀	1
2	Agra	Satisfactory	61	PM ₁₀	6
3	Ahmedabad	Satisfactory	66	PM ₁₀	8
4	Akola	Satisfactory	52	PM ₁₀	1
5	Alwar	Satisfactory	72	PM ₁₀	1
6	Ambala	Satisfactory	97	со	1
7	Amravati	Satisfactory	52	PM ₁₀	2
8	Amritsar	Satisfactory	89	со	1
9	Ariyalur	Good	28	PM ₁₀	1
10	Arrah	Good	28	PM ₁₀	1
11	Asansol	Good	28	со	1
12	Aurangabad (Maharashtra)	Satisfactory	64 * AC	PM ₁₀ I is not calculated for today's bullet	3 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Dungarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwalior, Hassar

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	83	PM ₁₀	1
14	Badlapur	Good	48	PM ₁₀	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Moderate	105	PM ₁₀	1
17	Bahadurgarh	Moderate	159	PM ₁₀	1
18	Banswara	Satisfactory	94	PM ₁₀	1
19	Baran	Satisfactory	52	PM ₁₀	1
20	Bareilly	Satisfactory	52	PM ₁₀ , SO ₂	2
21	Baripada	Good	47	PM ₁₀	1
22	Bathinda	Moderate	135	PM ₁₀	1
23	Belapur	Good	27	PM ₁₀	1
24	Bengaluru	Satisfactory	72 * AC	PM 10 I is not calculated for today's bullet	7 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Dungarpur, Durgapur, Eloor, Ernakulam, Gummidipoondi, Gwalior, Hassa Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Satisfactory	66	PM ₁₀	1
26	Bhagalpur	Satisfactory	90	PM ₁₀	2
27	Bharatpur	Satisfactory	62	PM ₁₀	1
28	Bhilai	Good	18	со	3
29	Bhiwadi	Moderate	136	PM ₁₀	1
30	Bhiwandi	Good	39	PM ₁₀	1
31	Bhiwani	Satisfactory	75	PM ₁₀	1
32	Bhopal	Good	39	PM ₁₀	1
33	Bidar	Good	42	со	1
34	Bihar Sharif	Good	28	со	1
35	Bikaner	Satisfactory	69	PM ₁₀	1
36	Bilaspur	Good	28 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ıngarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Satisfactory	74	PM ₁₀	1
38	Bulandshahr	Satisfactory	83	PM ₁₀	1
39	Bundi	Satisfactory	83	03	1
40	Byrnihat	Moderate	128	PM _{2.5}	1
41	Chamarajanagar	Good	41	PM ₁₀	1
42	Chandigarh	Satisfactory	64	CO, PM ₁₀	3
43	Chandrapur	Satisfactory	80	PM ₁₀	1
44	Charkhi Dadri	Satisfactory	59	PM ₁₀	1
45	Chengalpattu	Satisfactory	54	со	1
46	Chennai	Satisfactory	56	со	4
47	Chhapra	Satisfactory	67	со	1
48	Chikkamagaluru	Good	35 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

garpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwa

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Good	44	03	1
50	Chittorgarh	Good	44	PM ₁₀	1
51	Churu	Satisfactory	52	03	1
52	Cuddalore	Good	29	PM _{2.5}	1
53	Damoh	Good	44	PM ₁₀	1
54	Dausa	Satisfactory	98	PM ₁₀	1
55	Davanagere	Good	35	PM ₁₀	1
56	Dehradun	Moderate	114	СО	1
57	Delhi	Moderate	110	PM ₁₀ , PM _{2.5}	34
58	Dharwad	Good	50	PM ₁₀	1
59	Dholpur	Satisfactory	64	PM ₁₀	1
60	Dhule	Satisfactory	51 * AQ	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

garpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwa

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	117	PM ₁₀ , PM _{2.5}	4
62	Fatehabad	Moderate	182	03	1
63	Firozabad	Satisfactory	52	PM ₁₀	2
64	Gadag	Good	46	SO ₂	1
65	Gandhinagar	Satisfactory	67	PM ₁₀	2
66	Gangtok	Satisfactory	56	SO ₂	1
67	Gaya	Good	47	O ₃	3
68	Ghaziabad	Satisfactory	92	PM _{2.5} , PM ₁₀	4
69	Gorakhpur	Good	40	SO ₂	1
70	Greater Noida	Moderate	124	PM ₁₀	2
71	Gurugram	Moderate	193	PM _{2.5}	3
72	Guwahati	Satisfactory	67 * AC	CO, PM	2 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Dungarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwalior, Hassar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hajipur	Good	36	со	1
74	Haldia	Good	38	03	1
75	Hanumangarh	Satisfactory	65	PM ₁₀	1
76	Hapur	Satisfactory	63	PM ₁₀	1
77	Haveri	Good	45	со	1
78	Hisar	Moderate	149	PM ₁₀	1
79	Hosur	Good	39	PM ₁₀	1
80	Howrah	Good	41	PM ₁₀	3
81	Hubballi	Moderate	117	PM ₁₀	1
82	Hyderabad	Satisfactory	65	PM ₁₀	6
83	Jabalpur	Satisfactory	60	03	2
84	Jaipur	Moderate	110 * AC	PM 25 I is not calculated for today's bullet	5 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna, Kochi, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Ooty, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Samastipur Sasaram, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

ngarpur, Durgapur, Eloor, Ernakulam, Gummidipoondi, Gwalior

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaisalmer	Satisfactory	77	PM ₁₀	1
86	Jalandhar	Moderate	166	O ₃	1
87	Jalgaon	Satisfactory	86	PM ₁₀	1
88	Jalna	Good	38	NO ₂	1
89	Jhalawar	Satisfactory	66	PM ₁₀	1
90	Jhansi	Good	33	PM ₁₀	1
91	Jhunjhunu	Satisfactory	87	O ₃	1
92	Jind	Satisfactory	68	PM ₁₀	1
93	Jodhpur	Satisfactory	68	PM ₁₀ , O ₃	4
94	Kadapa	Good	46	PM _{2.5}	1
95	Kaithal	Moderate	105	PM _{2.5}	1
96	Kalaburgi	Satisfactory	55 * AC	PM _{2.5} I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

garpur, Durgapur, Eloor, Ernakulam, Gummidipoondi, Gwa

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kannur	Satisfactory	70	PM ₁₀	1
98	Kanpur	Good	48	PM ₁₀	3
99	Karauli	Good	42	PM ₁₀	1
100	Karnal	Satisfactory	65	PM ₁₀	1
101	Kashipur	Satisfactory	60	PM ₁₀	1
102	Katihar	Moderate	104	со	1
103	Keonjhar	Good	47	PM ₁₀	1
104	Khurja	Moderate	107	PM _{2.5}	1
105	Kishanganj	Satisfactory	73	со	1
106	Kohima	Satisfactory	55	SO ₂	1
107	Kolhapur	Good	30	PM ₁₀	2
108	Kolkata	Good	34 * AC	PM 10 I is not calculated for today's bullet	7 n for Ahmednagar, Aizawl, Ajmer,

Notes:

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Dungarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwalior, Hassar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Koppal	Satisfactory	52	SO ₂	1
110	Korba	Good	22	CO, NO ₂	2
111	Kota	Satisfactory	66	PM ₁₀	3
112	Kunjemura	Good	33	со	1
113	Kurukshetra	Satisfactory	84	PM ₁₀	1
114	Latur	Good	25	со	1
115	Lucknow	Good	47	CO, PM ₁₀	6
116	Ludhiana	Moderate	106	PM ₁₀	1
117	Mahad	Good	34	PM ₁₀	1
118	Maihar	Good	35	со	1
119	Mandikhera	Good	40	PM ₁₀	1
120	Manesar	Satisfactory	60 * AQ	PM _{2.5} I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dungarpur, Durgapur, Eloer, Ernakulam, Gummidipoendi, Gwalior, Hassan Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna,

Kochi, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Ooty, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Samastipur Sasaram, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mangalore	Good	49	PM ₁₀	1
122	Meerut	Satisfactory	62	PM ₁₀	3
123	Milupara	Good	18	со	1
124	Moradabad	Satisfactory	64	PM ₁₀	5
125	Motihari	Satisfactory	85	со	1
126	Mumbai	Satisfactory	58	CO, PM ₁₀	21
127	Munger	Good	22	SO ₂	1
128	Muzaffarnagar	Satisfactory	85	PM ₁₀	1
129	Muzaffarpur	Satisfactory	86	CO, NO ₂	3
130	Mysuru	Good	48	PM ₁₀	1
131	Nagaon	Satisfactory	59	PM ₁₀	1
132	Nagaur	Satisfactory	72 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Dungarpur, Durgapur, Eloor, Ernakulam, Gummidipoondi, Gwalior, Hassan

Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna, Kochi, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Ooty, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Samastipur Sasaram, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Satisfactory	51	PM _{2.5} , CO	4
134	Nalbari	Satisfactory	64	со	1
135	Nanded	Good	35	PM ₁₀	1
136	Narnaul	Moderate	138	со	1
137	Nashik	Good	34	PM ₁₀ , O ₃	4
138	Navi Mumbai	Good	47	CO, PM ₁₀	7
139	Nayagarh	Moderate	102	PM ₁₀	1
140	Noida	Satisfactory	84	PM ₁₀	3
141	Pali	Moderate	106	со	1
142	Palkalaiperur	Good	25	SO ₂	1
143	Palwal	Satisfactory	54	PM _{2.5}	1
144	Panchkula	Good	47	O ₃ I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dungarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Gwalior, H Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Kha

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panipat	Satisfactory	69	PM ₁₀	1
146	Parbhani	Good	37	PM ₁₀	1
147	Patiala	Good	48	PM ₁₀	1
148	Patna	Good	38	PM ₁₀ , CO	6
149	Pimpri Chinchwad	Good	33	PM _{2.5}	3
150	Pratapgarh	Satisfactory	67	PM ₁₀	1
151	Prayagraj	Satisfactory	56	PM ₁₀	2
152	Puducherry	Good	44	СО	1
153	Pune	Satisfactory	73	NO ₂ , PM ₁₀	8
154	Raipur	Good	36	PM ₁₀ , CO	4
155	Rairangpur	Satisfactory	56	PM ₁₀	1
156	Rajamahendravaram	Good	30 * AC	O ₃ I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dungarpur, Durgapur, Eleor, Ernakulam, Cummidipoendi, Cwalier, Hassar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajsamand	Satisfactory	56	PM ₁₀	1
158	Ratlam	Satisfactory	51	PM ₁₀	1
159	Rishikesh	Good	37	со	1
160	Rohtak	Moderate	142	PM _{2.5}	1
161	Rourkela	Satisfactory	53	PM ₁₀	3
162	Rupnagar	Moderate	111	PM ₁₀	1
163	Sagar	Satisfactory	64	PM ₁₀	1
164	Saharsa	Good	41	SO ₂	1
165	Salem	Good	31	SO ₂	1
166	Sangli	Good	29	PM ₁₀	1
167	Satna	Moderate	128	PM ₁₀	1
168	Sawai Madhopur	Good	47	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dungarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwalior, Hassan,

Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna, Kochi, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Ooty, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Samastipur Sasaram, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Good	19	SO ₂	2
170	Shivamogga	Satisfactory	57	PM ₁₀	1
171	Sikar	Satisfactory	75	03	1
172	Silchar	Good	23	со	1
173	Siliguri	Satisfactory	55	NO ₂	1
174	Singrauli	Satisfactory	71	SO ₂	1
175	Sirohi	Good	46	PM ₁₀	1
176	Sirsa	Satisfactory	87	PM ₁₀	1
177	Sivasagar	Good	20	PM ₁₀	1
178	Siwan	Moderate	119	со	1
179	Solapur	Good	43	PM ₁₀	3
180	Sonipat	Poor	221 * AC	PM _{2.5} I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

garpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwa Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna, Kochi, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Ooty, Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Samastipur Sasaram, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sri Ganganagar	Poor	211	PM ₁₀	1
182	Srinagar	Good	33	PM ₁₀	1
183	Suakati	Good	44	PM ₁₀	1
184	Surat	Moderate	162	PM ₁₀	1
185	Talcher	Good	46	SO ₂	1
186	Tensa	Good	29	NO ₂	1
187	Thane	Satisfactory	59	PM ₁₀	1
188	Thiruvananthapuram	Good	33	PM ₁₀ , CO	2
189	Thrissur	Satisfactory	58	PM ₁₀	1
190	Tirupati	Good	50	PM _{2.5}	1
191	Tonk	Satisfactory	72	PM ₁₀	1
192	Tumakuru	Satisfactory	69 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Aizawl, Ajmer,

Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Dungarpur, Durgapur, Eloor, Ernakulam, Cummidipoondi, Cwalior, Hassa Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	75	PM ₁₀	1
194	Ulhasnagar	Good	37	PM _{2.5}	1
195	Vapi	Satisfactory	88	СО	1
196	Varanasi	Good	26	SO ₂ , O ₃	4
197	Vatva	Satisfactory	75	PM ₁₀	1
198	Vijayapura	Good	45	PM ₁₀	1
199	Vijayawada	Satisfactory	65	PM _{2.5}	2
200	Vrindavan	Good	33	SO ₂	1
201	Yamunanagar	Satisfactory	76	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Amaravati, Anantapur, Ankleshwar, Araria, Aurangabad (Bihar), Ballabgarh, Barmer, Begusarai, Belgaum, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal, Chikkaballapur, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dindigul,

Dungarpur, Durgapur, Eloor, Ernakulam, Gummidipoondi, Gwalior, Hassan, Imphal, Indore, Jalore, Jorapokhar, Kalyan, Kanchipuram, Katni, Khanna, Kochi, Kolar, Kollam, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Ooty,

Pithampur, Purnia, Raichur, Rajgir, Ramanagara, Ramanathapuram, Samastipur Sasaram, Thoothukudi, Tirupur, Tumidih, Udupi, Ujjain, Virar,

Visakhapatnam, Yadgir, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.