

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	131	PM <sub>2.5</sub>	1
2	Agra	Poor	218	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	170	O <sub>3</sub>	1
4	Aizawl	Good	45	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	82	O <sub>3</sub>	1
6	Alwar	Satisfactory	76	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	66	PM <sub>2.5</sub>	1
8	Ambala	Moderate	191	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	83	PM <sub>10</sub>	1
10	Asansol	Moderate	125	PM <sub>10</sub>	1
11	Aurangabad	Moderate	170	PM <sub>10</sub>	1
12	Bagalkot	Good	28	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- $^{\star}$  AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	223	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	223	PM <sub>2.5</sub>	1
15	Ballabgarh	Moderate	114	PM <sub>10</sub>	1
16	Bathinda	Moderate	124	PM <sub>2.5</sub>	1
17	Bengaluru	Good	46	PM <sub>10</sub> , CO	10
18	Bhiwadi	Poor	267	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	118	PM <sub>10</sub>	1
20	Bhopal	Moderate	137	PM <sub>2.5</sub>	1
21	Brajrajnagar	Poor	202	PM <sub>2.5</sub>	1
22	Bulandshahr	Poor	258	PM <sub>2.5</sub>	1
23	Chamarajanagar	Satisfactory	62	PM <sub>2.5</sub>	1
24	Chandigarh	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	77	PM <sub>10</sub>	2
26	Chennai	Satisfactory	52	PM <sub>2.5</sub> , O <sub>3</sub>	7
27	Chikkaballapur	Good	42	PM <sub>10</sub>	1
28	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
29	Coimbatore	Good	34	СО	1
30	Damoh	Satisfactory	82	PM <sub>2.5</sub>	1
31	Delhi	Poor	211	PM <sub>2.5</sub> , O <sub>3</sub>	37
32	Dewas	Moderate	104	PM <sub>10</sub>	1
33	Dharuhera	Moderate	167	PM <sub>2.5</sub>	1
34	Eloor	Good	37	СО	1
35	Ernakulam	Moderate	102	СО	1
36	Faridabad	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	250	PM <sub>2.5</sub>	1
38	Gandhinagar	Satisfactory	92	PM <sub>10</sub>	1
39	Gaya	Satisfactory	77	O <sub>3</sub> , PM <sub>2.5</sub>	2
40	Ghaziabad	Poor	236	PM <sub>2.5</sub>	4
41	Greater Noida	Poor	228	PM <sub>2.5</sub>	2
42	Gurugram	Moderate	141	PM <sub>2.5</sub>	4
43	Guwahati	Moderate	117	PM <sub>2.5</sub>	1
44	Gwalior	Moderate	168	PM <sub>2.5</sub>	1
45	Hajipur	Satisfactory	100	PM <sub>10</sub>	1
46	Hapur	Poor	218	O <sub>3</sub>	1
47	Hisar	Moderate	158	PM <sub>2.5</sub>	1
48	Howrah	Poor	285	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- $^{\star}$  AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	62	PM <sub>10</sub>	1
50	Hyderabad	Satisfactory	84	PM <sub>10</sub>	4
51	Indore	Moderate	131	PM <sub>2.5</sub>	1
52	Jabalpur	Moderate	161	PM <sub>2.5</sub>	1
53	Jaipur	Moderate	121	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Jalandhar	Satisfactory	70	PM <sub>2.5</sub>	1
55	Jind	Moderate	171	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	121	PM <sub>2.5</sub>	1
57	Jorapokhar	Satisfactory	80	СО	1
58	Kaithal	Satisfactory	83	PM <sub>10</sub>	1
59	Kalaburgi	Satisfactory	66	PM <sub>10</sub>	1
60	Kalyan	Moderate	169	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- $^{\star}$  AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	60	PM <sub>10</sub>	1
62	Kanpur	Moderate	165	PM <sub>2.5</sub>	1
63	Karnal	Satisfactory	70	PM <sub>10</sub>	1
64	Katni	Moderate	168	PM <sub>2.5</sub>	1
65	Khanna	Moderate	102	PM <sub>10</sub>	1
66	Kochi	Satisfactory	92	со	1
67	Kohima	Moderate	107	PM <sub>10</sub>	1
68	Kolkata	Poor	266	PM <sub>2.5</sub>	7
69	Kollam	Satisfactory	72	со	1
70	Kota	Moderate	118	PM <sub>2.5</sub>	1
71	Kozhikode	Good	43	со	1
72	Kurukshetra	Satisfactory	91	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- $^{\star}$  AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	4
74	Ludhiana	Moderate	110	PM <sub>10</sub>	1
75	Maihar	Good	43	СО	1
76	Mandi Gobindgarh	Poor	216	PM <sub>2.5</sub>	1
77	Mandideep	Moderate	106	PM <sub>10</sub>	1
78	Mandikhera	Satisfactory	91	СО	1
79	Manesar	Moderate	185	PM <sub>2.5</sub>	1
80	Medikeri	Good	28	O <sub>3</sub>	1
81	Meerut	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	3
82	Moradabad	Moderate	197	PM <sub>2.5</sub>	1
83	Mumbai	Moderate	167	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	14
84	Muzaffarnagar	Moderate	125	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	166	PM <sub>2.5</sub> , PM <sub>10</sub>	2
86	Mysuru	Good	28	O <sub>3</sub>	1
87	Nagpur	Satisfactory	77	PM <sub>2.5</sub>	1
88	Nandesari	Moderate	150	со	1
89	Nashik	Satisfactory	83	PM <sub>2.5</sub>	1
90	Navi Mumbai	Moderate	156	PM <sub>2.5</sub>	2
91	Noida	Poor	207	PM <sub>2.5</sub>	4
92	Pali	Satisfactory	91	PM <sub>10</sub>	1
93	Palwal	Moderate	120	PM <sub>10</sub>	1
94	Panchkula	Moderate	127	O <sub>3</sub>	1
95	Panipat	Moderate	121	PM <sub>10</sub>	1
96	Patiala	Satisfactory	66	со	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- $^{\star}$  AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	6
98	Pithampur	Moderate	127	PM <sub>2.5</sub>	1
99	Pune	Satisfactory	76	PM <sub>2.5</sub>	2
100	Rajamahendravaram	Moderate	105	O <sub>3</sub>	1
101	Ramanagara	Good	34	SO <sub>2</sub>	1
102	Ratlam	Moderate	126	PM <sub>10</sub>	1
103	Rohtak	Moderate	186	PM <sub>2.5</sub>	1
104	Rupnagar	Moderate	110	PM <sub>10</sub>	1
105	Sagar	Satisfactory	70	PM <sub>2.5</sub>	1
106	Satna	Satisfactory	58	PM <sub>10</sub>	1
107	Shillong	Good	35	PM <sub>10</sub>	1
108	Shivamogga	Good	34	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- $^{\star}$  AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Moderate	178	PM <sub>2.5</sub>	1
110	Singrauli	Poor	226	PM <sub>2.5</sub>	1
111	Sirsa	Moderate	117	PM <sub>10</sub>	1
112	Solapur	Satisfactory	78	PM <sub>10</sub>	1
113	Sonipat	Moderate	115	PM <sub>10</sub>	1
114	Talcher	Moderate	132	NO <sub>2</sub>	1
115	Thane	Moderate	143	PM <sub>10</sub>	1
116	Thiruvananthapuram	Good	43	СО	2
117	Thoothukudi	Good	35	O <sub>3</sub>	1
118	Thrissur	Good	39	O <sub>3</sub>	1
119	Tirupati	Good	26	PM <sub>10</sub>	1
120	Udaipur	Moderate	135	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	132	PM <sub>2.5</sub>	1
122	Vapi	Moderate	121	PM <sub>10</sub>	1
123	Varanasi	Poor	204	PM <sub>2.5</sub>	1
124	Vatva	Moderate	130	PM <sub>2.5</sub>	1
125	Vijayapura	Good	39	PM <sub>2.5</sub>	1
126	Visakhapatnam	Moderate	184	PM <sub>2.5</sub>	1
127	Yamunanagar	Moderate	178	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Charkhi Dadri, Narnaul, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.