

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	146	PM <sub>10</sub>	1
2	Agra	Moderate	162	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	212	03	1
4	Aizawl	Moderate	103	PM <sub>10</sub>	1
5	Ajmer	Moderate	119	PM <sub>10</sub>	1
6	Alwar	Satisfactory	82	PM <sub>10</sub>	1
7	Amaravati	Moderate	104	PM <sub>10</sub>	1
8	Ambala	Satisfactory	88	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	72	PM <sub>10</sub>	1
10	Ankleshwar	Poor	213	O <sub>3</sub>	1
11	Asansol	Moderate	156	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	79	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ctory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	236	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	206	PM <sub>2.5</sub>	1
15	Ballabgarh	Moderate	145	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	96	PM <sub>10</sub>	9
17	Bhiwadi	Poor	271	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	145	03	1
19	Bhopal	Moderate	142	PM <sub>10</sub>	1
20	Bidar	Moderate	133	PM <sub>10</sub>	1
21	Brajrajnagar	Satisfactory	81	O <sub>3</sub>	1
22	Bulandshahr	Poor	242	O <sub>3</sub>	1
23	Chandigarh	Satisfactory	91	PM <sub>10</sub>	1
24	Chandrapur	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	125	PM <sub>10</sub>	1
26	Chennai	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	6
27	Chikkaballapur	Moderate	122	PM <sub>2.5</sub>	1
28	Chikkamagaluru	Satisfactory	96	PM <sub>2.5</sub>	1
29	Damoh	Satisfactory	68	PM <sub>10</sub>	1
30	Davanagere	Moderate	120	PM <sub>10</sub>	1
31	Delhi	Moderate	199	PM <sub>10</sub> , PM <sub>2.5</sub>	31
32	Dewas	Moderate	114	PM <sub>10</sub>	1
33	Dharuhera	Poor	245	PM <sub>10</sub>	1
34	Durgapur	Poor	228	PM <sub>2.5</sub>	1
35	Eloor	Satisfactory	69	O <sub>3</sub>	1
36	Faridabad	Poor	209	PM <sub>2.5</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	92	PM <sub>10</sub>	1
38	Gandhinagar	Satisfactory	74	PM <sub>10</sub>	1
39	Gaya	Moderate	127	PM <sub>2.5</sub>	1
40	Ghaziabad	Poor	234	PM <sub>10</sub> , PM <sub>2.5</sub>	4
41	Greater Noida	Moderate	197	PM <sub>10</sub> , PM <sub>2.5</sub>	2
42	Gummidipoondi	Moderate	140	PM <sub>10</sub>	1
43	Gurugram	Moderate	183	PM <sub>2.5</sub> , PM <sub>10</sub>	3
44	Guwahati	Very Poor	336	PM <sub>10</sub>	2
45	Gwalior	Moderate	158	PM <sub>10</sub>	1
46	Hajipur	Moderate	181	PM <sub>10</sub>	1
47	Haldia	Moderate	123	PM <sub>10</sub>	1
48	Hapur	Moderate	193	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ctory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Moderate	144	PM <sub>10</sub>	1
50	Hisar	Moderate	140	PM <sub>2.5</sub>	1
51	Howrah	Moderate	175	PM <sub>10</sub> , PM <sub>2.5</sub>	2
52	Hubballi	Moderate	151	PM <sub>2.5</sub>	1
53	Hyderabad	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	5
54	Indore	Poor	232	PM <sub>10</sub>	1
55	Jabalpur	Moderate	162	PM <sub>10</sub>	1
56	Jaipur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Jalandhar	Satisfactory	72	PM <sub>2.5</sub>	1
58	Jind	Satisfactory	100	PM <sub>10</sub>	1
59	Jodhpur	Poor	249	PM <sub>10</sub>	1
60	Kaithal	Moderate	103	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ctory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Moderate	131	PM <sub>2.5</sub>	1
62	Kalyan	Moderate	198	PM <sub>2.5</sub>	1
63	Kannur	Satisfactory	91	PM <sub>10</sub>	1
64	Kanpur	Moderate	171	PM <sub>2.5</sub>	2
65	Karnal	Satisfactory	79	PM <sub>2.5</sub>	1
66	Katni	Poor	238	PM <sub>10</sub>	1
67	Khanna	Satisfactory	94	PM <sub>10</sub>	1
68	Kochi	Moderate	119	PM <sub>10</sub>	1
69	Kohima	Poor	251	PM <sub>2.5</sub>	1
70	Kolar	Satisfactory	68	со	1
71	Kolkata	Moderate	166	O <sub>3</sub> , PM <sub>2.5</sub>	6
72	Kollam	Satisfactory	93	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	125	PM <sub>10</sub>	1
74	Kozhikode	Satisfactory	86	PM <sub>10</sub>	1
75	Kurukshetra	Moderate	107	PM <sub>10</sub>	1
76	Lucknow	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
77	Ludhiana	Satisfactory	96	PM <sub>10</sub>	1
78	Mandi Gobindgarh	Moderate	111	PM <sub>10</sub>	1
79	Mandideep	Satisfactory	79	PM <sub>10</sub>	1
80	Mandikhera	Satisfactory	87	PM <sub>2.5</sub>	1
81	Manesar	Poor	226	PM <sub>2.5</sub>	1
82	Medikeri	Satisfactory	75	PM <sub>10</sub>	1
83	Meerut	Poor	208	PM <sub>10</sub> , O <sub>3</sub>	3
84	Mumbai	Moderate	177	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	19

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	164	PM <sub>10</sub>	1
86	Muzaffarpur	Poor	202	PM <sub>2.5</sub> , PM <sub>10</sub>	2
87	Naharlagun	Moderate	129	PM <sub>10</sub>	1
88	Nandesari	Satisfactory	68	со	1
89	Narnaul	Poor	230	PM <sub>10</sub>	1
90	Nashik	Moderate	113	PM <sub>10</sub>	1
91	Navi Mumbai	Moderate	198	PM <sub>2.5</sub> , O <sub>3</sub>	2
92	Noida	Moderate	179	PM <sub>10</sub>	3
93	Pali	Moderate	165	PM <sub>10</sub>	1
94	Palwal	Moderate	109	PM <sub>10</sub>	1
95	Panchkula	Satisfactory	82	PM <sub>2.5</sub>	1
96	Panipat	Moderate	127	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Satisfactory	81	PM <sub>10</sub>	1
98	Patna	Moderate	187	PM <sub>2.5</sub> , PM <sub>10</sub>	5
99	Pithampur	Moderate	106	PM <sub>10</sub>	1
100	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
101	Pune	Moderate	137	PM <sub>2.5</sub> , PM <sub>10</sub>	6
102	Raichur	Moderate	145	PM <sub>2.5</sub>	1
103	Rajamahendravaram	Moderate	159	PM <sub>10</sub>	1
104	Ramanagara	Moderate	156	03	1
105	Ratlam	Moderate	140	PM <sub>10</sub>	1
106	Rohtak	Moderate	144	PM <sub>2.5</sub>	1
107	Rupnagar	Satisfactory	98	PM <sub>10</sub>	1
108	Sagar	Satisfactory	84	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	95	PM <sub>10</sub>	1
110	Shillong	Moderate	113	PM <sub>10</sub>	1
111	Shivamogga	Satisfactory	68	PM <sub>2.5</sub>	1
112	Siliguri	Very Poor	378	PM <sub>2.5</sub>	1
113	Singrauli	Poor	296	PM <sub>2.5</sub>	1
114	Sirsa	Satisfactory	87	PM <sub>10</sub>	1
115	Solapur	Moderate	120	PM <sub>10</sub>	1
116	Sonipat	Moderate	174	PM <sub>10</sub>	1
117	Srinagar	Moderate	118	PM <sub>10</sub>	1
118	Talcher	Satisfactory	95	со	1
119	Thiruvananthapuram	Good	50	PM <sub>10</sub>	2
120	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	85	PM <sub>10</sub>	1
122	Tirupati	Moderate	160	PM <sub>2.5</sub>	1
123	Udaipur	Moderate	115	PM <sub>10</sub>	1
124	Udupi	Moderate	186	O <sub>3</sub>	1
125	Ujjain	Poor	225	PM <sub>2.5</sub>	1
126	Vapi	Moderate	148	PM <sub>10</sub>	1
127	Varanasi	Moderate	181	O <sub>3</sub>	1
128	Vatva	Poor	214	PM <sub>2.5</sub>	1
129	Vijayapura	Satisfactory	62	PM <sub>2.5</sub>	1
130	Visakhapatnam	Moderate	188	PM <sub>10</sub>	1
131	Yadgir	Moderate	165	O <sub>3</sub>	1
132	Yamunanagar	Moderate	163	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Ernakulam, Gadag, Jorapokhar, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Thane as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.