

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	SO ₂	1
2	Agra	Satisfactory	69	PM ₁₀	6
3	Ahmedabad	Moderate	108	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Moderate	168	PM ₁₀	1
6	Amaravati	Satisfactory	91	PM ₁₀	1
7	Ambala	Poor	206	PM _{2.5}	1
8	Ankleshwar	Satisfactory	64	со	1
9	Araria	Satisfactory	86	PM ₁₀	1
10	Ariyalur	Satisfactory	56	PM ₁₀	1
11	Arrah	Moderate	168	PM ₁₀	1
12	Asansol	Satisfactory	89	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	177	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	73	PM ₁₀	1
15	Baddi	Moderate	176	O ₃	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Baghpat	Poor	261	PM ₁₀	1
18	Bahadurgarh	Poor	245	PM ₁₀	1
19	Ballabgarh	Moderate	179	PM ₁₀	1
20	Banswara	Moderate	102	PM ₁₀	1
21	Bareilly	Moderate	145	PM ₁₀	2
22	Baripada	Satisfactory	86	O ₃	1
23	Barmer	Satisfactory	85	PM ₁₀	1
24	Bathinda	Poor	222	PM _{2.5}	1

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Moderate	197	PM _{2.5}	1
26	Belgaum	Good	49	PM ₁₀	1
27	Bengaluru	Satisfactory	74	PM _{2.5} , PM ₁₀	11
28	Bettiah	Moderate	184	PM ₁₀	1
29	Bhagalpur	Moderate	125	PM ₁₀	2
30	Bharatpur	Moderate	125	PM ₁₀	1
31	Bhilai	Satisfactory	71	PM ₁₀	2
32	Bhilwara	Moderate	144	PM ₁₀	1
33	Bhiwani	Poor	241	PM _{2.5}	1
34	Bhopal	Satisfactory	85	PM ₁₀	3
35	Bihar Sharif	Moderate	161	PM ₁₀	1
36	Bikaner	Poor	266	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrniha

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	66	PM ₁₀	1
38	Bileipada	Moderate	136	PM ₁₀	1
39	Bulandshahr	Poor	225	PM ₁₀	1
40	Bundi	Moderate	126	PM ₁₀	1
41	Chamarajanagar	Good	46	PM ₁₀	1
42	Chandigarh	Poor	202	PM _{2.5}	3
43	Chandrapur	Satisfactory	95	PM ₁₀	1
44	Charkhi Dadri	Poor	247	PM _{2.5}	1
45	Chennai	Satisfactory	83	SO ₂ , PM _{2.5}	8
46	Chhal	Satisfactory	87	PM ₁₀	1
47	Chhapra	Poor	202	PM ₁₀	1
48	Chikkaballapur	Satisfactory	61	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

apur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, By

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
50	Chittorgarh	Moderate	122	PM ₁₀	1
51	Cuddalore	Moderate	145	NO ₂	2
52	Damoh	Good	20	PM ₁₀	1
53	Dausa	Moderate	142	PM ₁₀	1
54	Davanagere	Good	32	PM _{2.5}	1
55	Dehradun	Satisfactory	99	PM ₁₀	1
56	Delhi	Poor	254	PM ₁₀	39
57	Dewas	Satisfactory	87	PM ₁₀	1
58	Dhanbad	Poor	222	PM _{2.5}	1
59	Dholpur	Satisfactory	82	03	1
60	Dindigul	Satisfactory	63	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	138	PM ₁₀	1
62	Faridabad	Moderate	180	PM ₁₀ , PM _{2.5}	4
63	Fatehabad	Satisfactory	93	03	1
64	Firozabad	Satisfactory	78	PM ₁₀	2
65	Gadag	Good	47	SO ₂	1
66	Gandhinagar	Satisfactory	76	PM _{2.5} , PM ₁₀	3
67	Gangtok	Good	35	SO ₂	1
68	Gaya	Moderate	160	PM ₁₀ , O ₃	3
69	Ghaziabad	Poor	296	PM ₁₀	4
70	Greater Noida	Very Poor	318	PM ₁₀	2
71	Gurugram	Poor	268	PM _{2.5}	4
72	Guwahati	Satisfactory	70	03	4

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

apur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, By

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- website(http://cpcb.nic.in) website may be referred. * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly
- acknowledge the contribution of respective agencies in generating the data.

 $^{^{\}star}$ AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Satisfactory	100	PM ₁₀ , PM _{2.5}	4
74	Hajipur	Moderate	103	PM ₁₀	1
75	Haldia	Satisfactory	56	PM ₁₀	1
76	Hanumangarh	Very Poor	303	PM ₁₀	1
77	Hapur	Moderate	157	PM ₁₀	1
78	Haveri	Good	44	PM ₁₀	1
79	Hisar	Poor	300	PM _{2.5}	1
80	Hosur	Satisfactory	87	PM ₁₀	1
81	Howrah	Satisfactory	78	СО	2
82	Hubballi	Satisfactory	80	PM ₁₀	2
83	Hyderabad	Satisfactory	86	PM ₁₀	12
84	Indore	Satisfactory	60	PM ₁₀	2

 $^{^{\}star}$ AQI is not calculated for today's bulletin for Alwar, Amritsar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Moderate	123	PM ₁₀	1
86	Jaipur	Moderate	116	PM _{2.5} , PM ₁₀	6
87	Jaisalmer	Poor	232	PM ₁₀	1
88	Jalandhar	Moderate	152	PM ₁₀	1
89	Jhalawar	Satisfactory	80	PM ₁₀	1
90	Jhansi	Moderate	143	PM ₁₀	1
91	Jhunjhunu	Poor	279	O ₃	1
92	Jind	Poor	207	PM _{2.5}	1
93	Jodhpur	Moderate	166	PM _{2.5}	3
94	Jorapokhar	Moderate	130	PM ₁₀	1
95	Kadapa	Satisfactory	57	O ₃	1
96	Kaithal	Poor	231	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrniha

Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Imphal, Kannur, Kashipur, Kochi, Kolar, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Naharlagun, Nandesari, Palkalaiperur, Palwal, Pratapgarh, Purnia, Raichur, Salem, Sawai Madhopur, Shivamogga, Sirohi, Tensa, Thane, Tirupati, Tirupur, Udupi, Vijayawada, vellore as data was not available.

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalaburgi	Satisfactory	56	PM ₁₀	2
98	Kalyan	Satisfactory	79	PM ₁₀	1
99	Kanchipuram	Satisfactory	71	PM ₁₀	1
100	Kanpur	Moderate	143	PM ₁₀	3
101	Karauli	Satisfactory	69	PM ₁₀	1
102	Karnal	Poor	258	PM _{2.5}	1
103	Katihar	Satisfactory	80	NO ₂	1
104	Katni	Moderate	128	PM ₁₀	1
105	Keonjhar	Moderate	101	PM ₁₀	1
106	Khanna	Poor	218	PM ₁₀	1
107	Khurja	Satisfactory	100	PM _{2.5}	1
108	Kishanganj	Satisfactory	85	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Good	46	PM ₁₀	1
110	Kolhapur	Satisfactory	58	PM ₁₀	2
111	Kolkata	Satisfactory	67	PM ₁₀	7
112	Kollam	Satisfactory	90	PM ₁₀	1
113	Koppal	Satisfactory	68	03	1
114	Korba	Moderate	112	PM _{2.5} , PM ₁₀	2
115	Kota	Satisfactory	86	PM ₁₀ , O ₃	2
116	Kurukshetra	Very Poor	305	PM _{2.5}	1
117	Lucknow	Moderate	151	PM _{2.5}	6
118	Ludhiana	Poor	204	PM ₁₀	1
119	Madikeri	Good	39	PM ₁₀	1
120	Mandi Gobindgarh	Moderate	190	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Satisfactory	99	PM ₁₀	1
122	Manesar	Poor	219	PM ₁₀	1
123	Mangalore	Satisfactory	62	PM ₁₀	1
124	Meerut	Moderate	190	PM _{2.5}	2
125	Milupara	Satisfactory	82	PM ₁₀	1
126	Moradabad	Moderate	178	PM ₁₀	6
127	Motihari	Satisfactory	94	NO ₂	1
128	Mumbai	Satisfactory	67	CO, PM ₁₀	15
129	Munger	Moderate	186	PM ₁₀	1
130	Muzaffarnagar	Poor	278	PM ₁₀	1
131	Muzaffarpur	Moderate	173	O ₃	3
132	Mysuru	Satisfactory	66	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Satisfactory	76	O ₃	1
134	Nagpur	Satisfactory	71	PM ₁₀	1
135	Nalbari	Satisfactory	93	PM _{2.5}	1
136	Narnaul	Satisfactory	67	PM _{2.5}	1
137	Nashik	Satisfactory	54	PM ₁₀	1
138	Navi Mumbai	Satisfactory	79	PM ₁₀	2
139	Nayagarh	Moderate	155	PM ₁₀	1
140	Noida	Poor	292	PM ₁₀	4
141	Ooty	Moderate	114	PM ₁₀	1
142	Pali	Moderate	198	PM ₁₀	1
143	Panchkula	Poor	212	PM _{2.5}	1
144	Panipat	Poor	228	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Moderate	184	PM ₁₀	1
146	Patna	Moderate	197	PM _{2.5}	6
147	Pimpri Chinchwad	Satisfactory	68	PM ₁₀	2
148	Pithampur	Satisfactory	72	PM ₁₀	1
149	Prayagraj	Satisfactory	83	PM ₁₀	3
150	Puducherry	Satisfactory	64	PM ₁₀	1
151	Pune	Moderate	129	NO ₂ , PM ₁₀	3
152	Raipur	Satisfactory	73	PM ₁₀ , NO ₂	4
153	Rairangpur	Satisfactory	78	O ₃	1
154	Rajamahendravaram	Moderate	130	PM ₁₀	1
155	Rajgir	Moderate	129	PM ₁₀	1
156	Rajsamand	Satisfactory	94	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	80	PM ₁₀	1
158	Ramanathapuram	Moderate	124	со	1
159	Ratlam	Satisfactory	77	PM ₁₀	1
160	Rishikesh	Satisfactory	67	PM ₁₀	1
161	Rohtak	Poor	248	PM _{2.5}	1
162	Rourkela	Moderate	146	PM _{2.5}	2
163	Rupnagar	Poor	202	PM ₁₀	1
164	Sagar	Satisfactory	81	O ₃	1
165	Saharsa	Moderate	120	PM _{2.5}	1
166	Samastipur	Moderate	175	PM ₁₀	1
167	Sasaram	Moderate	128	O ₃	1
168	Satna	Moderate	130	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring loc
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Satisfactory	52	PM ₁₀	1
170	Sikar	Moderate	123	PM ₁₀	1
171	Silchar	Good	44	со	1
172	Siliguri	Satisfactory	52	PM ₁₀	1
173	Singrauli	Moderate	138	PM _{2.5}	1
174	Sirsa	Very Poor	309	PM ₁₀	1
175	Sivasagar	Good	15	PM _{2.5}	1
176	Siwan	Moderate	184	PM ₁₀	1
177	Solapur	Moderate	122	PM ₁₀	2
178	Sonipat	Moderate	182	PM _{2.5}	1
179	Sri Ganganagar	Poor	271	PM ₁₀	1
180	Srinagar	Moderate	133	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Suakati	Moderate	118	PM ₁₀	1
182	Surat	Satisfactory	73	со	1
183	Talcher	Good	47	PM _{2.5}	1
184	Thiruvananthapuram	Good	28	PM ₁₀	1
185	Thoothukudi	Satisfactory	100	03	1
186	Thrissur	Satisfactory	92	PM ₁₀	1
187	Tonk	Moderate	175	PM ₁₀	1
188	Tumakuru	Moderate	112	PM ₁₀	1
189	Tumidih	Poor	237	PM ₁₀	1
190	Udaipur	Moderate	111	PM ₁₀	1
191	Ujjain	Moderate	108	со	1
192	Vapi	Satisfactory	52	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Varanasi	Satisfactory	89	PM ₁₀ , NO ₂	4
194	Vatva	Satisfactory	93	PM ₁₀	1
195	Vijayapura	Good	49	PM ₁₀	1
196	Visakhapatnam	Moderate	151	PM ₁₀	1
197	Vrindavan	Moderate	165	PM ₁₀	1
198	Yadgir	Satisfactory	56	PM ₁₀	1
199	Yamunanagar	Poor	237	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Baran, Bhiwadi, Bidar, Brajrajnagar, Buxar, Byrnihat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Alwar, Amritsar,