

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	221	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	192	PM <sub>10</sub>	1
3	Aizawl	Satisfactory	83	PM <sub>10</sub>	1
4	Ajmer	Moderate	103	PM <sub>10</sub>	1
5	Alwar	Satisfactory	100	PM <sub>10</sub>	1
6	Amaravati	Good	23	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	84	PM <sub>10</sub>	1
8	Ankleshwar	Poor	206	NO <sub>2</sub>	1
9	Asansol	Moderate	185	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	89	PM <sub>10</sub>	1
11	Bagalkot	Good	31	PM <sub>2.5</sub>	1
12	Baghpat	Poor	208	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	243	PM <sub>2.5</sub>	1
14	Ballabgarh	Poor	235	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	108	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	55	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
17	Bhiwadi	Poor	288	PM <sub>10</sub>	1
18	Bhiwani	Moderate	200	03	1
19	Bhopal	Moderate	163	PM <sub>10</sub>	1
20	Brajrajnagar	Satisfactory	73	PM <sub>10</sub>	1
21	Bulandshahr	Poor	254	PM <sub>2.5</sub>	1
22	Chamarajanagar	Satisfactory	70	PM <sub>10</sub>	1
23	Chandigarh	Moderate	110	PM <sub>10</sub>	1
24	Chandrapur	Moderate	136	O <sub>3</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	199	PM <sub>2.5</sub>	1
26	Chennai	Good	42	O <sub>3</sub> , CO, PM <sub>10</sub>	7
27	Chikkaballapur	Good	42	PM <sub>10</sub>	1
28	Damoh	Satisfactory	88	PM <sub>10</sub>	1
29	Davanagere	Satisfactory	83	PM <sub>10</sub>	1
30	Delhi	Poor	242	PM <sub>10</sub> , PM <sub>2.5</sub>	31
31	Dewas	Moderate	101	PM <sub>10</sub>	1
32	Dharuhera	Poor	250	PM <sub>10</sub>	1
33	Durgapur	Moderate	166	PM <sub>10</sub>	1
34	Ernakulam	Good	37	PM <sub>10</sub>	1
35	Faridabad	Poor	277	PM <sub>2.5</sub> , PM <sub>10</sub>	4
36	Fatehabad	Moderate	143	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	85	PM <sub>10</sub>	1
38	Gaya	Moderate	105	PM <sub>10</sub>	1
39	Ghaziabad	Poor	287	PM <sub>10</sub> , PM <sub>2.5</sub>	4
40	Greater Noida	Very Poor	307	PM <sub>10</sub>	1
41	Gurugram	Poor	268	PM <sub>2.5</sub>	3
42	Guwahati	Satisfactory	72	PM <sub>10</sub>	2
43	Gwalior	Moderate	200	PM <sub>2.5</sub>	1
44	Hajipur	Very Poor	307	PM <sub>10</sub>	1
45	Hapur	Moderate	163	PM <sub>10</sub>	1
46	Hisar	Poor	265	PM <sub>2.5</sub>	1
47	Howrah	Satisfactory	81	PM <sub>10</sub> , PM <sub>2.5</sub>	3
48	Hubballi	Moderate	111	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	5
50	Indore	Moderate	170	PM <sub>10</sub>	1
51	Jabalpur	Moderate	178	PM <sub>10</sub>	1
52	Jaipur	Moderate	113	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Jalandhar	Satisfactory	89	PM <sub>10</sub>	1
54	Jind	Poor	243	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	169	PM <sub>2.5</sub>	1
56	Jorapokhar	Moderate	118	PM <sub>10</sub>	1
57	Kaithal	Moderate	127	PM <sub>10</sub>	1
58	Kalyan	Moderate	196	PM <sub>10</sub>	1
59	Kannur	Satisfactory	84	PM <sub>10</sub>	1
60	Kanpur	Poor	223	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	179	PM <sub>2.5</sub>	1
62	Katni	Poor	245	PM <sub>10</sub>	1
63	Khanna	Moderate	108	PM <sub>10</sub>	1
64	Kohima	Satisfactory	93	PM <sub>10</sub>	1
65	Kolar	Satisfactory	53	со	1
66	Kolkata	Satisfactory	68	PM <sub>10</sub>	7
67	Kollam	Satisfactory	60	PM <sub>10</sub>	1
68	Koppal	Satisfactory	74	PM <sub>10</sub>	1
69	Kota	Poor	203	PM <sub>2.5</sub>	1
70	Kozhikode	Satisfactory	84	PM <sub>10</sub>	1
71	Kurukshetra	Moderate	133	PM <sub>2.5</sub>	1
72	Lucknow	Poor	284	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	123	NO <sub>2</sub>	1
74	Mandi Gobindgarh	Moderate	149	PM <sub>10</sub>	1
75	Mandideep	Satisfactory	67	PM <sub>10</sub>	1
76	Mandikhera	Satisfactory	84	PM <sub>2.5</sub>	1
77	Manglore	Satisfactory	66	PM <sub>10</sub>	1
78	Medikeri	Satisfactory	57	PM <sub>10</sub>	1
79	Meerut	Poor	245	PM <sub>10</sub>	2
80	Moradabad	Poor	260	PM <sub>2.5</sub>	1
81	Mumbai	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	18
82	Muzaffarnagar	Poor	231	PM <sub>10</sub>	1
83	Muzaffarpur	Poor	210	PM <sub>2.5</sub>	2
84	Nandesari	Moderate	112	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Moderate	124	PM <sub>10</sub>	1
86	Nashik	Satisfactory	93	PM <sub>2.5</sub>	1
87	Navi Mumbai	Moderate	183	PM <sub>2.5</sub> , PM <sub>10</sub>	3
88	Noida	Poor	260	PM <sub>2.5</sub>	2
89	Pali	Moderate	146	PM <sub>2.5</sub>	1
90	Palwal	Satisfactory	60	со	1
91	Panchkula	Satisfactory	55	PM <sub>2.5</sub>	1
92	Panipat	Moderate	192	PM <sub>10</sub>	1
93	Patiala	Moderate	119	PM <sub>10</sub>	1
94	Patna	Poor	268	PM <sub>2.5</sub> , PM <sub>10</sub>	5
95	Pithampur	Satisfactory	100	PM <sub>10</sub>	1
96	Puducherry	Good	27	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
98	Raichur	Moderate	108	PM <sub>10</sub>	1
99	Rajamahendravaram	Good	44	PM <sub>10</sub>	1
100	Rohtak	Poor	249	PM <sub>2.5</sub>	1
101	Satna	Satisfactory	83	PM <sub>10</sub>	1
102	Siliguri	Moderate	118	PM <sub>2.5</sub>	1
103	Singrauli	Poor	282	PM <sub>2.5</sub>	1
104	Sirsa	Moderate	122	PM <sub>2.5</sub>	1
105	Sonipat	Moderate	184	PM <sub>10</sub>	1
106	Talcher	Satisfactory	61	PM <sub>2.5</sub>	1
107	Thane	Moderate	136	PM <sub>10</sub>	1
108	Thiruvananthapuram	Good	34	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1
110	Thrissur	Good	49	PM <sub>10</sub>	1
111	Tirupati	Good	35	со	1
112	Udaipur	Moderate	120	PM <sub>10</sub>	1
113	Udupi	Moderate	156	03	1
114	Ujjain	Moderate	170	03	1
115	Vapi	Moderate	159	PM <sub>10</sub>	1
116	Varanasi	Poor	280	PM <sub>2.5</sub>	1
117	Vatva	Very Poor	318	PM <sub>10</sub>	1
118	Vijayapura	Satisfactory	52	PM <sub>10</sub>	1
119	Visakhapatnam	Satisfactory	80	PM <sub>10</sub>	1
120	Yadgir	Satisfactory	69	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Ambala, Bidar, Chikkamagaluru, Coimbatore, Eloor, Gadag, Gummidipoondi, Haldia, Kalaburgi, Kochi, Maihar, Manesar, Mysuru, Nagpur, Ramanagara, Ratlam, Rupnagar, Sagar, Shillong, Shivamogga, Solapur, Srinagar, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.