

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	264	PM _{2.5}	1
2	Agra	Satisfactory	64	PM ₁₀ , PM _{2.5} , O ₃	5
3	Ahmedabad	Satisfactory	88	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	70	PM ₁₀	1
5	Ajmer	Satisfactory	69	PM ₁₀	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Satisfactory	78	PM ₁₀	1
8	Ambala	Moderate	113	PM ₁₀	1
9	Amritsar	Moderate	104	PM ₁₀	1
10	Ankleshwar	Moderate	145	PM _{2.5}	1
11	Araria	Poor	217	PM _{2.5}	1
12	Arrah	Poor	246	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	150	PM _{2.5}	1
14	Aurangabad	Satisfactory	94	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Moderate	138	PM _{2.5}	1
17	Ballabgarh	Moderate	116	PM _{2.5}	1
18	Bathinda	Moderate	101	PM ₁₀	1
19	Bengaluru	Satisfactory	90	PM _{2.5} , PM ₁₀	9
20	Bettiah	Moderate	164	PM ₁₀	1
21	Bhagalpur	Very Poor	326	PM ₁₀ , PM _{2.5}	2
22	Bhiwadi	Moderate	115	PM _{2.5}	1
23	Bhiwani	Moderate	150	PM _{2.5}	1
24	Bhopal	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	101	PM ₁₀	1
26	Bihar Sharif	Poor	224	PM _{2.5}	1
27	Bilaspur	Good	40	PM ₁₀	1
28	Brajrajnagar	Satisfactory	60	O ₃	1
29	Bulandshahr	Moderate	170	PM _{2.5}	1
30	Buxar	Very Poor	351	PM _{2.5}	1
31	Chamarajanagar	Good	34	PM ₁₀	1
32	Chandigarh	Moderate	150	PM _{2.5} , O ₃ , PM ₁₀	3
33	Chandrapur	Moderate	158	O ₃ , PM ₁₀	2
34	Charkhi Dadri	Moderate	135	PM _{2.5}	1
35	Chennai	Satisfactory	85	PM ₁₀ , CO, O ₃	6
36	Chhapra	Very Poor	357	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	77	PM _{2.5}	1
38	Chikkamagaluru	Satisfactory	71	PM ₁₀	1
39	Coimbatore	Satisfactory	79	PM _{2.5}	1
40	Damoh	Moderate	191	PM _{2.5}	1
41	Darbhanga	Poor	274	PM _{2.5}	1
42	Davanagere	Moderate	111	PM ₁₀	1
43	Delhi	Moderate	172	PM ₁₀ , PM _{2.5}	37
44	Dewas	Satisfactory	67	PM _{2.5}	1
45	Dharuhera	Moderate	125	PM ₁₀	1
46	Durgapur	Moderate	198	PM ₁₀	1
47	Eloor	Satisfactory	63	PM _{2.5}	1
48	Ernakulam	Moderate	103	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	169	PM _{2.5}	3
50	Fatehabad	Moderate	126	PM _{2.5}	1
51	Firozabad	Satisfactory	86	PM _{2.5}	1
52	Gadag	Satisfactory	68	PM _{2.5}	1
53	Gandhinagar	Moderate	104	PM _{2.5} , PM ₁₀	3
54	Gaya	Poor	252	PM _{2.5}	2
55	Ghaziabad	Moderate	142	PM _{2.5} , PM ₁₀	3
56	Gorakhpur	Satisfactory	85	PM _{2.5}	1
57	Greater Noida	Moderate	126	PM ₁₀	2
58	Gummidipoondi	Good	35	PM ₁₀	1
59	Gurugram	Moderate	140	PM _{2.5} , PM ₁₀	4
60	Guwahati	Poor	215	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	134	PM _{2.5}	1
62	Hajipur	Moderate	117	PM ₁₀	1
63	Haldia	Moderate	103	PM ₁₀	1
64	Hapur	Moderate	126	PM _{2.5}	1
65	Hassan	Satisfactory	98	PM ₁₀	1
66	Hisar	Moderate	193	PM _{2.5}	1
67	Howrah	Moderate	184	PM _{2.5} , PM ₁₀	3
68	Hubballi	Moderate	114	PM ₁₀	1
69	Hyderabad	Moderate	108	PM ₁₀ , PM _{2.5}	4
70	Indore	Moderate	105	PM ₁₀	1
71	Jabalpur	Moderate	187	PM _{2.5}	1
72	Jaipur	Satisfactory	98	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	134	PM ₁₀	1
74	Jhansi	Moderate	164	PM _{2.5}	1
75	Jind	Moderate	152	PM _{2.5}	1
76	Jodhpur	Moderate	133	PM _{2.5}	1
77	Kalaburgi	Moderate	103	PM ₁₀	1
78	Kalyan	Moderate	187	PM _{2.5}	1
79	Kannur	Satisfactory	62	PM ₁₀	1
80	Kanpur	Satisfactory	80	NO ₂ , PM ₁₀	3
81	Karnal	Moderate	136	PM _{2.5}	1
82	Katihar	Very Poor	302	PM _{2.5}	1
83	Katni	Poor	242	PM _{2.5}	1
84	Khanna	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Very Poor	352	PM _{2.5}	1
86	Kochi	Moderate	181	PM _{2.5}	1
87	Kolar	Satisfactory	96	PM ₁₀	1
88	Kolkata	Moderate	119	PM ₁₀ , PM _{2.5}	7
89	Kollam	Moderate	105	PM ₁₀	1
90	Kota	Moderate	104	PM _{2.5}	1
91	Kozhikode	Satisfactory	60	PM ₁₀	1
92	Kurukshetra	Moderate	179	PM _{2.5}	1
93	Lucknow	Satisfactory	78	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	124	PM ₁₀	1
95	Madikeri	Satisfactory	80	PM ₁₀	1
96	Mandi Gobindgarh	Moderate	142	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	73	SO ₂	1
98	Mandikhera	Moderate	106	PM ₁₀	1
99	Manesar	Moderate	126	PM _{2.5}	1
100	Manglore	Good	40	со	1
101	Meerut	Moderate	183	PM _{2.5}	3
102	Moradabad	Satisfactory	76	PM _{2.5} , CO	4
103	Motihari	Poor	242	PM _{2.5}	1
104	Mumbai	Moderate	138	PM _{2.5} , PM ₁₀	18
105	Munger	Severe	401	PM _{2.5}	1
106	Muzaffarnagar	Poor	262	PM _{2.5}	1
107	Muzaffarpur	Very Poor	324	PM _{2.5}	2
108	Mysuru	Satisfactory	66	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	82	PM ₁₀	1
110	Nandesari	Satisfactory	87	со	1
111	Narnaul	Satisfactory	99	PM ₁₀	1
112	Navi Mumbai	Moderate	138	PM ₁₀	3
113	Noida	Moderate	131	PM ₁₀	3
114	Pali	Satisfactory	77	PM ₁₀	1
115	Palwal	Satisfactory	85	PM ₁₀	1
116	Panchkula	Satisfactory	91	PM _{2.5}	1
117	Patiala	Moderate	127	PM _{2.5}	1
118	Patna	Poor	269	PM _{2.5}	6
119	Pithampur	Moderate	118	PM _{2.5}	1
120	Prayagraj	Satisfactory	96	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	71	PM ₁₀	1
122	Pune	Moderate	121	PM _{2.5}	5
123	Purnia	Very Poor	305	PM _{2.5}	1
124	Raichur	Moderate	102	PM ₁₀	1
125	Rajamahendravaram	Moderate	102	PM ₁₀	1
126	Rajgir	Very Poor	343	PM _{2.5}	1
127	Ramanagara	Satisfactory	81	PM ₁₀	1
128	Ratlam	Satisfactory	75	PM ₁₀	1
129	Rohtak	Poor	228	PM _{2.5}	1
130	Rupnagar	Moderate	144	PM _{2.5}	1
131	Sagar	Moderate	130	PM ₁₀	1
132	Saharsa	Very Poor	356	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Very Poor	328	PM _{2.5}	1
134	Satna	Satisfactory	55	PM ₁₀	1
135	Shivamogga	Satisfactory	65	PM ₁₀	1
136	Siliguri	Moderate	122	PM ₁₀	1
137	Singrauli	Poor	246	PM _{2.5}	1
138	Siwan	Very Poor	329	PM _{2.5}	1
139	Solapur	Moderate	102	PM _{2.5}	1
140	Sonipat	Moderate	144	PM ₁₀	1
141	Srinagar	Moderate	195	PM ₁₀	1
142	Talcher	Moderate	105	PM _{2.5}	1
143	Thane	Satisfactory	91	O ₃	1
144	Thiruvananthapuram	Satisfactory	72	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	43	03	1
146	Tirupati	Satisfactory	65	PM ₁₀	1
147	Udaipur	Satisfactory	88	PM ₁₀	1
148	Udupi	Good	47	03	1
149	Ujjain	Moderate	134	PM ₁₀	1
150	Vapi	Moderate	138	PM ₁₀	1
151	Varanasi	Moderate	164	PM _{2.5} , PM ₁₀	4
152	Vatva	Satisfactory	99	PM ₁₀	1
153	Visakhapatnam	Moderate	159	PM ₁₀	1
154	Vrindavan	Satisfactory	51	PM _{2.5}	1
155	Yadgir	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Manguraha, Naharlagun, Nashik, Panipat, Shillong, Sirsa, Thrissur, Vijayapura, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.