

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	37	PM <sub>2.5</sub>	1
2	Agra	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	2
3	Ahmedabad	Moderate	105	PM <sub>10</sub> , CO, O <sub>3</sub>	4
4	Aizawl	Good	18	PM <sub>10</sub>	1
5	Alwar	Satisfactory	69	PM <sub>10</sub>	1
6	Amaravati	Good	34	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	77	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	94	O <sub>3</sub>	1
9	Asansol	Satisfactory	86	PM <sub>10</sub>	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Moderate	116	PM <sub>10</sub>	1
12	Bahadurgarh	Satisfactory	97	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	63	PM <sub>10</sub>	1
14	Bengaluru	Good	32	O <sub>3</sub> , PM <sub>10</sub> , CO	9
15	Bhiwadi	Moderate	164	PM <sub>2.5</sub>	1
16	Bhopal	Satisfactory	69	03	1
17	Brajrajnagar	Satisfactory	70	PM <sub>10</sub>	1
18	Bulandshahr	Moderate	154	03	1
19	Chamarajanagar	Good	36	O <sub>3</sub>	1
20	Chandigarh	Satisfactory	74	PM <sub>10</sub>	1
21	Chandrapur	Good	30	PM <sub>10</sub> , NO <sub>2</sub>	2
22	Charkhi Dadri	Satisfactory	98	PM <sub>10</sub>	1
23	Chennai	Good	44	PM <sub>10</sub> , CO	4
24	Chikkamagaluru	Good	25	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	32	PM <sub>2.5</sub>	1
26	Davanagere	Good	28	СО	1
27	Delhi	Moderate	124	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	25
28	Dewas	Good	49	O <sub>3</sub>	1
29	Dharuhera	Moderate	146	PM <sub>10</sub>	1
30	Eloor	Satisfactory	75	со	1
31	Ernakulam	Good	42	со	1
32	Faridabad	Moderate	152	PM <sub>2.5</sub>	2
33	Fatehabad	Moderate	102	PM <sub>10</sub>	1
34	Gandhinagar	Satisfactory	53	PM <sub>10</sub>	1
35	Gaya	Satisfactory	76	PM <sub>2.5</sub>	2
36	Ghaziabad	Moderate	136	O <sub>3</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	140	PM <sub>10</sub>	2
38	Gurugram	Satisfactory	99	PM <sub>10</sub> , O <sub>3</sub>	3
39	Guwahati	Good	48	SO <sub>2</sub> , PM <sub>10</sub>	2
40	Gwalior	Satisfactory	83	PM <sub>10</sub>	1
41	Hajipur	Poor	210	PM <sub>10</sub>	1
42	Haldia	Good	41	PM <sub>10</sub>	1
43	Hapur	Satisfactory	75	O <sub>3</sub>	1
44	Hassan	Good	35	PM <sub>10</sub>	1
45	Hisar	Moderate	123	PM <sub>10</sub>	1
46	Howrah	Moderate	114	O <sub>3</sub> , PM <sub>10</sub>	3
47	Hubballi	Good	27	O <sub>3</sub>	1
48	Hyderabad	Good	46	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	74	O <sub>3</sub>	1
50	Jabalpur	Satisfactory	60	O <sub>3</sub>	1
51	Jaipur	Satisfactory	96	PM <sub>10</sub>	2
52	Jalandhar	Satisfactory	70	PM <sub>10</sub>	1
53	Jind	Satisfactory	83	PM <sub>10</sub>	1
54	Jodhpur	Moderate	145	PM <sub>10</sub>	1
55	Kaithal	Satisfactory	64	PM <sub>10</sub>	1
56	Kalaburgi	Good	41	O <sub>3</sub>	1
57	Kannur	Good	49	PM <sub>10</sub>	1
58	Kanpur	Satisfactory	71	PM <sub>2.5</sub>	1
59	Karnal	Satisfactory	79	PM <sub>10</sub>	1
60	Katni	Satisfactory	83	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	72	PM <sub>10</sub>	1
62	Kolkata	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	5
63	Kollam	Good	50	со	1
64	Koppal	Satisfactory	94	03	1
65	Kota	Satisfactory	69	PM <sub>10</sub>	1
66	Kozhikode	Good	36	PM <sub>10</sub>	1
67	Kurukshetra	Satisfactory	63	PM <sub>10</sub>	1
68	Lucknow	Satisfactory	83	PM <sub>10</sub> , O <sub>3</sub>	5
69	Ludhiana	Satisfactory	68	PM <sub>10</sub>	1
70	Mandi Gobindgarh	Satisfactory	77	PM <sub>10</sub>	1
71	Mandideep	Good	32	PM <sub>10</sub>	1
72	Mandikhera	Moderate	150	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Moderate	124	PM <sub>10</sub>	1
74	Medikeri	Good	35	O <sub>3</sub>	1
75	Meerut	Moderate	130	PM <sub>10</sub>	2
76	Moradabad	Moderate	149	PM <sub>10</sub>	1
77	Mumbai	Satisfactory	51	PM <sub>10</sub> , CO, O <sub>3</sub>	17
78	Muzaffarnagar	Moderate	108	PM <sub>10</sub>	1
79	Muzaffarpur	Moderate	147	PM <sub>2.5</sub> , PM <sub>10</sub>	2
80	Mysuru	Good	25	PM <sub>10</sub>	1
81	Naharlagun	Good	30	O <sub>3</sub>	1
82	Narnaul	Moderate	155	PM <sub>10</sub>	1
83	Nashik	Good	31	O <sub>3</sub>	1
84	Navi Mumbai	Satisfactory	76	СО	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Moderate	132	PM <sub>10</sub>	3
86	Pali	Moderate	106	PM <sub>2.5</sub>	1
87	Palwal	Moderate	126	PM <sub>10</sub>	1
88	Panchkula	Satisfactory	100	со	1
89	Panipat	Satisfactory	75	PM <sub>2.5</sub>	1
90	Patiala	Satisfactory	53	PM <sub>10</sub>	1
91	Patna	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	5
92	Pithampur	Satisfactory	70	03	1
93	Prayagraj	Moderate	126	O <sub>3</sub> , PM <sub>10</sub>	2
94	Puducherry	Good	45	03	1
95	Pune	Satisfactory	56	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	4
96	Raichur	Good	27	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Good	42	PM <sub>10</sub>	1
98	Ramanagara	Good	26	03	1
99	Ratlam	Good	34	PM <sub>10</sub>	1
100	Rohtak	Satisfactory	65	NO <sub>2</sub>	1
101	Rupnagar	Satisfactory	90	PM <sub>10</sub>	1
102	Sagar	Good	35	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	80	PM <sub>10</sub>	1
104	Shivamogga	Good	40	PM <sub>10</sub>	1
105	Siliguri	Satisfactory	68	PM <sub>10</sub>	1
106	Singrauli	Moderate	113	PM <sub>10</sub>	1
107	Sirsa	Satisfactory	86	PM <sub>10</sub>	1
108	Sonipat	Moderate	139	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Satisfactory	89	PM <sub>10</sub>	1
110	Talcher	Satisfactory	96	СО	1
111	Thane	Moderate	169	NO <sub>2</sub>	1
112	Thiruvananthapuram	Good	44	со	2
113	Thoothukudi	Good	47	PM <sub>10</sub>	1
114	Thrissur	Satisfactory	55	O <sub>3</sub>	1
115	Tirupati	Good	35	СО	1
116	Udaipur	Good	43	PM <sub>10</sub>	1
117	Vapi	Good	46	PM <sub>10</sub>	1
118	Varanasi	Moderate	156	PM <sub>10</sub>	1
119	Vijayapura	Good	40	PM <sub>10</sub>	1
120	Visakhapatnam	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	106	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ambala, Aurangabad, Ballabgarh, Bhiwani, Bidar, Chikkaballapur, Coimbatore, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalyan, Kochi, Kohima, Kolar, Maihar, Manglore, Nagpur, Nandesari, Shillong, Solapur, Udupi, Ujjain, Vatva, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.