



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	310	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	129	PM <sub>2.5</sub>	1
3	Aizawl	Good	13	PM <sub>10</sub>	1
4	Ajmer	Satisfactory	91	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	97	PM <sub>10</sub>	1
6	Amaravati	Poor	209	PM <sub>2.5</sub>	1
7	Ambala	Moderate	105	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	91	PM <sub>10</sub>	1
9	Ankleshwar	Poor	204	PM <sub>2.5</sub>	1
10	Asansol	Poor	273	PM <sub>2.5</sub>	1
11	Aurangabad	Moderate	104	PM <sub>2.5</sub>	1
12	Bagalkot	Good	37	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	284	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	265	PM <sub>2.5</sub>	1
15	Ballabgarh	Moderate	180	PM <sub>2.5</sub>	1
16	Bathinda	Poor	207	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	81	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	7
18	Bhiwadi	Very Poor	341	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	170	PM <sub>10</sub>	1
20	Bhopal	Poor	213	PM <sub>2.5</sub>	1
21	Brajrajnagar	Poor	252	PM <sub>2.5</sub>	1
22	Bulandshahr	Very Poor	399	PM <sub>2.5</sub>	1
23	Chandigarh	Satisfactory	97	PM <sub>10</sub>	1
24	Chandrapur	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	298	PM <sub>2.5</sub>	1
26	Chennai	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	8
27	Chikkaballapur	Satisfactory	87	PM <sub>2.5</sub>	1
28	Chikkamagaluru	Satisfactory	63	PM <sub>2.5</sub>	1
29	Damoh	Moderate	192	PM <sub>2.5</sub>	1
30	Delhi	Very Poor	347	PM <sub>2.5</sub>	37
31	Dewas	Moderate	199	PM <sub>2.5</sub>	1
32	Durgapur	Very Poor	332	PM <sub>2.5</sub>	1
33	Eloor	Satisfactory	51	PM <sub>10</sub>	1
34	Faridabad	Very Poor	344	PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Fatehabad	Poor	228	PM <sub>2.5</sub>	1
36	Gandhinagar	Satisfactory	81	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	178	PM <sub>2.5</sub>	2
38	Ghaziabad	Very Poor	343	PM <sub>2.5</sub> , PM <sub>10</sub>	2
39	Greater Noida	Very Poor	394	PM <sub>2.5</sub>	2
40	Gurugram	Very Poor	317	PM <sub>2.5</sub>	3
41	Guwahati	Poor	250	PM <sub>2.5</sub>	2
42	Gwalior	Very Poor	334	PM <sub>2.5</sub>	1
43	Hajipur	Moderate	173	PM <sub>10</sub>	1
44	Haldia	Moderate	152	PM <sub>10</sub>	1
45	Hapur	Moderate	132	PM <sub>10</sub>	1
46	Hisar	Very Poor	328	PM <sub>2.5</sub>	1
47	Howrah	Poor	262	PM <sub>2.5</sub>	3
48	Hubballi	Moderate	103	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	184	PM <sub>2.5</sub>	5
50	Indore	Poor	210	PM <sub>2.5</sub>	1
51	Jabalpur	Very Poor	322	PM <sub>2.5</sub>	1
52	Jaipur	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Jalandhar	Moderate	102	PM <sub>10</sub>	1
54	Jind	Very Poor	307	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	148	PM <sub>2.5</sub>	1
56	Kaithal	Moderate	132	PM <sub>10</sub>	1
57	Kalaburgi	Moderate	144	PM <sub>10</sub>	1
58	Kalyan	Poor	267	PM <sub>2.5</sub>	1
59	Kanpur	Very Poor	312	PM <sub>2.5</sub>	2
60	Karnal	Moderate	179	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Very Poor	314	PM <sub>2.5</sub>	1
62	Khanna	Satisfactory	93	PM <sub>10</sub>	1
63	Kochi	Satisfactory	77	PM <sub>2.5</sub>	1
64	Kohima	Satisfactory	65	PM <sub>10</sub>	1
65	Kolkata	Poor	274	PM <sub>2.5</sub>	6
66	Kollam	Satisfactory	84	PM <sub>2.5</sub>	1
67	Koppal	Satisfactory	73	PM <sub>10</sub>	1
68	Kota	Moderate	147	PM <sub>2.5</sub>	1
69	Kozhikode	Satisfactory	68	PM <sub>2.5</sub>	1
70	Kurukshetra	Moderate	168	PM <sub>2.5</sub>	1
71	Lucknow	Very Poor	321	PM <sub>2.5</sub>	4
72	Ludhiana	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Moderate	126	PM <sub>2.5</sub>	1
74	Mandi Gobindgarh	Moderate	106	PM <sub>10</sub>	1
75	Mandideep	Moderate	166	PM <sub>2.5</sub>	1
76	Mandikhera	Satisfactory	90	CO	1
77	Manesar	Poor	258	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	87	O <sub>3</sub>	1
79	Meerut	Very Poor	308	PM <sub>2.5</sub>	2
80	Moradabad	Poor	282	PM <sub>2.5</sub>	1
81	Mumbai	Poor	245	PM <sub>2.5</sub>	19
82	Muzaffarnagar	Poor	241	PM <sub>2.5</sub>	1
83	Muzaffarpur	Poor	280	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Nandesari	Good	50	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Moderate	198	PM <sub>10</sub>	1
86	Nashik	Moderate	124	PM <sub>2.5</sub>	1
87	Navi Mumbai	Poor	291	PM <sub>2.5</sub>	3
88	Noida	Very Poor	369	PM <sub>2.5</sub>	3
89	Pali	Satisfactory	87	PM <sub>10</sub>	1
90	Palwal	Moderate	110	CO	1
91	Panchkula	Poor	279	PM <sub>2.5</sub>	1
92	Panipat	Poor	203	PM <sub>2.5</sub>	1
93	Patiala	Moderate	102	PM <sub>10</sub>	1
94	Patna	Poor	280	PM <sub>2.5</sub> , PM <sub>10</sub>	4
95	Pithampur	Poor	252	PM <sub>2.5</sub>	1
96	Pune	Moderate	147	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	119	PM <sub>10</sub>	1
98	Rajamahendravaram	Poor	209	PM <sub>2.5</sub>	1
99	Ramanagara	Good	46	PM <sub>2.5</sub>	1
100	Ratlam	Moderate	129	PM <sub>10</sub>	1
101	Rohtak	Very Poor	313	PM <sub>2.5</sub>	1
102	Sagar	Satisfactory	59	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	99	PM <sub>10</sub>	1
104	Shillong	Good	25	O <sub>3</sub>	1
105	Shivamogga	Satisfactory	66	PM <sub>10</sub>	1
106	Siliguri	Poor	229	PM <sub>2.5</sub>	1
107	Singrauli	Very Poor	351	PM <sub>2.5</sub>	1
108	Sirsa	Moderate	151	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	156	PM <sub>2.5</sub>	1
110	Sonipat	Moderate	142	PM <sub>2.5</sub>	1
111	Talcher	Poor	201	PM <sub>2.5</sub>	1
112	Thane	Moderate	197	PM <sub>10</sub>	1
113	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub> , CO	2
114	Thoothukudi	Good	46	O <sub>3</sub>	1
115	Thrissur	Satisfactory	67	O <sub>3</sub>	1
116	Tirupati	Satisfactory	70	PM <sub>2.5</sub>	1
117	Udaipur	Moderate	115	PM <sub>2.5</sub>	1
118	Ujjain	Poor	224	PM <sub>2.5</sub>	1
119	Vapi	Poor	300	PM <sub>2.5</sub>	1
120	Varanasi	Poor	230	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	120	PM <sub>10</sub>	1
122	Vijayapura	Satisfactory	51	CO	1
123	Visakhapatnam	Poor	227	PM <sub>2.5</sub>	1
124	Yadgir	Moderate	105	PM <sub>10</sub>	1
125	Yamunanagar	Poor	213	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Chamarajanagar, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Kannur, Mysuru, Nagpur, Rupnagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.