

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	226	PM _{2.5}	1
2	Agra	Poor	212	PM _{2.5}	1
3	Ahmedabad	Moderate	117	PM ₁₀	1
4	Aizawl	Good	36	PM ₁₀	1
5	Ajmer	Satisfactory	100	PM ₁₀	1
6	Alwar	Moderate	108	PM ₁₀	1
7	Amaravati	Moderate	120	PM _{2.5}	1
8	Ambala	Very Poor	398	PM ₁₀	1
9	Amritsar	Moderate	150	PM _{2.5}	1
10	Ankleshwar	Moderate	194	PM _{2.5}	1
11	Asansol	Poor	295	PM _{2.5}	1
12	Bagalkot	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	261	PM _{2.5}	1
14	Bahadurgarh	Poor	237	PM _{2.5}	1
15	Ballabgarh	Moderate	183	PM _{2.5}	1
16	Bathinda	Moderate	123	PM ₁₀	1
17	Bengaluru	Moderate	111	PM _{2.5} , PM ₁₀	10
18	Bhiwadi	Very Poor	308	PM _{2.5}	1
19	Bhiwani	Moderate	137	PM ₁₀	1
20	Bhopal	Moderate	150	PM _{2.5}	1
21	Brajrajnagar	Moderate	141	PM _{2.5}	1
22	Bulandshahr	Very Poor	303	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	63	PM ₁₀	1
24	Chandigarh	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	130	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Poor	280	PM _{2.5}	1
27	Chennai	Moderate	116	PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Moderate	104	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	83	PM _{2.5}	1
30	Damoh	Moderate	120	PM _{2.5}	1
31	Delhi	Very Poor	309	PM _{2.5}	38
32	Dharuhera	Poor	245	PM ₁₀	1
33	Durgapur	Very Poor	339	PM _{2.5}	1
34	Eloor	Satisfactory	60	PM ₁₀	1
35	Ernakulam	Moderate	137	PM _{2.5}	1
36	Faridabad	Poor	278	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	188	PM _{2.5}	1
38	Gandhinagar	Satisfactory	87	PM ₁₀	1
39	Gaya	Moderate	196	PM _{2.5}	2
40	Ghaziabad	Very Poor	338	PM _{2.5}	2
41	Greater Noida	Very Poor	308	PM _{2.5}	1
42	Gummidipoondi	Poor	204	PM _{2.5}	1
43	Gurugram	Poor	281	PM _{2.5}	4
44	Guwahati	Poor	268	PM _{2.5}	2
45	Gwalior	Poor	257	PM _{2.5}	1
46	Hajipur	Moderate	113	PM _{2.5}	1
47	Haldia	Moderate	155	PM _{2.5}	1
48	Hisar	Poor	259	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	291	PM _{2.5}	3
50	Hubballi	Moderate	103	PM ₁₀	1
51	Hyderabad	Moderate	121	PM _{2.5} , PM ₁₀	6
52	Indore	Moderate	110	PM ₁₀	1
53	Jabalpur	Moderate	167	PM _{2.5}	1
54	Jaipur	Moderate	147	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Moderate	141	PM ₁₀	1
56	Jind	Poor	230	PM _{2.5}	1
57	Jodhpur	Moderate	195	PM _{2.5}	1
58	Jorapokhar	Moderate	124	PM ₁₀	1
59	Kaithal	Moderate	149	PM _{2.5}	1
60	Kalyan	Poor	265	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	118	PM _{2.5}	1
62	Kanpur	Very Poor	344	PM _{2.5}	2
63	Karnal	Moderate	151	PM _{2.5}	1
64	Katni	Moderate	167	PM ₁₀	1
65	Khanna	Moderate	131	PM _{2.5}	1
66	Kohima	Moderate	146	PM ₁₀	1
67	Kolar	Satisfactory	54	со	1
68	Kolkata	Poor	285	PM _{2.5}	7
69	Kollam	Poor	237	PM _{2.5}	1
70	Koppal	Satisfactory	75	PM _{2.5}	1
71	Kota	Poor	208	PM _{2.5}	1
72	Kozhikode	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi,
 Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong,
 Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	204	PM _{2.5}	1
74	Lucknow	Poor	272	PM _{2.5}	4
75	Ludhiana	Moderate	118	PM ₁₀	1
76	Maihar	Satisfactory	73	PM ₁₀	1
77	Mandi Gobindgarh	Poor	268	PM _{2.5}	1
78	Mandideep	Moderate	165	PM _{2.5}	1
79	Mandikhera	Satisfactory	88	PM _{2.5}	1
80	Manesar	Poor	207	PM _{2.5}	1
81	Manglore	Moderate	108	PM _{2.5}	1
82	Medikeri	Satisfactory	85	PM ₁₀	1
83	Meerut	Poor	288	PM _{2.5}	2
84	Moradabad	Very Poor	369	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Poor	218	PM _{2.5}	20
86	Muzaffarpur	Poor	201	PM _{2.5}	1
87	Mysuru	Satisfactory	97	PM ₁₀	1
88	Nandesari	Satisfactory	59	со	1
89	Narnaul	Poor	280	PM ₁₀	1
90	Nashik	Moderate	140	PM _{2.5}	1
91	Navi Mumbai	Poor	217	PM _{2.5} , CO	3
92	Noida	Very Poor	302	PM _{2.5} , PM ₁₀	4
93	Pali	Moderate	118	PM _{2.5}	1
94	Palwal	Moderate	114	PM _{2.5}	1
95	Panchkula	Moderate	127	PM _{2.5}	1
96	Patiala	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Very Poor	306	PM _{2.5}	2
98	Pithampur	Moderate	200	PM _{2.5}	1
99	Puducherry	Moderate	101	PM _{2.5}	1
100	Pune	Moderate	144	PM _{2.5} , PM ₁₀	7
101	Rajamahendravaram	Moderate	191	PM _{2.5}	1
102	Ratlam	Moderate	131	PM ₁₀	1
103	Rohtak	Poor	274	PM _{2.5}	1
104	Sagar	Moderate	106	PM _{2.5}	1
105	Satna	Moderate	103	PM ₁₀	1
106	Shivamogga	Moderate	115	PM _{2.5}	1
107	Siliguri	Poor	288	PM _{2.5}	1
108	Singrauli	Poor	263	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Moderate	189	PM ₁₀	1
110	Sonipat	Moderate	145	PM ₁₀	1
111	Talcher	Moderate	101	PM _{2.5}	1
112	Thane	Poor	276	PM ₁₀	1
113	Thiruvananthapuram	Moderate	135	PM _{2.5}	1
114	Thoothukudi	Satisfactory	88	PM ₁₀	1
115	Thrissur	Moderate	157	PM _{2.5}	1
116	Tirupati	Moderate	110	PM _{2.5}	1
117	Udaipur	Moderate	178	PM _{2.5}	1
118	Ujjain	Moderate	161	PM _{2.5}	1
119	Vapi	Moderate	183	PM ₁₀	1
120	Varanasi	Poor	239	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	173	PM ₁₀	1
122	Vijayapura	Satisfactory	63	СО	1
123	Visakhapatnam	Moderate	195	PM _{2.5}	1
124	Yadgir	Satisfactory	90	PM ₁₀	1
125	Yamunanagar	Poor	275	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Davanagere, Dewas, Gadag, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Ramanagara, Rupnagar, Shillong, Sirsa as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.