

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	24	PM <sub>10</sub>	1
2	Aizawl	Good	18	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	76	O <sub>3</sub>	1
4	Alwar	Good	35	03	1
5	Amaravati	Good	33	03	1
6	Ambala	Satisfactory	77	PM <sub>2.5</sub>	1
7	Amritsar	Satisfactory	84	PM <sub>10</sub>	1
8	Asansol	Satisfactory	58	03	1
9	Bathinda	Good	45	PM <sub>10</sub>	1
10	Bengaluru	Good	35	NO <sub>2</sub> , CO, O <sub>3</sub>	6
11	Bhiwani	Moderate	128	03	1
12	Bhopal	Satisfactory	98	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Brajrajnagar	Satisfactory	55	со	1
14	Bulandshahr	Satisfactory	55	03	1
15	Chamarajanagar	Good	41	03	1
16	Chandigarh	Satisfactory	76	PM <sub>10</sub>	1
17	Chandrapur	Good	42	PM <sub>10</sub> , PM <sub>2.5</sub>	2
18	Charkhi Dadri	Satisfactory	54	03	1
19	Chennai	Satisfactory	53	O <sub>3</sub> , PM <sub>10</sub> , CO	7
20	Chikkaballapur	Good	34	со	1
21	Chikkamagaluru	Good	28	03	1
22	Damoh	Good	18	NO <sub>2</sub>	1
23	Davanagere	Good	33	со	1
24	Delhi	Satisfactory	58	PM <sub>10</sub> , O <sub>3</sub> , CO	20

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Ankleshwar, Aurangabad, Bagalkot, Baghpat, Bahadurgarh, Ballabgarh, Bhiwadi, Bidar, Coimbatore, Dharuhera, Kalyan, Kolar, Maihar, Mandikhera, Manesar, Muzaffarnagar, Nagpur, Naharlagun, Narnaul, Nashik, Noida, Raichur, Ramanagara, Solapur, Sonipat, Thiruvananthapuram, Udupi, Vatva, Vijayapura as data was not available.

\* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	89	O <sub>3</sub>	1
26	Durgapur	Moderate	101	PM <sub>10</sub>	1
27	Eloor	Good	47	со	1
28	Ernakulam	Good	29	со	1
29	Faridabad	Satisfactory	81	PM <sub>10</sub>	1
30	Fatehabad	Satisfactory	75	PM <sub>10</sub>	1
31	Gadag	Good	13	PM <sub>2.5</sub>	1
32	Gandhinagar	Good	46	O <sub>3</sub>	1
33	Gaya	Satisfactory	54	CO, PM <sub>10</sub>	2
34	Ghaziabad	Good	46	O <sub>3</sub>	2
35	Greater Noida	Good	50	CO, PM <sub>2.5</sub>	2
36	Gummidipoondi	Satisfactory	80	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

## \* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Good	44	PM <sub>10</sub> , PM <sub>2.5</sub>	2
38	Guwahati	Satisfactory	94	PM <sub>2.5</sub>	1
39	Gwalior	Good	39	O <sub>3</sub>	1
40	Hajipur	Moderate	146	PM <sub>10</sub>	1
41	Haldia	Good	20	со	1
42	Hapur	Good	40	03	1
43	Hassan	Satisfactory	55	PM <sub>10</sub>	1
44	Hisar	Good	44	PM <sub>2.5</sub>	1
45	Howrah	Good	33	PM <sub>10</sub>	3
46	Hubballi	Good	44	PM <sub>10</sub>	1
47	Hyderabad	Good	42	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	6
48	Indore	Satisfactory	63	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

## \* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	63	O <sub>3</sub>	1
50	Jaipur	Satisfactory	53	O <sub>3</sub>	3
51	Jalandhar	Satisfactory	53	PM <sub>2.5</sub>	1
52	Jind	Satisfactory	77	O <sub>3</sub>	1
53	Jodhpur	Satisfactory	56	PM <sub>10</sub>	1
54	Jorapokhar	Satisfactory	96	PM <sub>10</sub>	1
55	Kaithal	Good	37	PM <sub>10</sub>	1
56	Kalaburgi	Good	44	NO <sub>2</sub>	1
57	Kannur	Satisfactory	51	PM <sub>10</sub>	1
58	Kanpur	Good	38	PM <sub>2.5</sub>	2
59	Karnal	Good	45	O <sub>3</sub>	1
60	Katni	Good	48	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Satisfactory	63	PM <sub>10</sub>	1
62	Kochi	Good	42	со	1
63	Kohima	Good	30	PM <sub>2.5</sub>	1
64	Kolkata	Good	38	PM <sub>10</sub> , O <sub>3</sub>	6
65	Kollam	Good	32	PM <sub>10</sub>	1
66	Koppal	Satisfactory	60	03	1
67	Kota	Satisfactory	64	03	1
68	Kozhikode	Good	29	со	1
69	Kurukshetra	Good	46	PM <sub>10</sub>	1
70	Lucknow	Satisfactory	51	PM <sub>10</sub> , O <sub>3</sub> , CO	4
71	Ludhiana	Satisfactory	60	PM <sub>10</sub>	1
72	Mandi Gobindgarh	Satisfactory	57	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

## \* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Good	29	PM <sub>10</sub>	1
74	Manglore	Good	34	SO <sub>2</sub>	1
75	Medikeri	Good	24	O <sub>3</sub>	1
76	Meerut	Good	26	O <sub>3</sub> , PM <sub>10</sub>	2
77	Moradabad	Good	34	со	1
78	Mumbai	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	12
79	Muzaffarpur	Satisfactory	64	CO, PM <sub>2.5</sub>	2
80	Mysuru	Good	31	03	1
81	Nandesari	Good	49	PM <sub>2.5</sub>	1
82	Navi Mumbai	Moderate	108	CO, PM <sub>10</sub>	2
83	Pali	Satisfactory	70	PM <sub>10</sub>	1
84	Palwal	Good	32	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Ankleshwar, Aurangabad, Bagalkot, Baghpat, Bahadurgarh, Ballabgarh, Bhiwadi, Bidar, Coimbatore, Dharuhera, Kalyan, Kolar, Maihar, Mandikhera, Manesar, Muzaffarnagar, Nagpur, Naharlagun, Narnaul, Nashik, Noida, Raichur, Ramanagara, Solapur, Sonipat, Thiruvananthapuram, Udupi, Vatva, Vijayapura as data was not available.

\* AQI is not calculated for today's bulletin for Agra, Ahmedabad,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panchkula	Satisfactory	97	PM <sub>2.5</sub>	1
86	Panipat	Satisfactory	91	SO <sub>2</sub>	1
87	Patiala	Satisfactory	55	PM <sub>10</sub>	1
88	Patna	Satisfactory	65	PM <sub>10</sub>	5
89	Pithampur	Moderate	103	03	1
90	Puducherry	Satisfactory	54	03	1
91	Pune	Satisfactory	58	PM <sub>10</sub> , CO	5
92	Rajamahendravaram	Good	35	PM <sub>10</sub>	1
93	Ratlam	Good	30	PM <sub>2.5</sub>	1
94	Rohtak	Satisfactory	64	со	1
95	Rupnagar	Satisfactory	55	PM <sub>10</sub>	1
96	Sagar	Good	24	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	63	PM <sub>10</sub>	1
98	Shillong	Good	26	PM <sub>10</sub>	1
99	Shivamogga	Good	47	PM <sub>10</sub>	1
100	Siliguri	Moderate	128	PM <sub>2.5</sub>	1
101	Singrauli	Good	48	PM <sub>10</sub>	1
102	Sirsa	Good	32	PM <sub>10</sub>	1
103	Srinagar	Satisfactory	88	PM <sub>10</sub>	1
104	Talcher	Satisfactory	77	СО	1
105	Thane	Moderate	146	PM <sub>10</sub>	1
106	Thoothukudi	Good	35	O <sub>3</sub>	1
107	Thrissur	Satisfactory	56	со	1
108	Tirupati	Good	29	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Udaipur	Satisfactory	62	PM <sub>10</sub>	1
110	Ujjain	Poor	216	O <sub>3</sub>	1
111	Vapi	Moderate	130	PM <sub>10</sub>	1
112	Varanasi	Good	35	PM <sub>2.5</sub>	1
113	Visakhapatnam	Satisfactory	57	PM <sub>10</sub>	1
114	Yadgir	Good	33	PM <sub>10</sub>	1
115	Yamunanagar	Satisfactory	56	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ahmedabad, Notes: Ankleshwar, Aurangabad, Bagalkot, Baghpat, Bahadurgarh, Ballabgarh, Bhiwadi, Bidar, Coimbatore, Dharuhera, Kalyan, Kolar, Maihar, Mandikhera, Manesar, Muzaffarnagar, Nagpur, Naharlagun, Narnaul, Nashik, Noida, Raichur, Ramanagara, Solapur, Sonipat, Thiruvananthapuram, Udupi, Vatva, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.