

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	64	PM _{2.5} , PM ₁₀	2
2	Agra	Good	23	SO ₂ , PM _{2.5} , CO	6
3	Ahmedabad	Satisfactory	78	PM ₁₀	1
4	Aizawl	Good	27	PM ₁₀	1
5	Alwar	Good	50	PM ₁₀	1
6	Amaravati	Good	32	03	1
7	Ambala	Satisfactory	52	PM ₁₀	1
8	Amritsar	Satisfactory	91	PM ₁₀	1
9	Ankleshwar	Satisfactory	87	со	1
10	Araria	Moderate	116	PM ₁₀	1
11	Arrah	Satisfactory	83	со	1
12	Asansol	Satisfactory	92	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	84	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1
15	Baddi	Satisfactory	95	O ₃	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Good	40	PM _{2.5}	1
18	Bahadurgarh	Good	42	PM ₁₀	1
19	Ballabgarh	Good	48	СО	1
20	Bareilly	Good	42	PM ₁₀	1
21	Bathinda	Satisfactory	63	PM ₁₀	1
22	Bengaluru	Satisfactory	67	PM ₁₀ , CO	7
23	Bhagalpur	Satisfactory	66	NO ₂ , PM ₁₀	2
24	Bhiwadi	Satisfactory	58	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	71	O ₃	1
26	Bhopal	Satisfactory	55	SO ₂	1
27	Bilaspur	Satisfactory	60	со	1
28	Brajrajnagar	Good	49	со	1
29	Bulandshahr	Good	34	PM ₁₀	1
30	Buxar	Moderate	108	со	1
31	Chamarajanagar	Good	37	PM ₁₀	1
32	Chandigarh	Satisfactory	56	CO, PM ₁₀ , PM _{2.5}	3
33	Chandrapur	Satisfactory	68	PM _{2.5} , PM ₁₀	2
34	Charkhi Dadri	Satisfactory	52	PM ₁₀	1
35	Chennai	Good	49	PM ₁₀ , CO	8
36	Chhapra	Satisfactory	82	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
38	Coimbatore	Good	47	PM _{2.5}	1
39	Damoh	Good	22	со	1
40	Darbhanga	Satisfactory	53	PM ₁₀	1
41	Davanagere	Good	17	PM ₁₀	1
42	Dehradun	Good	33	PM ₁₀	1
43	Delhi	Satisfactory	68	CO, PM ₁₀	34
44	Dewas	Good	49	PM ₁₀	1
45	Eloor	Satisfactory	58	PM ₁₀	1
46	Faridabad	Satisfactory	77	SO ₂ , PM ₁₀ , PM _{2.5}	3
47	Firozabad	Satisfactory	59	03	1
48	Gandhinagar	Good	33	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	17	O ₃	1
50	Gaya	Moderate	102	PM ₁₀ , PM _{2.5} , NO ₂	3
51	Ghaziabad	Satisfactory	79	PM ₁₀ , O ₃ , CO	4
52	Gorakhpur	Good	46	SO ₂	1
53	Greater Noida	Satisfactory	79	со	2
54	Gummidipoondi	Good	34	PM _{2.5}	1
55	Gurugram	Satisfactory	77	PM ₁₀	2
56	Guwahati	Good	45	PM ₁₀	2
57	Hajipur	Satisfactory	100	PM ₁₀	1
58	Haldia	Good	29	PM ₁₀	1
59	Hapur	Satisfactory	53	со	1
60	Hassan	Satisfactory	52	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur,

Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haveri	Good	45	СО	1
62	Hisar	Satisfactory	66	O ₃	1
63	Howrah	Satisfactory	56	PM ₁₀ , CO	3
64	Hubballi	Satisfactory	51	со	1
65	Hyderabad	Satisfactory	61	PM ₁₀ , CO, PM _{2.5}	13
66	Imphal	Satisfactory	53	O ₃ , SO ₂	2
67	Indore	Satisfactory	62	PM ₁₀	1
68	Jabalpur	Satisfactory	66	PM ₁₀	1
69	Jaipur	Good	47	PM ₁₀ , NO ₂	3
70	Jalandhar	Satisfactory	62	PM ₁₀	1
71	Jind	Satisfactory	54	PM _{2.5}	1
72	Jodhpur	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal,

Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	100	PM ₁₀	1
74	Kannur	Satisfactory	54	PM _{2.5}	1
75	Kanpur	Good	30	PM ₁₀ , CO, PM _{2.5}	4
76	Karnal	Satisfactory	58	PM _{2.5}	1
77	Katihar	Satisfactory	63	со	1
78	Katni	Good	49	PM ₁₀	1
79	Khanna	Satisfactory	58	PM ₁₀	1
80	Khurja	Satisfactory	77	PM ₁₀	1
81	Kishanganj	Satisfactory	73	03	1
82	Kochi	Moderate	143	PM _{2.5}	1
83	Kohima	Satisfactory	52	SO ₂	1
84	Kolkata	Good	40	PM ₁₀ , O ₃ , CO	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur,

Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	62	PM ₁₀	1
86	Kota	Satisfactory	58	PM ₁₀	1
87	Kozhikode	Satisfactory	63	PM ₁₀	1
88	Kurukshetra	Satisfactory	53	PM _{2.5}	1
89	Lucknow	Satisfactory	58	CO, PM ₁₀ , NO ₂	6
90	Ludhiana	Satisfactory	100	PM ₁₀	1
91	Madikeri	Good	19	03	1
92	Mandi Gobindgarh	Satisfactory	55	PM _{2.5}	1
93	Mandideep	Satisfactory	55	03	1
94	Manglore	Satisfactory	54	со	1
95	Meerut	Good	47	PM ₁₀ , O ₃	3
96	Moradabad	Satisfactory	63	PM _{2.5} , CO	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal,

Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Satisfactory	66	O ₃	1
98	Mumbai	Satisfactory	73	PM _{2.5} , CO, SO ₂	14
99	Muzaffarnagar	Satisfactory	87	PM _{2.5}	1
100	Muzaffarpur	Satisfactory	72	O ₃ , PM ₁₀ , PM _{2.5}	3
101	Mysuru	Good	49	PM ₁₀	1
102	Nagpur	Good	47	PM ₁₀	1
103	Nandesari	Moderate	107	СО	1
104	Narnaul	Good	28	NO ₂	1
105	Nashik	Good	36	PM ₁₀	1
106	Navi Mumbai	Satisfactory	87	PM ₁₀ , CO	3
107	Noida	Satisfactory	72	CO, PM ₁₀	2
108	Pali	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal,

Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Good	40	O ₃	1
110	Panchkula	Good	31	PM _{2.5}	1
111	Patiala	Satisfactory	55	PM ₁₀	1
112	Patna	Satisfactory	95	PM ₁₀ , O ₃	6
113	Pithampur	Satisfactory	59	PM ₁₀	1
114	Prayagraj	Satisfactory	60	PM ₁₀ , PM _{2.5}	2
115	Puducherry	Satisfactory	53	PM ₁₀	1
116	Purnia	Satisfactory	74	PM ₁₀	1
117	Raichur	Satisfactory	76	PM ₁₀	1
118	Rajamahendravaram	Good	35	PM ₁₀	1
119	Rajgir	Good	39	03	1
120	Ramanagara	Good	36	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Good	36	PM ₁₀	1
122	Rohtak	Good	47	NO ₂	1
123	Rupnagar	Satisfactory	63	PM ₁₀	1
124	Sagar	Satisfactory	51	со	1
125	Saharsa	Moderate	124	PM _{2.5}	1
126	Satna	Satisfactory	57	PM ₁₀	1
127	Shillong	Good	24	PM _{2.5}	2
128	Shivamogga	Good	42	PM ₁₀	1
129	Siliguri	Good	46	PM ₁₀	1
130	Singrauli	Satisfactory	89	NO ₂	1
131	Sirsa	Satisfactory	94	O ₃	1
132	Siwan	Satisfactory	58	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	64	PM ₁₀	1
134	Sonipat	Moderate	119	PM ₁₀	1
135	Srinagar	Good	39	PM ₁₀	1
136	Talcher	Good	33	со	1
137	Thane	Satisfactory	93	PM ₁₀	1
138	Thiruvananthapuram	Good	27	со	1
139	Thoothukudi	Good	40	PM ₁₀	1
140	Thrissur	Good	42	PM ₁₀	1
141	Tirupati	Good	41	со	1
142	Udaipur	Satisfactory	61	PM ₁₀	1
143	Ujjain	Satisfactory	73	PM ₁₀	1
144	Varanasi	Satisfactory	51	PM ₁₀ , NO ₂	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Satisfactory	67	PM ₁₀	1
146	Vijayapura	Good	40	PM ₁₀	1
147	Visakhapatnam	Satisfactory	85	PM ₁₀	1
148	Vrindavan	Good	44	SO ₂	1
149	Yadgir	Good	28	со	1
150	Yamunanagar	Satisfactory	72	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Begusarai, Bettiah, Notes: Bhilai, Bidar, Bihar Sharif, Chikkaballapur, Dharuhera, Durgapur, Ernakulam, Fatehabad, Gadag, Gwalior, Jhansi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manguraha, Munger, Naharlagun, Panipat, Pune, Samastipur, Sasaram, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.