Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	214	$PM_{2.5}$	1
2	Agra	Moderate	108	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Satisfactory	82	$PM_{2.5}$, PM_{10}	8
4	Aizawl	Good	41	PM_{10}	1
5	Ajmer	Satisfactory	77	$PM_{2.5}$	1
6	Alwar	Satisfactory	64	PM_{10}	1
7	Amaravati	Good	35	CO	1
8	Ambala	Moderate	125	$PM_{2.5}$	1
9	Amritsar	Moderate	112	PM_{10}	1
10	Ankleshwar	Moderate	108	$PM_{2.5}$	1
11	Araria	Poor	285	$PM_{2.5}$	1
12	Arrah	Moderate	145	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	124	$PM_{2.5}$	1
14	Bagalkot	Good	50	$PM_{2.5}$	1
15	Baghpat	Moderate	127	$PM_{2.5}$	1
16	Bahadurgarh	Moderate	103	$PM_{2.5}$	1
17	Ballabgarh	Moderate	143	PM_{10}	1
18	Bathinda	Satisfactory	99	PM_{10}	1
19	Bengaluru	Satisfactory	73	PM_{10}	9
20	Bettiah	Moderate	152	PM_{10}	1
21	Bhagalpur	Very Poor	330	PM_{10}	1
22	Bhilai	Good	29	PM_{10}	1
23	Bhiwadi	Moderate	123	$PM_{2.5}$	1
24	Bhiwani	Satisfactory	100	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	136	$PM_{2.5}$	1
26	Brajrajnagar	Good	49	CO	1
27	Bulandshahr	Moderate	150	$PM_{2.5}$	1
28	Buxar	Poor	264	$PM_{2.5}$	1
29	Chamarajanagar	Good	36	PM_{10}	1
30	Chandigarh	Moderate	164	$PM_{2.5}$, PM_{10}	2
31	Chandrapur	Good	40	O_3, SO_2	2
32	Charkhi Dadri	Moderate	122	CO	1
33	Chennai	Good	50	CO, PM_{10}	7
34	Chhapra	Poor	247	$PM_{2.5}$	1
35	Chikkaballapur	Satisfactory	66	$PM_{2.5}$	1
36	Chikkamagaluru	Good	32	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	70	$PM_{2.5}$	1
38	Damoh	Satisfactory	86	$PM_{2.5}$	1
39	Darbhanga	Poor	277	$PM_{2.5}$	1
40	Davanagere	Good	43	PM_{10}	1
41	Delhi	Moderate	191	$PM_{2.5}$	33
42	Dewas	Moderate	114	$PM_{2.5}$	1
43	Dharuhera	Moderate	119	$PM_{2.5}$	1
44	Eloor	Satisfactory	70	PM_{10}	1
45	Ernakulam	Satisfactory	64	$PM_{2.5}$	1
46	Faridabad	Moderate	196	$PM_{2.5}$	3
47	Fatehabad	Satisfactory	83	PM_{10}	1
48	Firozabad	Moderate	151	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	28	O_3	1
50	Gandhinagar	Satisfactory	86	SO_2, $PM_{2.5}$, PM_{10}	3
51	Gaya	Moderate	140	$PM_{2.5}$, CO	3
52	Ghaziabad	Moderate	194	$PM_{2.5}$	4
53	Gorakhpur	Satisfactory	66	$PM_{2.5}$	1
54	Greater Noida	Moderate	179	$PM_{2.5}$	2
55	Gummidipoondi	Good	30	PM_{10}	1
56	Gurugram	Moderate	138	$PM_{2.5}$	3
57	Guwahati	Poor	300	$PM_{2.5}$	2
58	Gwalior	Poor	267	$PM_{2.5}$	1
59	Hajipur	Moderate	164	$PM_{2.5}$	1
60	Haldia	Satisfactory	80	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	194	$PM_{2.5}$	1
62	Hassan	Satisfactory	83	PM_{10}	1
63	Hisar	Moderate	112	$PM_{2.5}$	1
64	Howrah	Moderate	135	$PM_{2.5}$, CO, PM_{10}	3
65	Hubballi	Satisfactory	74	PM_{10}	1
66	Hyderabad	Satisfactory	79	PM_{10}, $PM_{2.5}$	5
67	Indore	Moderate	145	$PM_{2.5}$	1
68	Jabalpur	Moderate	115	PM_{10}	1
69	Jaipur	Satisfactory	90	PM_{10}	2
70	Jalandhar	Satisfactory	90	PM_{10}	1
71	Jind	Moderate	126	$PM_{2.5}$	1
72	Jodhpur	Moderate	156	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	82	$PM_{2.5}$	1
74	Kalaburgi	Satisfactory	79	PM_{10}	1
75	Kalyan	Moderate	158	$PM_{2.5}$	1
76	Kannur	Good	47	PM_{10}	1
77	Kanpur	Moderate	122	PM_{10}	3
78	Karnal	Satisfactory	68	$PM_{2.5}$	1
79	Katihar	Very Poor	318	$PM_{2.5}$	1
80	Katni	Moderate	134	$PM_{2.5}$	1
81	Khanna	Satisfactory	95	PM_{10}	1
82	Kolar	Good	47	SO_2	1
83	Kolkata	Satisfactory	88	$PM_{2.5}$, PM_{10}	5
84	Kollam	Satisfactory	96	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Good	38	CO	1
86	Kota	Moderate	134	$PM_{2.5}$	1
87	Kozhikode	Good	43	PM_{10}	1
88	Kurukshetra	Moderate	105	$PM_{2.5}$	1
89	Lucknow	Moderate	113	$PM_{2.5}$, PM_{10}	6
90	Ludhiana	Moderate	104	$PM_{2.5}$	1
91	Madikeri	Good	32	PM_{10}	1
92	Maihar	Good	39	CO	1
93	Mandi Gobindgarh	Poor	285	PM_{10}	1
94	Mandideep	Satisfactory	93	PM_{10}	1
95	Mandikhera	Satisfactory	60	PM_{10}	1
96	Manesar	Poor	204	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	44	NO_2	1
98	Meerut	Moderate	162	$PM_{2.5}$	3
99	Moradabad	Satisfactory	74	PM_{10}, $PM_{2.5}$	3
100	Motihari	Poor	254	$PM_{2.5}$	1
101	Mumbai	Moderate	132	O_3, $PM_{2.5}$, PM_{10}	16
102	Munger	Very Poor	375	$PM_{2.5}$	1
103	Muzaffarnagar	Moderate	155	$PM_{2.5}$	1
104	Muzaffarpur	Poor	216	$PM_{2.5}$	1
105	Mysuru	Good	49	PM_{10}	1
106	Nagpur	Satisfactory	72	CO	1
107	Naharlagun	Satisfactory	62	$PM_{2.5}$	1
108	Narnaul	Satisfactory	71	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	56	$PM_{2.5}$	1
110	Navi Mumbai	Moderate	152	$PM_{2.5}$, PM_{10}	2
111	Noida	Moderate	152	$PM_{2.5}$, PM_{10}	4
112	Pali	Moderate	115	$PM_{2.5}$	1
113	Palwal	Good	45	PM_{10}	1
114	Panchkula	Moderate	188	$PM_{2.5}$	1
115	Patiala	Satisfactory	70	PM_{10}	1
116	Patna	Poor	207	$PM_{2.5}$, PM_{10}	6
117	Pithampur	Moderate	124	PM_{10}	1
118	Prayagraj	Satisfactory	85	$PM_{2.5}$, O_3	3
119	Puducherry	Good	30	CO	1
120	Pune	Satisfactory	76	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Very Poor	327	$PM_{2.5}$	1
122	Raichur	Satisfactory	93	PM_{10}	1
123	Rajamahendravaram	Satisfactory	75	O_3	1
124	Rajgir	Poor	217	$PM_{2.5}$	1
125	Ramanagara	Satisfactory	60	PM_{10}	1
126	Rohtak	Moderate	115	$PM_{2.5}$	1
127	Rupnagar	Satisfactory	70	$PM_{2.5}$	1
128	Sagar	Satisfactory	51	$PM_{2.5}$	1
129	Saharsa	Very Poor	301	$PM_{2.5}$	1
130	Sasaram	Poor	292	$PM_{2.5}$	1
131	Satna	Good	49	PM_{10}	1
132	Shivamogga	Good	50	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Poor	216	$PM_{2.5}$	1
134	Singrauli	Moderate	199	$PM_{2.5}$	1
135	Sirsa	Satisfactory	72	PM_{10}	1
136	Siwan	Poor	275	$PM_{2.5}$	1
137	Solapur	Satisfactory	60	PM_{10}	1
138	Sonipat	Satisfactory	62	PM_{10}	1
139	Srinagar	Moderate	196	PM_{10}	1
140	Talcher	Moderate	117	NO_2	1
141	Thiruvananthapuram	Satisfactory	70	PM_{10}, $PM_{2.5}$	2
142	Thoothukudi	Good	21	PM_{10}	1
143	Tirupati	Good	45	PM_{10}	1
144	Udaipur	Satisfactory	97	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 12, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Satisfactory	52	CO	1
146	Ujjain	Moderate	119	PM_{10}	1
147	Vapi	Moderate	188	$PM_{2.5}$	1
148	Varanasi	Satisfactory	92	$PM_{2.5}$, PM_{10}	4
149	Vatva	Moderate	102	PM_{10}	1
150	Vijayapura	Satisfactory	51	PM_{10}	1
151	Visakhapatnam	Satisfactory	56	PM_{10}	1
152	Yadgir	Satisfactory	73	PM_{10}	1
153	Yamunanagar	Satisfactory	95	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Bihar Sharif, Bilaspur, Durgapur, Jorapokhar, Kishanganj, Kochi, Kohima, Manguraha, Nandesari, Panipat, Ratlam, Shillong, Thane, Thrissur, Vrindavan as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.