

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	214	PM _{2.5}	2
2	Agra	Satisfactory	57	PM ₁₀	5
3	Ahmedabad	Moderate	156	PM _{2.5} , NO ₂	7
4	Ajmer	Moderate	129	PM _{2.5}	1
5	Alwar	Satisfactory	89	PM ₁₀	1
6	Amaravati	Satisfactory	73	PM ₁₀	1
7	Ambala	Satisfactory	97	PM ₁₀	1
8	Amritsar	Moderate	124	PM _{2.5}	1
9	Anantapur	Satisfactory	69	PM _{2.5}	1
10	Ankleshwar	Poor	270	PM ₁₀	1
11	Araria	Poor	287	PM _{2.5}	1
12	Ariyalur	Moderate	146	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	244	PM _{2.5}	1
14	Asansol	Moderate	193	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	166	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	117	PM _{2.5}	1
17	Baddi	Moderate	154	PM _{2.5}	1
18	Bagalkot	Good	50	PM ₁₀	1
19	Baghpat	Poor	262	PM _{2.5}	1
20	Bahadurgarh	Moderate	190	PM _{2.5}	1
21	Ballabgarh	Poor	207	PM _{2.5}	1
22	Bareilly	Moderate	130	PM ₁₀	2
23	Baripada	Moderate	171	O ₃	1
24	Bathinda	Moderate	180	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	377	PM _{2.5}	1
26	Belgaum	Moderate	138	PM ₁₀	1
27	Bengaluru	Satisfactory	84	PM _{2.5} , PM ₁₀	10
28	Bettiah	Poor	264	PM _{2.5}	1
29	Bhagalpur	Poor	252	PM _{2.5}	2
30	Bharatpur	Moderate	184	PM _{2.5}	1
31	Bhilai	Moderate	128	O ₃	2
32	Bhiwadi	Poor	236	PM ₁₀	1
33	Bhiwani	Moderate	118	PM ₁₀	1
34	Bhopal	Moderate	123	PM ₁₀ , O ₃	3
35	Bilaspur	Satisfactory	91	со	1
36	Bileipada	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Poor	207	PM _{2.5}	1
38	Chamarajanagar	Good	50	PM ₁₀	1
39	Chandigarh	Moderate	199	PM _{2.5}	3
40	Chandrapur	Moderate	148	PM _{2.5}	1
41	Charkhi Dadri	Poor	210	PM _{2.5}	1
42	Chennai	Satisfactory	98	PM ₁₀ , PM _{2.5}	8
43	Chhapra	Poor	296	PM ₁₀	1
44	Chikkaballapur	Satisfactory	81	PM ₁₀	1
45	Chikkamagaluru	Good	47	PM ₁₀	1
46	Chittoor	Satisfactory	78	O ₃	1
47	Damoh	Good	35	PM ₁₀	1
48	Dehradun	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	260	PM _{2.5}	36
50	Dewas	Satisfactory	89	PM ₁₀	1
51	Dharuhera	Poor	276	PM ₁₀	1
52	Durgapur	Moderate	141	PM ₁₀	1
53	Faridabad	Very Poor	308	PM _{2.5}	3
54	Fatehabad	Moderate	153	PM ₁₀	1
55	Firozabad	Satisfactory	90	PM ₁₀	2
56	Gadag	Satisfactory	85	O ₃	1
57	Gandhinagar	Moderate	170	PM _{2.5} , PM ₁₀	3
58	Gangtok	Good	35	O ₃	1
59	Gaya	Moderate	194	PM ₁₀ , PM _{2.5}	3
60	Ghaziabad	Poor	230	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Satisfactory	99	PM ₁₀	1
62	Greater Noida	Poor	280	PM ₁₀	2
63	Gummidipoondi	Poor	203	PM _{2.5}	1
64	Gurugram	Poor	252	PM _{2.5}	4
65	Guwahati	Moderate	198	PM _{2.5}	3
66	Gwalior	Moderate	149	PM ₁₀	3
67	Hajipur	Poor	262	PM _{2.5}	1
68	Haldia	Satisfactory	90	PM ₁₀	1
69	Hapur	Moderate	157	03	1
70	Hassan	Moderate	107	PM _{2.5}	1
71	Hisar	Moderate	192	PM ₁₀	1
72	Howrah	Moderate	129	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	87	PM ₁₀	14
74	Imphal	Moderate	122	PM ₁₀ , SO ₂	2
75	Indore	Satisfactory	97	NO ₂	1
76	Jabalpur	Moderate	123	PM ₁₀	1
77	Jaipur	Moderate	120	PM ₁₀	3
78	Jalandhar	Moderate	142	PM _{2.5}	1
79	Jhansi	Moderate	107	PM ₁₀	1
80	Jind	Moderate	108	PM _{2.5}	1
81	Jodhpur	Moderate	192	PM _{2.5}	2
82	Jorapokhar	Poor	222	PM ₁₀	1
83	Kaithal	Moderate	139	PM _{2.5}	1
84	Kalaburgi	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	157	PM ₁₀	1
86	Kannur	Satisfactory	76	PM ₁₀	1
87	Kanpur	Moderate	158	PM _{2.5}	3
88	Karnal	Moderate	106	PM ₁₀	1
89	Kashipur	Moderate	108	PM ₁₀	1
90	Katihar	Poor	249	PM ₁₀	1
91	Katni	Moderate	120	PM ₁₀	1
92	Keonjhar	Moderate	175	PM _{2.5}	1
93	Khanna	Satisfactory	89	PM ₁₀	1
94	Khurja	Moderate	149	PM _{2.5}	1
95	Kochi	Moderate	105	PM _{2.5}	1
96	Kohima	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Moderate	105	PM _{2.5}	7
98	Kollam	Satisfactory	61	PM ₁₀	1
99	Koppal	Satisfactory	96	PM ₁₀	1
100	Korba	Moderate	106	PM ₁₀	1
101	Kota	Moderate	128	PM _{2.5}	3
102	Kozhikode	Satisfactory	86	NH ₃	1
103	Lucknow	Moderate	180	PM _{2.5} , PM ₁₀	6
104	Ludhiana	Moderate	199	PM _{2.5}	1
105	Madikeri	Satisfactory	54	O ₃	1
106	Maihar	Good	43	PM ₁₀	1
107	Mandi Gobindgarh	Moderate	123	PM _{2.5}	1
108	Mandikhera	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Poor	226	PM _{2.5}	1
110	Mangalore	Moderate	130	PM ₁₀	1
111	Manguraha	Moderate	180	03	1
112	Meerut	Very Poor	301	PM ₁₀ , PM _{2.5}	3
113	Moradabad	Moderate	111	PM _{2.5} , PM ₁₀	6
114	Mumbai	Moderate	194	PM _{2.5} , PM ₁₀	19
115	Munger	Poor	253	PM ₁₀	1
116	Muzaffarnagar	Moderate	182	PM _{2.5}	1
117	Muzaffarpur	Very Poor	304	PM _{2.5}	3
118	Mysuru	Good	49	PM ₁₀	1
119	Nagaon	Poor	240	PM _{2.5}	1
120	Nagpur	Moderate	163	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nalbari	Poor	256	PM _{2.5}	1
122	Narnaul	Moderate	149	PM _{2.5}	1
123	Nashik	Satisfactory	74	PM ₁₀	1
124	Navi Mumbai	Very Poor	306	PM _{2.5}	2
125	Nayagarh	Poor	225	PM ₁₀	1
126	Noida	Poor	203	PM _{2.5} , PM ₁₀	4
127	Ooty	Satisfactory	71	PM ₁₀	1
128	Pali	Moderate	102	PM ₁₀	1
129	Palwal	Satisfactory	97	PM _{2.5}	1
130	Panchkula	Satisfactory	93	PM _{2.5}	1
131	Panipat	Moderate	132	PM ₁₀	1
132	Patiala	Moderate	165	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Poor	237	PM ₁₀ , PM _{2.5}	6
134	Pithampur	Satisfactory	86	PM ₁₀	1
135	Prayagraj	Moderate	121	O ₃ , PM ₁₀	3
136	Puducherry	Satisfactory	52	O ₃	1
137	Pune	Moderate	138	PM _{2.5}	2
138	Purnia	Poor	220	PM _{2.5}	1
139	Raipur	Moderate	117	PM ₁₀	4
140	Rairangpur	Moderate	196	PM _{2.5}	1
141	Rajamahendravaram	Satisfactory	92	PM ₁₀	1
142	Rajgir	Moderate	191	PM _{2.5}	1
143	Ramanagara	Satisfactory	91	PM ₁₀	1
144	Ramanathapuram	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	120	PM _{2.5}	1
146	Rishikesh	Satisfactory	77	PM ₁₀	1
147	Rohtak	Moderate	122	PM _{2.5}	1
148	Rourkela	Moderate	175	PM ₁₀	3
149	Rupnagar	Moderate	129	PM ₁₀	1
150	Sagar	Satisfactory	66	СО	1
151	Saharsa	Poor	246	PM ₁₀	1
152	Samastipur	Very Poor	360	PM ₁₀	1
153	Sasaram	Moderate	126	PM ₁₀	1
154	Shillong	Moderate	113	PM _{2.5}	1
155	Shivamogga	Satisfactory	66	O ₃	1
156	Siliguri	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Singrauli	Moderate	138	PM _{2.5}	1
158	Sirsa	Moderate	112	PM ₁₀	1
159	Sivasagar	Satisfactory	56	PM _{2.5}	1
160	Siwan	Poor	284	PM _{2.5}	1
161	Solapur	Moderate	119	PM ₁₀	1
162	Sonipat	Moderate	197	PM ₁₀	1
163	Srinagar	Satisfactory	52	PM ₁₀	1
164	Talcher	Satisfactory	68	PM ₁₀	1
165	Tensa	Moderate	112	PM ₁₀	1
166	Thiruvananthapuram	Good	48	PM ₁₀	2
167	Thoothukudi	Good	50	03	1
168	Tirupati	Satisfactory	55	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupur	Satisfactory	55	PM ₁₀	1
170	Udaipur	Moderate	108	PM ₁₀	1
171	Ujjain	Moderate	163	PM ₁₀	1
172	Vapi	Poor	295	PM _{2.5}	1
173	Varanasi	Satisfactory	69	PM ₁₀	4
174	Vatva	Moderate	173	PM _{2.5}	1
175	Vijayapura	Good	46	PM ₁₀	1
176	Visakhapatnam	Moderate	126	PM ₁₀	1
177	Vrindavan	Moderate	108	PM ₁₀	1
178	Yadgir	Moderate	101	PM _{2.5}	1
179	Yamunanagar	Moderate	175	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bidar, Bihar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.