

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	63	PM _{2.5}	1
2	Agra	Satisfactory	53	PM ₁₀ , NO ₂	5
3	Ahmedabad	Satisfactory	64	PM ₁₀ , O ₃	6
4	Aizawl	Good	12	PM ₁₀	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Akola	Satisfactory	55	PM ₁₀	1
7	Alwar	Satisfactory	65	NO ₂	1
8	Amaravati	Good	40	03	1
9	Ambala	Satisfactory	96	со	1
10	Amravati	Good	46	PM ₁₀	2
11	Amritsar	Moderate	122	PM _{2.5}	1
12	Anantapur	Satisfactory	55	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	51	СО	1
14	Araria	Good	47	со	1
15	Arrah	Satisfactory	77	со	1
16	Asansol	Good	32	PM ₁₀	1
17	Aurangabad (Bihar)	Satisfactory	72	со	1
18	Aurangabad (Maharashtra)	Good	48	PM ₁₀	2
19	Baddi	Moderate	193	PM ₁₀	1
20	Badlapur	Good	38	PM ₁₀	1
21	Bagalkot	Satisfactory	84	SO ₂	1
22	Baghpat	Moderate	102	NO ₂	1
23	Bahadurgarh	Satisfactory	58	PM ₁₀	1
24	Ballabgarh	Satisfactory	56	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Satisfactory	91	PM ₁₀	1
26	Baran	Moderate	109	PM ₁₀	1
27	Bareilly	Good	32	PM ₁₀	2
28	Baripada	Satisfactory	56	PM ₁₀	1
29	Barmer	Satisfactory	71	PM ₁₀	1
30	Bathinda	Satisfactory	65	PM ₁₀	1
31	Belapur	Good	44	PM ₁₀	1
32	Belgaum	Moderate	103	PM ₁₀	1
33	Bengaluru	Satisfactory	54	PM _{2.5} , PM ₁₀	11
34	Bettiah	Satisfactory	53	СО	1
35	Bhagalpur	Good	50	O ₃	1
36	Bhilai	Good	18	со	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	94	PM ₁₀	1
38	Bhiwandi	Good	42	PM ₁₀	1
39	Bhiwani	Satisfactory	65	PM ₁₀	1
40	Bhopal	Good	49	PM ₁₀	3
41	Bidar	Good	42	PM ₁₀	1
42	Bihar Sharif	Moderate	117	СО	1
43	Bikaner	Satisfactory	88	PM ₁₀	1
44	Bilaspur	Good	43	PM ₁₀	1
45	Bileipada	Good	37	PM ₁₀	1
46	Bulandshahr	Satisfactory	53	PM ₁₀	1
47	Bundi	Moderate	113	PM ₁₀	1
48	Byrnihat	Moderate	121	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Notes:

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	41	PM ₁₀	1
50	Chandigarh	Moderate	108	PM ₁₀	3
51	Chandrapur	Good	37	PM ₁₀	1
52	Charkhi Dadri	Satisfactory	67	PM ₁₀	1
53	Chengalpattu	Poor	213	PM ₁₀	1
54	Chennai	Satisfactory	87	СО	7
55	Chhapra	Satisfactory	71	СО	1
56	Chikkaballapur	Good	34	PM ₁₀	1
57	Chikkamagaluru	Good	35	O ₃	1
58	Chittoor	Good	38	O ₃	1
59	Chittorgarh	Satisfactory	91	PM ₁₀	1
60	Churu	Satisfactory	93	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, jusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chl

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Cuddalore	Moderate	160	NO ₂	2
62	Damoh	Good	22	со	1
63	Dausa	Moderate	113	PM ₁₀	1
64	Davanagere	Good	28	PM ₁₀	1
65	Dehradun	Satisfactory	73	03	1
66	Delhi	Moderate	105	O ₃ , PM ₁₀	34
67	Dewas	Good	38	PM ₁₀	1
68	Dharuhera	Moderate	103	PM ₁₀	1
69	Dharwad	Satisfactory	55	PM ₁₀	1
70	Dholpur	Good	48	PM ₁₀	1
71	Dhule	Satisfactory	75	PM ₁₀	1
72	Durgapur	Satisfactory	52	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Eloor	Satisfactory	68	PM ₁₀	1
74	Faridabad	Satisfactory	65	PM ₁₀ , PM _{2.5}	3
75	Fatehabad	Moderate	118	03	1
76	Firozabad	Good	38	PM ₁₀	1
77	Gandhinagar	Satisfactory	92	PM _{2.5} , PM ₁₀	3
78	Gangtok	Satisfactory	55	SO ₂	1
79	Gaya	Satisfactory	70	03	3
80	Ghaziabad	Satisfactory	90	PM ₁₀	4
81	Gorakhpur	Good	44	SO ₂	1
82	Greater Noida	Satisfactory	98	PM ₁₀	2
83	Gummidipoondi	Moderate	106	PM ₁₀	1
84	Gurugram	Satisfactory	85	PM ₁₀ , PM _{2.5}	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Good	34	SO ₂ , O ₃	3
86	Gwalior	Good	44	O ₃ , CO	3
87	Hajipur	Good	36	03	1
88	Haldia	Good	40	PM ₁₀	1
89	Hanumangarh	Satisfactory	87	PM ₁₀	1
90	Haveri	Good	36	со	1
91	Hosur	Good	45	PM ₁₀	1
92	Howrah	Satisfactory	58	PM ₁₀	2
93	Hubballi	Satisfactory	60	PM ₁₀ , CO	2
94	Hyderabad	Satisfactory	64	PM ₁₀ , NO ₂	12
95	Indore	Satisfactory	72	PM ₁₀	1
96	Jabalpur	Good	27	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

usarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chl Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Satisfactory	77	PM ₁₀	5
98	Jaisalmer	Satisfactory	83	PM ₁₀	1
99	Jalandhar	Satisfactory	74	PM ₁₀	1
100	Jalgaon	Good	45	PM ₁₀	1
101	Jalna	Satisfactory	67	PM ₁₀	1
102	Jhalawar	Satisfactory	80	PM ₁₀	1
103	Jhansi	Satisfactory	72	PM _{2.5}	1
104	Jhunjhunu	Satisfactory	87	PM ₁₀	1
105	Jind	Satisfactory	72	PM ₁₀	1
106	Jodhpur	Satisfactory	89	PM ₁₀	5
107	Kadapa	Good	27	PM _{2.5}	1
108	Kaithal	Moderate	109	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kalaburgi	Satisfactory	56	PM ₁₀	1
110	Kanchipuram	Good	49	PM ₁₀	1
111	Kanpur	Moderate	103	PM _{2.5}	3
112	Karauli	Satisfactory	57	PM ₁₀	1
113	Karnal	Satisfactory	68	PM ₁₀	1
114	Kashipur	Good	39	PM ₁₀	1
115	Katihar	Good	47	PM ₁₀	1
116	Katni	Good	22	O ₃	1
117	Keonjhar	Good	31	PM ₁₀	1
118	Khanna	Satisfactory	92	PM ₁₀	1
119	Khurja	Satisfactory	79	PM _{2.5}	1
120	Kishanganj	Good	50	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, jusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chl

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kochi	Satisfactory	78	СО	1
122	Kolhapur	Good	35	PM ₁₀	2
123	Kolkata	Good	49	O ₃ , PM ₁₀	7
124	Kollam	Satisfactory	73	PM ₁₀	1
125	Koppal	Good	27	PM ₁₀	1
126	Korba	Good	14	NO ₂	1
127	Kota	Satisfactory	80	PM ₁₀ , PM _{2.5}	3
128	Kunjemura	Good	29	NO ₂	1
129	Kurukshetra	Satisfactory	74	PM ₁₀	1
130	Latur	Good	50	PM ₁₀	1
131	Lucknow	Good	46	O ₃ , PM ₁₀	6
132	Ludhiana	Satisfactory	90	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

jusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chl Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Madikeri	Good	30	PM _{2.5}	1
134	Mahad	Good	37	PM ₁₀	1
135	Maihar	Good	41	со	1
136	Mandi Gobindgarh	Satisfactory	70	PM ₁₀	1
137	Mandideep	Satisfactory	59	03	1
138	Mandikhera	Good	50	PM ₁₀	1
139	Manesar	Satisfactory	72	PM _{2.5}	1
140	Mangalore	Satisfactory	62	NO ₂	1
141	Manguraha	Good	19	PM ₁₀	1
142	Meerut	Satisfactory	55	PM ₁₀	3
143	Moradabad	Satisfactory	58	PM ₁₀	2
144	Mumbai	Satisfactory	73	PM ₁₀	18

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Munger	Satisfactory	92	co	1
146	Muzaffarnagar	Satisfactory	64	NO ₂	1
147	Muzaffarpur	Satisfactory	53	03	3
148	Nagaon	Good	43	03	1
149	Nagaur	Satisfactory	87	PM ₁₀	1
150	Nagpur	Good	40	CO, PM ₁₀	4
151	Nanded	Satisfactory	52	O ₃	1
152	Narnaul	Satisfactory	64	PM ₁₀	1
153	Nashik	Good	50	PM ₁₀	2
154	Navi Mumbai	Good	46	CO, PM ₁₀	7
155	Nayagarh	Satisfactory	58	NO ₂	1
156	Noida	Satisfactory	98	СО	4

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts Notes:

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Good	49	SO ₂	1
158	Pali	Moderate	193	NO ₂	1
159	Palkalaiperur	Satisfactory	66	SO ₂	1
160	Panchkula	Satisfactory	82	PM _{2.5}	1
161	Panipat	Moderate	117	PM ₁₀	1
162	Parbhani	Satisfactory	62	PM ₁₀	1
163	Patiala	Satisfactory	80	PM ₁₀	1
164	Patna	Satisfactory	71	PM ₁₀ , NO ₂	6
165	Pimpri Chinchwad	Good	46	CO, PM ₁₀	3
166	Pithampur	Satisfactory	82	PM ₁₀	1
167	Pratapgarh	Satisfactory	93	PM ₁₀	1
168	Prayagraj	Satisfactory	54	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Satisfactory	55	PM ₁₀	1
170	Pune	Satisfactory	94	NO ₂ , PM _{2.5}	5
171	Purnia	Satisfactory	79	со	1
172	Raipur	Good	36	PM ₁₀ , NO ₂	4
173	Rajamahendravaram	Satisfactory	58	PM ₁₀	1
174	Rajgir	Good	35	03	1
175	Rajsamand	Satisfactory	82	PM ₁₀	1
176	Ramanagara	Satisfactory	51	NO ₂	1
177	Ramanathapuram	Satisfactory	52	PM ₁₀	1
178	Ratlam	Satisfactory	54	PM ₁₀	1
179	Rishikesh	Good	48	со	1
180	Rohtak	Good	50	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

jusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chl Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Notes:



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Moderate	109	PM ₁₀	1
182	Sagar	Good	30	со	1
183	Saharsa	Moderate	109	со	1
184	Samastipur	Satisfactory	82	PM ₁₀	1
185	Sangli	Good	28	PM ₁₀	1
186	Satna	Satisfactory	55	PM ₁₀	1
187	Sawai Madhopur	Satisfactory	94	PM ₁₀	1
188	Shillong	Good	19	SO ₂	1
189	Shivamogga	Good	44	PM ₁₀	1
190	Sikar	Satisfactory	78	PM ₁₀	1
191	Silchar	Good	33	со	1
192	Siliguri	Good	32	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Satisfactory	56	PM _{2.5}	1
194	Sivasagar	Good	16	PM ₁₀	1
195	Siwan	Satisfactory	73	со	1
196	Solapur	Satisfactory	67	PM ₁₀	3
197	Sri Ganganagar	Moderate	101	PM ₁₀	1
198	Suakati	Good	34	PM ₁₀	1
199	Surat	Good	48	PM _{2.5}	1
200	Talcher	Good	40	NO ₂	1
201	Tensa	Good	26	O ₃	1
202	Thane	Satisfactory	55	PM ₁₀	1
203	Thiruvananthapuram	Good	32	со	2
204	Thoothukudi	Satisfactory	75	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar,

Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thrissur	Good	39	O ₃	1
206	Tirupati	Satisfactory	62	PM _{2.5} , PM ₁₀	2
207	Tonk	Moderate	110	PM ₁₀	1
208	Tumidih	Good	31	PM _{2.5}	1
209	Udaipur	Satisfactory	72	PM ₁₀	1
210	Ujjain	Satisfactory	65	PM ₁₀	1
211	Ulhasnagar	Good	43	PM ₁₀	1
212	Vapi	Moderate	115	со	1
213	Varanasi	Good	32	O ₃ , SO ₂	4
214	Vatva	Moderate	103	PM ₁₀	1
215	Vijayapura	Good	46	PM ₁₀	1
216	Vijayawada	Good	44	03	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, gusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chh

Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Visakhapatnam	Moderate	101	PM ₁₀	1
218	Vrindavan	Satisfactory	88	PM _{2.5}	1
219	Yadgir	Good	32	PM ₁₀	1

 * AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Begusarai, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Buxar, Chhal Coimbatore, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Hapur, Hassan Notes: Hisar, Imphal, Jorapokhar, Kalyan, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Motihari, Mysuru, Naharlagun, Nalbari, Nandesari, Palwal, Raichur, Rairangpur, Rourkela, Salem, Sasaram, Singrauli, Sirsa, Sonipat, Srinagar, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.