

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	74	NO ₂	1
2	Ahmedabad	Moderate	111	SO ₂	1
3	Ajmer	Moderate	111	PM _{2.5}	1
4	Alwar	Satisfactory	67	OZONE	1
5	Amaravati	Moderate	123	PM _{2.5}	1
6	Ambala	Poor	231	PM _{2.5}	1
7	Amritsar	Moderate	170	PM _{2.5}	1
8	Ankleshwar	Poor	224	PM _{2.5}	1
9	Asanol	Moderate	190	PM _{2.5}	1
10	Aurangabad	Satisfactory	92	PM ₁₀	1
11	Baghpat	Poor	280	PM _{2.5}	1
12	Bahadurgarh	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	247	PM ₁₀	1
14	Bathinda	Moderate	121	PM ₁₀	1
15	Bengaluru	Satisfactory	62	CO, PM ₁₀ , PM _{2.5}	7
16	Bhiwadi	Moderate	184	PM ₁₀	1
17	Bhiwani	Moderate	174	PM _{2.5}	1
18	Bhopal	Poor	243	PM _{2.5}	1
19	Brajrajnagar	Moderate	130	PM ₁₀	1
20	Bulandshahr	Poor	234	OZONE	1
21	Chandigarh	Moderate	166	PM _{2.5}	1
22	Chandrapur	Satisfactory	100	PM ₁₀	1
23	Chennai	Satisfactory	58	PM _{2.5} , OZONE	2
24	Chikkaballapur	Satisfactory	62	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	34	со	1
26	Damoh	Moderate	174	PM _{2.5}	1
27	Delhi	Poor	282	PM _{2.5}	33
28	Dewas	Poor	238	PM _{2.5}	1
29	Dharuhera	Moderate	187	PM _{2.5}	1
30	Eloor	Good	33	СО	1
31	Faridabad	Poor	239	PM _{2.5}	1
32	Fatehabad	Moderate	164	PM ₁₀	1
33	GandhiNagar	Satisfactory	59	PM ₁₀	1
34	Gaya	Poor	280	PM _{2.5}	1
35	Ghaziabad	Very Poor	326	PM _{2.5}	4
36	Greater_Noida	Poor	288	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Poor	246	PM _{2.5}	2
38	Guwahati	Moderate	178	PM _{2.5}	1
39	Hapur	Moderate	195	PM ₁₀	1
40	Hisar	Poor	261	PM _{2.5}	1
41	Howrah	Poor	269	PM ₁₀ , PM _{2.5}	3
42	Hubballi	Good	34	PM ₁₀	1
43	Hyderabad	Satisfactory	68	PM _{2.5} , PM ₁₀	5
44	Indore	Poor	232	PM _{2.5}	1
45	Jabalpur	Poor	292	PM _{2.5}	1
46	Jaipur	Moderate	114	PM _{2.5} , PM ₁₀	3
47	Jalandhar	Moderate	144	PM _{2.5}	1
48	Jind	Poor	247	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	180	PM _{2.5}	1
50	Jorapokhar	Moderate	186	PM _{2.5}	1
51	Kaithal	Moderate	133	PM ₁₀	1
52	Kalaburagi	Good	50	PM _{2.5}	1
53	Kalyan	Moderate	134	PM ₁₀	1
54	Kanpur	Very Poor	316	PM _{2.5}	1
55	Karnal	Poor	233	PM _{2.5}	1
56	Katni	Poor	258	PM _{2.5}	1
57	Khanna	Very Poor	311	PM _{2.5}	1
58	Kolkata	Poor	207	PM _{2.5} , PM ₁₀	6
59	Kota	Moderate	109	PM _{2.5}	1
60	Kurukshetra	Poor	279	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Poor	255	PM _{2.5}	4
62	Ludhiana	Moderate	117	PM _{2.5}	1
63	Maihar	Good	40	PM ₁₀	1
64	Mandi Gobindgarh	Very Poor	303	PM _{2.5}	1
65	Mandikhera	Satisfactory	92	PM _{2.5}	1
66	Manesar	Moderate	137	PM _{2.5}	1
67	Meerut	Poor	289	PM _{2.5}	3
68	Moradabad	Very Poor	310	PM _{2.5}	1
69	Mumbai	Moderate	104	PM ₁₀ , PM _{2.5}	8
70	Muzaffarpur	Very Poor	336	PM _{2.5}	1
71	Mysuru	Good	32	PM ₁₀	1
72	Nagpur	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	104	PM ₁₀	1
74	Nashik	Satisfactory	63	PM ₁₀	1
75	Navi Mumbai	Moderate	119	PM ₁₀ , CO	3
76	Noida	Poor	273	PM _{2.5}	4
77	Pali	Satisfactory	96	PM _{2.5}	1
78	Palwal	Moderate	187	PM _{2.5}	1
79	Panchkula	Satisfactory	86	PM _{2.5}	1
80	Panipat	Poor	263	PM ₁₀	1
81	Patiala	Moderate	115	PM _{2.5}	1
82	Patna	Very Poor	380	PM _{2.5}	1
83	Pithampur	Poor	250	PM _{2.5}	1
84	Pune	Satisfactory	85	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Moderate	145	PM _{2.5}	1
86	Ramanagara	Good	36	SO ₂	1
87	Ratlam	Moderate	148	PM _{2.5}	1
88	Rohtak	Poor	248	PM _{2.5}	1
89	Rupnagar	Moderate	175	PM _{2.5}	1
90	Satna	Moderate	110	PM ₁₀	1
91	Siliguri	Moderate	176	PM _{2.5}	1
92	Singrauli	Poor	300	PM _{2.5}	1
93	Sirsa	Moderate	158	PM ₁₀	1
94	Solapur	Satisfactory	91	СО	1
95	Sonipat	Satisfactory	77	PM _{2.5}	1
96	Talcher	Poor	237	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	72	PM ₁₀	1
98	Thiruvananthapuram	Satisfactory	64	со	1
99	Tirupati	Good	42	PM ₁₀	1
100	Udaipur	Satisfactory	94	PM ₁₀	1
101	Ujjain	Moderate	134	PM _{2.5}	1
102	Vapi	Moderate	182	PM _{2.5}	1
103	Varanasi	Very Poor	335	PM _{2.5}	1
104	Vatva	Moderate	148	PM _{2.5}	1
105	Visakhapatnam	Moderate	132	PM _{2.5}	1
106	Yadgir	Good	50	PM _{2.5}	1
107	Yamunanagar	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Haldia, Mandideep, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.