

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Good	46	PM <sub>10</sub>	1
2	Aizawl	Good	28	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	53	03	1
4	Alwar	Good	34	PM <sub>2.5</sub>	1
5	Amaravati	Good	27	PM <sub>10</sub>	1
6	Ambala	Moderate	152	PM <sub>2.5</sub>	1
7	Amritsar	Satisfactory	96	PM <sub>10</sub>	1
8	Asansol	Satisfactory	80	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	56	NO <sub>2</sub>	1
10	Baghpat	Moderate	156	PM <sub>10</sub>	1
11	Ballabgarh	Satisfactory	86	со	1
12	Bathinda	Satisfactory	93	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: \* AQI is not calculated for today's bulletin for Agartala, Agra,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	54	CO, O <sub>3</sub>	8
14	Bhiwadi	Moderate	101	PM <sub>10</sub>	1
15	Bhiwani	Moderate	120	03	1
16	Bhopal	Satisfactory	56	03	1
17	Bidar	Good	41	PM <sub>10</sub>	1
18	Bulandshahr	Satisfactory	77	PM <sub>10</sub>	1
19	Chamarajanagar	Good	47	PM <sub>10</sub>	1
20	Chandigarh	Satisfactory	100	PM <sub>10</sub>	1
21	Chandrapur	Good	28	O <sub>3</sub> , NO <sub>2</sub>	2
22	Charkhi Dadri	Moderate	106	PM <sub>2.5</sub>	1
23	Chennai	Satisfactory	70	PM <sub>10</sub> , O <sub>3</sub> , CO	8
24	Chikkaballapur	Good	35	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	31	03	1
26	Damoh	Good	32	PM <sub>2.5</sub>	1
27	Davanagere	Good	28	со	1
28	Delhi	Satisfactory	93	PM <sub>10</sub> , O <sub>3</sub>	28
29	Dewas	Good	37	03	1
30	Dharuhera	Satisfactory	99	PM <sub>10</sub>	1
31	Durgapur	Moderate	108	PM <sub>10</sub>	1
32	Eloor	Good	48	со	1
33	Ernakulam	Good	26	со	1
34	Faridabad	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
35	Fatehabad	Moderate	200	PM <sub>10</sub>	1
36	Gandhinagar	Good	42	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	66	CO, O <sub>3</sub>	2
38	Ghaziabad	Moderate	122	PM <sub>10</sub>	4
39	Greater Noida	Satisfactory	79	PM <sub>10</sub>	2
40	Gummidipoondi	Satisfactory	69	PM <sub>10</sub>	1
41	Gurugram	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub>	3
42	Guwahati	Good	44	SO <sub>2</sub> , PM <sub>10</sub>	2
43	Gwalior	Satisfactory	58	03	1
44	Hajipur	Moderate	142	PM <sub>10</sub>	1
45	Haldia	Good	21	со	1
46	Hapur	Good	48	PM <sub>10</sub>	1
47	Hisar	Moderate	120	PM <sub>10</sub>	1
48	Howrah	Good	34	O <sub>3</sub> , CO, PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	26	03	1
50	Hyderabad	Good	47	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
51	Indore	Satisfactory	65	03	1
52	Jabalpur	Satisfactory	56	03	1
53	Jaipur	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	3
54	Jalandhar	Moderate	117	PM <sub>10</sub>	1
55	Jind	Moderate	111	PM <sub>10</sub>	1
56	Jodhpur	Satisfactory	71	PM <sub>10</sub>	1
57	Kaithal	Moderate	140	PM <sub>10</sub>	1
58	Kannur	Moderate	105	PM <sub>10</sub>	1
59	Kanpur	Good	44	PM <sub>2.5</sub>	2
60	Karnal	Moderate	119	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: \* AQI is not calculated for today's bulletin for Agartala, Agra,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Good	44	O <sub>3</sub>	1
62	Khanna	Moderate	126	PM <sub>10</sub>	1
63	Kochi	Good	33	со	1
64	Kohima	Satisfactory	62	PM <sub>2.5</sub>	1
65	Kolkata	Good	43	O <sub>3</sub> , PM <sub>10</sub>	7
66	Kollam	Satisfactory	53	PM <sub>10</sub>	1
67	Koppal	Satisfactory	60	O <sub>3</sub>	1
68	Kota	Satisfactory	56	PM <sub>10</sub>	1
69	Kozhikode	Good	32	PM <sub>10</sub>	1
70	Kurukshetra	Moderate	190	PM <sub>2.5</sub>	1
71	Lucknow	Moderate	120	PM <sub>2.5</sub>	4
72	Ludhiana	Moderate	173	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: \* AQI is not calculated for today's bulletin for Agartala, Agra, Ankleshwar, Bagalkot, Bahadurgarh, Brajrajnagar, Coimbatore, Gadag, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Patiala, Rupnagar, Sagar, Shivamogga, Thane, Thoothukudi, Udupi, Vapi, Varanasi, Vijayapura as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	112	PM <sub>10</sub>	1
74	Mandideep	Good	45	SO <sub>2</sub>	1
75	Mandikhera	Moderate	118	PM <sub>2.5</sub>	1
76	Manesar	Satisfactory	92	PM <sub>2.5</sub>	1
77	Manglore	Good	33	SO <sub>2</sub>	1
78	Medikeri	Good	24	со	1
79	Meerut	Moderate	160	PM <sub>10</sub>	2
80	Moradabad	Moderate	161	PM <sub>2.5</sub>	1
81	Mumbai	Good	48	PM <sub>2.5</sub> , PM <sub>10</sub>	13
82	Muzaffarnagar	Poor	206	PM <sub>10</sub>	1
83	Muzaffarpur	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Good	29	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: \* AQI is not calculated for today's bulletin for Agartala, Agra,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Moderate	121	PM <sub>10</sub>	1
86	Nashik	Good	32	PM <sub>2.5</sub>	1
87	Navi Mumbai	Satisfactory	84	CO, PM <sub>10</sub>	2
88	Noida	Moderate	108	PM <sub>10</sub>	3
89	Pali	Good	38	PM <sub>10</sub>	1
90	Palwal	Satisfactory	55	PM <sub>10</sub>	1
91	Panchkula	Satisfactory	71	PM <sub>2.5</sub>	1
92	Panipat	Moderate	167	PM <sub>10</sub>	1
93	Patna	Moderate	115	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	6
94	Pithampur	Satisfactory	55	PM <sub>10</sub>	1
95	Puducherry	Good	34	O <sub>3</sub>	1
96	Pune	Good	50	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: \* AQI is not calculated for today's bulletin for Agartala, Agra,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Good	29	PM <sub>10</sub>	1
98	Rajamahendravaram	Good	28	PM <sub>10</sub>	1
99	Ramanagara	Good	29	PM <sub>10</sub>	1
100	Ratlam	Good	26	PM <sub>2.5</sub>	1
101	Rohtak	Satisfactory	99	со	1
102	Satna	Satisfactory	63	PM <sub>10</sub>	1
103	Shillong	Good	22	PM <sub>10</sub>	1
104	Siliguri	Satisfactory	52	PM <sub>10</sub>	1
105	Singrauli	Satisfactory	96	PM <sub>2.5</sub>	1
106	Sirsa	Moderate	109	PM <sub>10</sub>	1
107	Solapur	Good	42	O <sub>3</sub>	1
108	Sonipat	Moderate	170	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Satisfactory	93	PM <sub>10</sub>	1
110	Talcher	Satisfactory	75	СО	1
111	Thiruvananthapuram	Good	24	со	1
112	Thrissur	Satisfactory	54	со	1
113	Tirupati	Good	39	PM <sub>10</sub>	1
114	Udaipur	Satisfactory	61	СО	1
115	Ujjain	Satisfactory	61	O <sub>3</sub>	1
116	Vatva	Satisfactory	55	PM <sub>10</sub>	1
117	Visakhapatnam	Good	32	NO <sub>2</sub>	1
118	Yadgir	Good	23	O <sub>3</sub>	1
119	Yamunanagar	Poor	229	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: \* AQI is not calculated for today's bulletin for Agartala, Agra, Ankleshwar, Bagalkot, Bahadurgarh, Brajrajnagar, Coimbatore, Gadag, Hassan, Jorapokhar, Kalaburgi, Kalyan, Kolar, Maihar, Nagpur, Naharlagun, Nandesari, Patiala, Rupnagar, Sagar, Shivamogga, Thane, Thoothukudi, Udupi, Vapi, Varanasi, Vijayapura as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.