Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	193	$PM_{2.5}$	1
2	Agra	Moderate	156	$PM_{2.5}$, PM_{10}	6
3	Ahmedabad	Poor	287	$PM_{2.5}$	8
4	Aizawl	Satisfactory	67	PM_{10}	1
5	Ajmer	Moderate	114	$PM_{2.5}$	1
6	Alwar	Satisfactory	79	PM_{10}	1
7	Amaravati	Satisfactory	69	O_3	1
8	Ambala	Satisfactory	55	NO_2	1
9	Amritsar	Good	48	NO_2	1
10	Ankleshwar	Poor	214	$PM_{2.5}$	1
11	Araria	Moderate	110	O_3	1
12	Arrah	Moderate	113	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	128	$PM_{2.5}$	1
14	Aurangabad	Moderate	112	PM_{10}	1
15	Bagalkot	Good	50	$PM_{2.5}$	1
16	Bahadurgarh	Moderate	113	$PM_{2.5}$	1
17	Ballabgarh	Moderate	114	$PM_{2.5}$	1
18	Bathinda	Satisfactory	52	PM_{10}	1
19	Bengaluru	Moderate	102	$PM_{2.5}$, PM_{10}, CO	10
20	Bhiwadi	Moderate	117	$PM_{2.5}$	1
21	Bhiwani	Moderate	145	$PM_{2.5}$	1
22	Bhopal	Moderate	153	PM_{10}	1
23	Bihar Sharif	Moderate	161	NO_2	1
24	Bilaspur	Satisfactory	56	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Satisfactory	55	PM_{10}	1
26	Bulandshahr	Moderate	108	$PM_{2.5}$	1
27	Buxar	Poor	209	$PM_{2.5}$	1
28	Chamarajanagar	Good	40	CO	1
29	Chandigarh	Good	38	$PM_{2.5}$	1
30	Chandrapur	Moderate	163	O_3, PM_{10}	2
31	Charkhi Dadri	Moderate	160	$PM_{2.5}$	1
32	Chennai	Satisfactory	58	O_3, PM_{10}, CO	8
33	Chikkaballapur	Moderate	104	$PM_{2.5}$	1
34	Chikkamagaluru	Good	32	PM_{10}	1
35	Coimbatore	Satisfactory	100	$PM_{2.5}$	1
36	Damoh	Satisfactory	52	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	67	PM_{10}	1
38	Delhi	Moderate	152	$PM_{2.5}$	37
39	Dewas	Moderate	160	PM_{10}	1
40	Dharuhera	Moderate	145	$PM_{2.5}$	1
41	Durgapur	Moderate	184	PM_{10}	1
42	Eloor	Satisfactory	62	$PM_{2.5}$	1
43	Ernakulam	Satisfactory	54	$PM_{2.5}$	1
44	Faridabad	Moderate	171	$PM_{2.5}$	3
45	Fatehabad	Good	39	O_3	1
46	Firozabad	Poor	211	$PM_{2.5}$	1
47	Gadag	Satisfactory	53	$PM_{2.5}$	1
48	Gandhinagar	Poor	289	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Satisfactory	97	PM_{10}, $PM_{2.5}$	3
50	Ghaziabad	Moderate	122	$PM_{2.5}$	3
51	Gorakhpur	Good	34	PM_{10}	1
52	Greater Noida	Moderate	120	$PM_{2.5}$	2
53	Gummidipoondi	Good	40	PM_{10}	1
54	Gurugram	Moderate	174	$PM_{2.5}$	4
55	Guwahati	Moderate	186	$PM_{2.5}$	2
56	Gwalior	Moderate	188	$PM_{2.5}$	1
57	Hajipur	Satisfactory	65	PM_{10}	1
58	Haldia	Satisfactory	66	PM_{10}	1
59	Hapur	Moderate	114	$PM_{2.5}$	1
60	Hassan	Satisfactory	96	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	139	NO_2	1
62	Howrah	Satisfactory	92	$PM_{2.5}$, CO, PM_{10}	3
63	Hubballi	Satisfactory	89	PM_{10}	1
64	Hyderabad	Moderate	118	PM_{10}, $PM_{2.5}$	5
65	Indore	Moderate	188	PM_{10}	1
66	Jabalpur	Moderate	156	PM_{10}	1
67	Jaipur	Moderate	132	PM_{10}	2
68	Jalandhar	Good	32	CO	1
69	Jind	Satisfactory	55	CO	1
70	Jodhpur	Moderate	185	$PM_{2.5}$	1
71	Kaithal	Good	40	$PM_{2.5}$	1
72	Kalaburgi	Moderate	109	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Good	48	PM_{10}	1
74	Kanpur	Moderate	118	$PM_{2.5}$, PM_{10}	3
75	Karnal	Good	29	PM_{10}	1
76	Katni	Moderate	165	PM_{10}	1
77	Khanna	Good	27	PM_{10}	1
78	Kishanganj	Poor	211	$PM_{2.5}$	1
79	Kochi	Moderate	173	$PM_{2.5}$	1
80	Kohima	Moderate	111	PM_{10}	1
81	Kolkata	Satisfactory	70	PM_{10}	7
82	Kollam	Moderate	109	PM_{10}	1
83	Koppal	Good	42	CO	1
84	Kota	Satisfactory	97	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	75	PM_{10}	1
86	Kurukshetra	Satisfactory	63	O_3	1
87	Lucknow	Satisfactory	96	$PM_{2.5}$, PM_{10}	6
88	Ludhiana	Good	38	PM_{10}	1
89	Madikeri	Satisfactory	55	PM_{10}	1
90	Maihar	Good	31	PM_{10}	1
91	Mandi Gobindgarh	Good	30	NO_2	1
92	Mandideep	Satisfactory	73	PM_{10}	1
93	Mandikhera	Satisfactory	90	PM_{10}	1
94	Manesar	Moderate	119	$PM_{2.5}$	1
95	Manglore	Good	40	CO	1
96	Meerut	Moderate	127	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Satisfactory	59	CO, $PM_{2.5}$	3
98	Motihari	Satisfactory	98	PM_{10}	1
99	Mumbai	Moderate	162	PM_{10}, $PM_{2.5}$	16
100	Munger	Poor	251	$PM_{2.5}$	1
101	Muzaffarnagar	Moderate	101	$PM_{2.5}$	1
102	Muzaffarpur	Satisfactory	93	$PM_{2.5}$	1
103	Mysuru	Satisfactory	71	O_3	1
104	Nagpur	Satisfactory	55	CO	1
105	Nandesari	Satisfactory	64	$PM_{2.5}$	1
106	Nashik	Satisfactory	88	PM_{10}	1
107	Navi Mumbai	Moderate	141	PM_{10}	3
108	Noida	Moderate	117	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	115	PM_{10}	1
110	Palwal	Satisfactory	86	PM_{10}	1
111	Panchkula	Good	30	O_3	1
112	Patiala	Good	37	O_3	1
113	Patna	Moderate	170	$PM_{2.5}$, PM_{10}	4
114	Pithampur	Moderate	128	$PM_{2.5}$	1
115	Prayagraj	Moderate	112	PM_{10}, $PM_{2.5}$	2
116	Puducherry	Good	48	PM_{10}	1
117	Pune	Moderate	108	NO_2, $PM_{2.5}$	3
118	Purnia	Moderate	132	$PM_{2.5}$	1
119	Raichur	Moderate	162	PM_{10}	1
120	Rajamahendravaram	Satisfactory	62	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	196	PM$_{2.5}$	1
122	Ramanagara	Satisfactory	92	PM$_{2.5}$	1
123	Rohtak	Moderate	124	PM$_{2.5}$	1
124	Rupnagar	Good	45	PM$_{10}$	1
125	Sagar	Satisfactory	89	PM$_{10}$	1
126	Sasaram	Poor	259	PM$_{2.5}$	1
127	Satna	Satisfactory	61	PM$_{10}$	1
128	Shillong	Good	49	PM$_{2.5}$	1
129	Shivamogga	Satisfactory	56	PM$_{10}$	1
130	Singrauli	Moderate	107	PM$_{10}$	1
131	Sirsa	Good	47	PM$_{10}$	1
132	Siwan	Moderate	117	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	71	CO	1
134	Srinagar	Moderate	149	PM_{10}	1
135	Thane	Poor	212	O_3	1
136	Thiruvananthapuram	Satisfactory	72	PM_{10}	2
137	Thoothukudi	Satisfactory	86	PM_{10}	1
138	Thrissur	Satisfactory	80	$PM_{2.5}$	1
139	Tirupati	Satisfactory	65	PM_{10}	1
140	Udaipur	Moderate	159	PM_{10}	1
141	Ujjain	Poor	229	PM_{10}	1
142	Vapi	Moderate	132	PM_{10}	1
143	Varanasi	Satisfactory	83	$PM_{2.5}$, PM_{10}	4
144	Vatva	Poor	244	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	46	PM_{10}	1
146	Visakhapatnam	Satisfactory	98	PM_{10}	1
147	Vrindavan	Moderate	134	$PM_{2.5}$	1
148	Yadgir	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bhagalpur, Bhilai, Bidar, Chhapra, Darbhanga, Jorapokhar, Kalyan, Katihar, Kolar, Manguraha, Naharlagun, Narnaul, Panipat, Ratlam, Saharsa, Siliguri, Sonipat, Talcher, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.