Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	123	$PM_{2.5}$	1
2	Ahmedabad	Moderate	142	$PM_{2.5}$	1
3	Ajmer	Moderate	129	$PM_{2.5}$	1
4	Alwar	Satisfactory	100	PM_{10}	1
5	Amaravati	Satisfactory	79	$PM_{2.5}$	1
6	Ambala	Poor	251	$PM_{2.5}$	1
7	Amritsar	Moderate	107	$PM_{2.5}$	1
8	Ankleshwar	Moderate	189	$PM_{2.5}$	1
9	Asanol	Poor	252	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	87	PM_{10}	1
11	Baghpat	Very Poor	346	$PM_{2.5}$	1
12	Bahadurgarh	Poor	276	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	246	PM_{10}	1
14	Bathinda	Poor	227	$PM_{2.5}$	1
15	Bengaluru	Satisfactory	81	O_3, PM_{10}, $PM_{2.5}$	10
16	Bhiwadi	Very Poor	311	$PM_{2.5}$	1
17	Bhiwani	Very Poor	345	$PM_{2.5}$	1
18	Bhopal	Poor	208	$PM_{2.5}$	1
19	Brajrajnagar	Moderate	117	$PM_{2.5}$	1
20	Bulandshahr	Very Poor	347	$PM_{2.5}$	1
21	Chandigarh	Poor	205	$PM_{2.5}$	1
22	Chandrapur	Satisfactory	66	$PM_{2.5}$	1
23	Chennai	Satisfactory	87	$PM_{2.5}$, O_3	3
24	Coimbatore	Satisfactory	71	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	387	$PM_{2.5}$	33
26	Dewas	Moderate	142	$PM_{2.5}$	1
27	Dharuhera	Very Poor	307	$PM_{2.5}$	1
28	Eloor	Moderate	116	PM_{10}	1
29	Faridabad	Very Poor	342	$PM_{2.5}$	1
30	Fatehabad	Moderate	191	$PM_{2.5}$	1
31	Gaya	Poor	284	$PM_{2.5}$	1
32	Ghaziabad	Very Poor	389	$PM_{2.5}$	4
33	Greater_Noida	Very Poor	354	$PM_{2.5}$	2
34	Gurugram	Very Poor	341	$PM_{2.5}$	2
35	Guwahati	Poor	244	$PM_{2.5}$	1
36	Haldia	Satisfactory	76	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Moderate	182	PM_{10}	1
38	Howrah	Very Poor	311	$PM_{2.5}$	3
39	Hubballi	Satisfactory	85	PM_{10}	1
40	Hyderabad	Satisfactory	97	$PM_{2.5}$, PM_{10}	5
41	Indore	Moderate	117	$PM_{2.5}$	1
42	Jabalpur	Poor	297	$PM_{2.5}$	1
43	Jaipur	Moderate	166	$PM_{2.5}$, PM_{10}	3
44	Jalandhar	Moderate	106	$PM_{2.5}$	1
45	Jind	Very Poor	321	$PM_{2.5}$	1
46	Jodhpur	Poor	213	$PM_{2.5}$	1
47	Jorapokhar	Moderate	160	PM_{10}	1
48	Kaithal	Poor	234	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Poor	201	PM_{10}	1
50	Kanpur	Severe	411	$PM_{2.5}$	1
51	Karnal	Very Poor	302	$PM_{2.5}$	1
52	Katni	Very Poor	332	$PM_{2.5}$	1
53	Khanna	Moderate	143	PM_{10}	1
54	Kolkata	Poor	262	$PM_{2.5}$	5
55	Kota	Moderate	145	$PM_{2.5}$	1
56	Kurukshetra	Poor	273	$PM_{2.5}$	1
57	Lucknow	Very Poor	335	$PM_{2.5}$	4
58	Ludhiana	Moderate	146	$PM_{2.5}$	1
59	Maihar	Moderate	190	$PM_{2.5}$	1
60	Mandi Gobindgarh	Moderate	193	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Moderate	127	PM_{10}	1
62	Mandikhera	Very Poor	320	$PM_{2.5}$	1
63	Manesar	Poor	271	$PM_{2.5}$	1
64	Meerut	Poor	256	$PM_{2.5}$	3
65	Moradabad	Very Poor	317	$PM_{2.5}$	1
66	Mumbai	Moderate	147	$PM_{2.5}$, O_3	10
67	Muzaffarpur	Severe	417	$PM_{2.5}$	1
68	Mysuru	Satisfactory	53	O_3	1
69	Nagpur	Satisfactory	85	PM_{10}	1
70	Narnaul	Very Poor	308	$PM_{2.5}$	1
71	Nashik	Moderate	126	$PM_{2.5}$	1
72	Navi Mumbai	Moderate	180	$PM_{2.5}$, CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Very Poor	375	$PM_{2.5}$	4
74	Pali	Moderate	137	$PM_{2.5}$	1
75	Palwal	Very Poor	340	$PM_{2.5}$	1
76	Panchkula	Poor	204	$PM_{2.5}$	1
77	Panipat	Very Poor	318	$PM_{2.5}$	1
78	Patiala	Moderate	160	$PM_{2.5}$	1
79	Patna	Very Poor	340	$PM_{2.5}$	4
80	Pithampur	Moderate	120	$PM_{2.5}$	1
81	Pune	Moderate	125	$PM_{2.5}$	1
82	Rajamahendravaram	Satisfactory	100	O_3	1
83	Ramanagara	Satisfactory	64	SO_2	1
84	Ratlam	Moderate	142	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Very Poor	374	$PM_{2.5}$	1
86	Rupnagar	Poor	232	$PM_{2.5}$	1
87	Satna	Moderate	114	PM_{10}	1
88	Siliguri	Moderate	165	$PM_{2.5}$	1
89	Singrauli	Very Poor	336	$PM_{2.5}$	1
90	Sirsa	Moderate	136	PM_{10}	1
91	Sonipat	Moderate	153	PM_{10}	1
92	Talcher	Very Poor	354	$PM_{2.5}$	1
93	Thane	Satisfactory	87	PM_{10}	1
94	Thiruvananthapuram	Satisfactory	71	CO	1
95	Tirupati	Good	49	$PM_{2.5}$	1
96	Udaipur	Poor	201	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 31, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	174	$PM_{2.5}$	1
98	Vapi	Poor	279	$PM_{2.5}$	1
99	Vatva	Moderate	181	PM_{10}	1
100	Visakhapatnam	Satisfactory	82	$PM_{2.5}$	1
101	Yadgir	Satisfactory	84	$PM_{2.5}$	1
102	Yamunanagar	Poor	296	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkaballapur, Damoh, GandhiNagar, Hisar, Kalaburagi, Muzaffarnagar, Shillong, Solapur, Varanasi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.