Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	261	$PM_{2.5}$	2
2	Agra	Good	41	PM_{10}	6
3	Ahmedabad	Moderate	130	$PM_{2.5}$, PM_{10}	7
4	Aizawl	Moderate	136	PM_{10}	1
5	Ajmer	Satisfactory	83	PM_{10}	1
6	Alwar	Satisfactory	77	PM_{10}	1
7	Amaravati	Moderate	124	$PM_{2.5}$	1
8	Ambala	Satisfactory	82	PM_{10}	1
9	Amritsar	Moderate	178	$PM_{2.5}$	1
10	Anantapur	Satisfactory	74	O_3	1
11	Araria	Poor	288	$PM_{2.5}$	1
12	Ariyalur	Moderate	115	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	152	PM_{10}	1
14	Aurangabad (Bihar)	Moderate	156	$PM_{2.5}$	1
15	Aurangabad (Maharashtra)	Satisfactory	85	$PM_{2.5}$	1
16	Bagalkot	Good	49	PM_{10}	1
17	Baghpat	Moderate	197	$PM_{2.5}$	1
18	Bahadurgarh	Moderate	122	$PM_{2.5}$	1
19	Ballabgarh	Moderate	115	CO	1
20	Bareilly	Satisfactory	73	PM_{10}	2
21	Baripada	Moderate	171	$PM_{2.5}$	1
22	Bathinda	Moderate	103	PM_{10}	1
23	Belgaum	Moderate	143	PM_{10}	1
24	Bengaluru	Moderate	160	$PM_{2.5}$, PM_{10}	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	220	$PM_{2.5}$	1
26	Bhagalpur	Poor	248	$PM_{2.5}$	2
27	Bhilai	Satisfactory	97	O_3, PM_{10}	3
28	Bhiwadi	Moderate	143	PM_{10}	1
29	Bhiwani	Moderate	129	$PM_{2.5}$	1
30	Bhopal	Moderate	164	$PM_{2.5}$	1
31	Bidar	Satisfactory	79	CO	1
32	Bihar Sharif	Moderate	119	$PM_{2.5}$	1
33	Bileipada	Very Poor	312	$PM_{2.5}$	1
34	Brajrajnagar	Moderate	110	PM_{10}	1
35	Bulandshahr	Moderate	150	$PM_{2.5}$	1
36	Byrnihat	Very Poor	370	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	44	PM_{10}	1
38	Chandigarh	Moderate	165	$PM_{2.5}$	3
39	Chandrapur	Moderate	114	$PM_{2.5}$	2
40	Charkhi Dadri	Moderate	177	$PM_{2.5}$	1
41	Chengalpattu	Moderate	115	$PM_{2.5}$	1
42	Chennai	Moderate	105	$PM_{2.5}$	8
43	Chhapra	Poor	247	$PM_{2.5}$	1
44	Chikkaballapur	Moderate	128	PM_{10}	1
45	Chikkamagaluru	Satisfactory	56	$PM_{2.5}$	1
46	Coimbatore	Moderate	165	$PM_{2.5}$	1
47	Damoh	Satisfactory	56	$PM_{2.5}$	1
48	Davanagere	Satisfactory	72	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	229	$PM_{2.5}$	38
50	Dewas	Moderate	168	$PM_{2.5}$	1
51	Dharuhera	Poor	218	$PM_{2.5}$	1
52	Durgapur	Moderate	104	PM_{10}	1
53	Faridabad	Poor	272	$PM_{2.5}$	4
54	Fatehabad	Moderate	120	PM_{10}	1
55	Firozabad	Satisfactory	96	PM_{10}, $PM_{2.5}$	2
56	Gadag	Satisfactory	57	O_3	1
57	Gandhinagar	Moderate	138	$PM_{2.5}$, PM_{10}	3
58	Gangtok	Satisfactory	75	$PM_{2.5}$	1
59	Gaya	Moderate	157	$PM_{2.5}$	3
60	Ghaziabad	Moderate	155	$PM_{2.5}$, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Satisfactory	85	PM_{10}	1
62	Greater Noida	Moderate	194	$PM_{2.5}$	2
63	Gummidipoondi	Moderate	160	$PM_{2.5}$	1
64	Gurugram	Poor	210	$PM_{2.5}$	4
65	Guwahati	Poor	265	$PM_{2.5}$	3
66	Gwalior	Poor	263	$PM_{2.5}$	3
67	Hajipur	Poor	227	$PM_{2.5}$	1
68	Haldia	Moderate	164	$PM_{2.5}$	1
69	Hapur	Satisfactory	68	$PM_{2.5}$	1
70	Hassan	Satisfactory	74	PM_{10}	1
71	Haveri	Satisfactory	80	$PM_{2.5}$	1
72	Hisar	Moderate	117	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Moderate	130	CO	1
74	Howrah	Poor	227	$PM_{2.5}$	3
75	Hubballi	Satisfactory	77	PM_{10}	2
76	Hyderabad	Moderate	103	CO, $PM_{2.5}$	12
77	Imphal	Moderate	156	$PM_{2.5}$, SO_2	2
78	Indore	Moderate	126	PM_{10}	1
79	Jabalpur	Poor	251	$PM_{2.5}$	1
80	Jaipur	Moderate	125	PM_{10}	3
81	Jalandhar	Satisfactory	75	PM_{10}	1
82	Jhansi	Moderate	103	PM_{10}	1
83	Jind	Satisfactory	92	$PM_{2.5}$	1
84	Jodhpur	Moderate	108	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	136	PM_{10}	1
86	Kadapa	Moderate	178	$PM_{2.5}$	1
87	Kaithal	Satisfactory	98	PM_{10}	1
88	Kalaburgi	Satisfactory	91	$PM_{2.5}$	1
89	Kalyan	Moderate	195	PM_{10}	1
90	Kanchipuram	Satisfactory	87	PM_{10}	1
91	Kanpur	Satisfactory	86	PM_{10}, $PM_{2.5}$	3
92	Katihar	Poor	268	$PM_{2.5}$	1
93	Keonjhar	Poor	232	$PM_{2.5}$	1
94	Khanna	Satisfactory	74	PM_{10}	1
95	Khurja	Moderate	136	$PM_{2.5}$	1
96	Kishanganj	Very Poor	304	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	191	$PM_{2.5}$	1
98	Kohima	Moderate	145	$PM_{2.5}$	1
99	Kolar	Moderate	165	SO_2	1
100	Kolkata	Moderate	189	$PM_{2.5}$	7
101	Kollam	Satisfactory	83	PM_{10}	1
102	Koppal	Moderate	198	O_3	1
103	Korba	Moderate	105	PM_{10}	2
104	Kota	Poor	219	$PM_{2.5}$	1
105	Kozhikode	Satisfactory	75	$PM_{2.5}$	1
106	Kurukshetra	Moderate	107	$PM_{2.5}$	1
107	Lucknow	Satisfactory	92	$PM_{2.5}$, PM_{10}	6
108	Ludhiana	Moderate	171	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Good	45	O_3	1
110	Maihar	Satisfactory	63	PM_{10}	1
111	Mandi Gobindgarh	Poor	233	$PM_{2.5}$	1
112	Mandikhera	Satisfactory	93	PM_{10}	1
113	Manesar	Moderate	188	$PM_{2.5}$	1
114	Mangalore	Moderate	123	PM_{10}	1
115	Meerut	Poor	240	$PM_{2.5}$	3
116	Moradabad	Satisfactory	75	$PM_{2.5}$	6
117	Motihari	Moderate	118	PM_{10}	1
118	Mumbai	Poor	254	$PM_{2.5}$, PM_{10}	20
119	Munger	Moderate	172	$PM_{2.5}$	1
120	Muzaffarnagar	Poor	263	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Moderate	188	$PM_{2.5}$	2
122	Mysuru	Satisfactory	53	PM_{10}	1
123	Nagpur	Moderate	192	$PM_{2.5}$	1
124	Naharlagun	Satisfactory	57	$PM_{2.5}$	1
125	Nalbari	Poor	241	PM_{10}	1
126	Nandesari	Satisfactory	57	$PM_{2.5}$	1
127	Narnaul	Moderate	130	$PM_{2.5}$	1
128	Nashik	Satisfactory	74	PM_{10}	1
129	Navi Mumbai	Poor	235	$PM_{2.5}$	2
130	Nayagarh	Moderate	199	$PM_{2.5}$	1
131	Noida	Moderate	172	$PM_{2.5}$	4
132	Ooty	Satisfactory	73	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pali	Satisfactory	93	PM_{10}	1
134	Palwal	Satisfactory	61	PM_{10}	1
135	Panchkula	Moderate	154	$PM_{2.5}$	1
136	Panipat	Satisfactory	88	PM_{10}	1
137	Patiala	Satisfactory	66	PM_{10}	1
138	Patna	Poor	204	$PM_{2.5}$	6
139	Pithampur	Moderate	190	$PM_{2.5}$	1
140	Prayagraj	Satisfactory	73	PM_{10}	3
141	Puducherry	Satisfactory	83	$PM_{2.5}$	1
142	Pune	Moderate	184	$PM_{2.5}$, PM_{10}	4
143	Purnia	Poor	291	$PM_{2.5}$	1
144	Raichur	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Moderate	102	PM_{10}	4
146	Rairangpur	Poor	270	$PM_{2.5}$	1
147	Rajamahendravaram	Moderate	173	$PM_{2.5}$	1
148	Rajgir	Moderate	180	$PM_{2.5}$	1
149	Ramanagara	Satisfactory	88	PM_{10}	1
150	Ramanathapuram	Moderate	103	$PM_{2.5}$	1
151	Ratlam	Moderate	138	$PM_{2.5}$	1
152	Rohtak	Moderate	113	$PM_{2.5}$	1
153	Rourkela	Moderate	169	$PM_{2.5}$	3
154	Rupnagar	Satisfactory	87	PM_{10}	1
155	Sagar	Moderate	114	$PM_{2.5}$, CO	2
156	Saharsa	Poor	280	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Salem	Moderate	110	$PM_{2.5}$	1
158	Samastipur	Moderate	182	$PM_{2.5}$	1
159	Sasaram	Moderate	148	$PM_{2.5}$	1
160	Satna	Satisfactory	55	PM_{10}	1
161	Shillong	Moderate	145	$PM_{2.5}$	1
162	Shivamogga	Good	45	O_3	1
163	Siliguri	Moderate	122	PM_{10}	1
164	Singrauli	Moderate	141	$PM_{2.5}$	1
165	Sirsa	Moderate	107	O_3	1
166	Sivasagar	Satisfactory	74	PM_{10}	1
167	Siwan	Poor	241	$PM_{2.5}$	1
168	Solapur	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sonipat	Satisfactory	71	$PM_{2.5}$	1
170	Srinagar	Good	25	PM_{10}	1
171	Suakati	Poor	252	$PM_{2.5}$	1
172	Surat	Poor	203	$PM_{2.5}$	1
173	Talcher	Moderate	191	PM_{10}	1
174	Tensa	Moderate	169	$PM_{2.5}$	1
175	Thiruvananthapuram	Satisfactory	54	PM_{10}	2
176	Thoothukudi	Satisfactory	73	PM_{10}	1
177	Thrissur	Moderate	130	PM_{10}	1
178	Tirupati	Moderate	149	$PM_{2.5}$	1
179	Tirupur	Moderate	105	$PM_{2.5}$	1
180	Udaipur	Moderate	120	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 27, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ujjain	Poor	242	$PM_{2.5}$	1
182	Vapi	Poor	288	$PM_{2.5}$	1
183	Varanasi	Good	40	PM_{10}, SO_2	4
184	Vatva	Moderate	102	PM_{10}	1
185	Vijayapura	Good	46	PM_{10}	1
186	Vijayawada	Satisfactory	92	$PM_{2.5}$	1
187	Visakhapatnam	Poor	240	PM_{10}	1
188	Vrindavan	Poor	204	PM_{10}	1
189	Yadgir	Satisfactory	74	PM_{10}	1
190	Yamunanagar	Moderate	117	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Baddi, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Kannur, Karnal, Katni, Kunjemura, Mandideep, Manguraha, Milupara, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.