

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	68	PM <sub>10</sub>	6
2	Ahmedabad	Satisfactory	74	03	7
3	Aizawl	Good	23	PM <sub>10</sub>	1
4	Ajmer	Moderate	185	PM <sub>10</sub>	1
5	Akola	Good	47	PM <sub>10</sub>	1
6	Alwar	Satisfactory	60	PM <sub>10</sub>	1
7	Amaravati	Good	24	03	1
8	Ambala	Satisfactory	95	со	1
9	Amravati	Good	30	PM <sub>10</sub>	2
10	Amritsar	Moderate	108	PM <sub>2.5</sub>	1
11	Anantapur	Good	45	PM <sub>10</sub>	1
12	Ankleshwar	Satisfactory	99	03	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

aria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, B Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,

Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	52	PM <sub>10</sub>	1
14	Arrah	Moderate	105	PM <sub>10</sub>	1
15	Asansol	Good	35	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Good	50	со	1
17	Aurangabad (Maharashtra)	Good	46	PM <sub>10</sub>	2
18	Baddi	Satisfactory	84	PM <sub>10</sub>	1
19	Badlapur	Good	33	PM <sub>10</sub>	1
20	Bagalkot	Good	46	PM <sub>10</sub>	1
21	Baghpat	Satisfactory	99	NO <sub>2</sub>	1
22	Bahadurgarh	Moderate	103	PM <sub>10</sub>	1
23	Banswara	Satisfactory	88	PM <sub>10</sub>	1
24	Baran	Moderate	146	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,

Notes: Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,
Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,
Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	52	PM <sub>10</sub>	2
26	Baripada	Good	24	со	1
27	Barmer	Satisfactory	53	PM <sub>10</sub>	1
28	Bathinda	Satisfactory	65	PM <sub>10</sub>	1
29	Begusarai	Satisfactory	69	NO <sub>2</sub>	1
30	Belapur	Good	27	PM <sub>10</sub>	1
31	Belgaum	Good	46	со	1
32	Bengaluru	Satisfactory	97	PM <sub>2.5</sub> , CO	10
33	Bettiah	Moderate	126	PM <sub>10</sub>	1
34	Bhagalpur	Satisfactory	81	со	2
35	Bharatpur	Satisfactory	92	PM <sub>10</sub>	1
36	Bhilai	Good	38	PM <sub>2.5</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Bundi,

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilwara	Moderate	128	PM <sub>10</sub>	1
38	Bhiwadi	Moderate	106	PM <sub>10</sub>	1
39	Bhiwandi	Good	44	PM <sub>10</sub>	1
40	Bhiwani	Satisfactory	64	со	1
41	Bhopal	Satisfactory	94	PM <sub>10</sub>	3
42	Bikaner	Satisfactory	66	PM <sub>10</sub>	1
43	Bilaspur	Moderate	109	со	1
44	Bileipada	Satisfactory	82	PM <sub>10</sub>	1
45	Bulandshahr	Satisfactory	76	PM <sub>10</sub>	1
46	Byrnihat	Satisfactory	97	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	39	PM <sub>10</sub>	1
48	Chandigarh	Satisfactory	62	PM <sub>10</sub>	3

Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### $^{\star}$ AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,
Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,
Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Good	42	PM <sub>10</sub>	1
50	Charkhi Dadri	Satisfactory	87	PM <sub>10</sub>	1
51	Chennai	Moderate	107	PM <sub>10</sub> , NO <sub>2</sub>	8
52	Chhal	Good	24	со	1
53	Chhapra	Satisfactory	52	со	1
54	Chikkaballapur	Satisfactory	55	PM <sub>10</sub>	1
55	Chikkamagaluru	Good	41	PM <sub>10</sub>	1
56	Chittoor	Good	35	03	1
57	Churu	Satisfactory	79	PM <sub>10</sub>	1
58	Cuddalore	Moderate	146	NO <sub>2</sub>	2
59	Damoh	Good	22	PM <sub>10</sub>	1
60	Dausa	Satisfactory	67	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Notes:

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,

Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,

Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,

Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	16	PM <sub>2.5</sub>	1
62	Dehradun	Good	38	O <sub>3</sub>	1
63	Delhi	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	12
64	Dewas	Satisfactory	66	PM <sub>10</sub>	1
65	Dhanbad	Moderate	186	со	1
66	Dholpur	Satisfactory	61	PM <sub>10</sub>	1
67	Dhule	Good	36	PM <sub>10</sub>	1
68	Dindigul	Satisfactory	53	PM <sub>10</sub>	1
69	Faridabad	Satisfactory	100	PM <sub>10</sub>	4
70	Fatehabad	Moderate	127	O <sub>3</sub>	1
71	Firozabad	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2
72	Gadag	Good	46	SO <sub>2</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,

Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Gangtok	Satisfactory	57	SO <sub>2</sub>	1
75	Gaya	Satisfactory	58	03	3
76	Ghaziabad	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	4
77	Gorakhpur	Satisfactory	67	PM <sub>10</sub>	1
78	Greater Noida	Moderate	140	PM <sub>10</sub>	2
79	Gummidipoondi	Moderate	131	PM <sub>10</sub>	1
80	Gurugram	Moderate	134	PM <sub>2.5</sub>	4
81	Guwahati	Satisfactory	59	CO, SO <sub>2</sub>	4
82	Gwalior	Moderate	103	PM <sub>2.5</sub> , O <sub>3</sub>	4
83	Hajipur	Satisfactory	62	PM <sub>10</sub>	1
84	Haldia	Good	35	O <sub>3</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,

Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Satisfactory	100	PM <sub>10</sub>	1
86	Hapur	Satisfactory	60	PM <sub>10</sub>	1
87	Haveri	Good	34	со	1
88	Hosur	Satisfactory	64	PM <sub>10</sub>	1
89	Howrah	Good	37	NO <sub>2</sub> , PM <sub>10</sub>	3
90	Hubballi	Good	48	со	2
91	Hyderabad	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	11
92	Indore	Satisfactory	54	PM <sub>10</sub>	1
93	Jabalpur	Satisfactory	57	PM <sub>10</sub>	2
94	Jaipur	Satisfactory	79	PM <sub>10</sub> , O <sub>3</sub>	5
95	Jaisalmer	Satisfactory	96	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	54	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,

Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	76	PM <sub>10</sub>	1
98	Jhalawar	Satisfactory	56	PM <sub>10</sub>	1
99	Jhansi	Satisfactory	69	PM <sub>2.5</sub>	1
100	Jhunjhunu	Satisfactory	78	03	1
101	Jind	Satisfactory	92	со	1
102	Jodhpur	Moderate	125	03	5
103	Kaithal	Satisfactory	60	PM <sub>2.5</sub>	1
104	Kalyan	Satisfactory	88	O <sub>3</sub>	1
105	Kanchipuram	Satisfactory	60	PM <sub>10</sub>	1
106	Kannur	Satisfactory	69	PM <sub>10</sub>	1
107	Kanpur	Satisfactory	78	со	3
108	Karauli	Satisfactory	66	03	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

aria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, B Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,

Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	56	PM <sub>10</sub>	1
110	Kashipur	Satisfactory	63	PM <sub>10</sub>	1
111	Katihar	Satisfactory	92	со	1
112	Katni	Satisfactory	62	PM <sub>10</sub>	1
113	Keonjhar	Good	30	PM <sub>10</sub>	1
114	Khanna	Satisfactory	63	PM <sub>10</sub>	1
115	Khurja	Satisfactory	92	PM <sub>2.5</sub>	1
116	Kishanganj	Satisfactory	59	PM <sub>10</sub>	1
117	Kochi	Satisfactory	90	PM <sub>10</sub>	1
118	Kohima	Good	47	SO <sub>2</sub>	1
119	Kolar	Satisfactory	62	PM <sub>10</sub>	1
120	Kolhapur	Good	31	PM <sub>10</sub>	2

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Bundi,

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>#</sup> Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	33	O <sub>3</sub> , PM <sub>10</sub>	7
122	Kollam	Satisfactory	76	PM <sub>10</sub>	1
123	Koppal	Good	25	SO <sub>2</sub>	1
124	Korba	Good	33	NO <sub>2</sub>	1
125	Kota	Satisfactory	93	PM <sub>10</sub> , PM <sub>2.5</sub>	3
126	Kurukshetra	Satisfactory	56	03	1
127	Latur	Good	40	СО	1
128	Lucknow	Satisfactory	78	PM <sub>2.5</sub>	6
129	Ludhiana	Moderate	112	PM <sub>2.5</sub>	1
130	Madikeri	Good	36	PM <sub>10</sub>	1
131	Mahad	Good	32	PM <sub>10</sub>	1
132	Maihar	Good	25	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Bundi,

Notes:

Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,
Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,
Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>#</sup> Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Satisfactory	89	PM <sub>2.5</sub>	1
134	Mandideep	Satisfactory	76	03	1
135	Mandikhera	Good	45	PM <sub>10</sub>	1
136	Manesar	Satisfactory	91	PM <sub>2.5</sub>	1
137	Mangalore	Satisfactory	86	PM <sub>10</sub>	1
138	Manguraha	Good	49	PM <sub>10</sub>	1
139	Meerut	Satisfactory	74	со	3
140	Moradabad	Moderate	104	PM <sub>10</sub>	6
141	Motihari	Satisfactory	57	PM <sub>10</sub>	1
142	Mumbai	Satisfactory	87	PM <sub>2.5</sub> , NO <sub>2</sub>	19
143	Munger	Moderate	134	PM <sub>10</sub>	1
144	Muzaffarnagar	Satisfactory	79	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,

Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	83	O <sub>3</sub> , CO	3
146	Mysuru	Satisfactory	64	PM <sub>10</sub>	1
147	Nagaon	Satisfactory	55	03	1
148	Nagaur	Satisfactory	92	PM <sub>10</sub>	1
149	Nagpur	Good	34	CO, PM <sub>10</sub>	4
150	Naharlagun	Good	38	PM <sub>10</sub>	1
151	Narnaul	Satisfactory	67	PM <sub>2.5</sub>	1
152	Nashik	Satisfactory	52	PM <sub>10</sub>	4
153	Navi Mumbai	Good	33	со	3
154	Noida	Moderate	110	PM <sub>2.5</sub>	4
155	Ooty	Satisfactory	54	PM <sub>10</sub>	1
156	Palwal	Good	47	03	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Bundi,

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	55	03	1
158	Panipat	Satisfactory	57	PM <sub>10</sub>	1
159	Patiala	Satisfactory	52	PM <sub>10</sub>	1
160	Patna	Satisfactory	83	PM <sub>2.5</sub> , NO <sub>2</sub>	6
161	Pimpri Chinchwad	Good	43	PM <sub>10</sub>	3
162	Pithampur	Satisfactory	62	PM <sub>10</sub>	1
163	Pratapgarh	Good	47	PM <sub>10</sub>	1
164	Prayagraj	Satisfactory	68	PM <sub>10</sub>	3
165	Puducherry	Satisfactory	92	PM <sub>10</sub>	1
166	Pune	Satisfactory	83	NO <sub>2</sub> , PM <sub>10</sub>	5
167	Raichur	Good	50	O <sub>3</sub>	1
168	Raipur	Satisfactory	54	PM <sub>10</sub> , NO <sub>2</sub>	4

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Bundi,

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Good	29	PM <sub>10</sub>	1
170	Rajamahendravaram	Good	19	со	1
171	Rajgir	Satisfactory	70	PM <sub>10</sub>	1
172	Rajsamand	Moderate	151	PM <sub>10</sub>	1
173	Ramanagara	Satisfactory	64	PM <sub>10</sub>	1
174	Ramanathapuram	Good	19	со	1
175	Rishikesh	Good	38	O <sub>3</sub>	1
176	Rohtak	Satisfactory	71	PM <sub>2.5</sub>	1
177	Rourkela	Good	45	PM <sub>10</sub> , PM <sub>2.5</sub>	3
178	Rupnagar	Moderate	176	PM <sub>10</sub>	1
179	Sagar	Satisfactory	60	03	1
180	Saharsa	Satisfactory	81	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,
Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Salem	Satisfactory	83	SO <sub>2</sub>	1
182	Samastipur	Moderate	137	со	1
183	Sangli	Good	23	03	1
184	Sasaram	Good	26	PM <sub>10</sub>	1
185	Satna	Satisfactory	52	PM <sub>10</sub>	1
186	Sawai Madhopur	Satisfactory	65	PM <sub>10</sub>	1
187	Shillong	Good	27	PM <sub>2.5</sub>	1
188	Shivamogga	Satisfactory	58	03	1
189	Sikar	Satisfactory	55	PM <sub>10</sub>	1
190	Silchar	Good	26	со	1
191	Siliguri	Good	45	PM <sub>10</sub>	1
192	Singrauli	Satisfactory	60	NO <sub>2</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,

Notes: Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,
Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,
Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Satisfactory	96	PM <sub>10</sub>	1
194	Sivasagar	Good	33	SO <sub>2</sub>	1
195	Siwan	Satisfactory	92	PM <sub>10</sub>	1
196	Solapur	Good	38	NO <sub>2</sub>	3
197	Sonipat	Moderate	107	PM <sub>10</sub>	1
198	Sri Ganganagar	Poor	205	PM <sub>10</sub>	1
199	Srinagar	Good	36	PM <sub>10</sub>	1
200	Suakati	Satisfactory	53	PM <sub>10</sub>	1
201	Surat	Good	33	PM <sub>2.5</sub>	1
202	Tensa	Good	39	NO <sub>2</sub>	1
203	Thane	Good	44	PM <sub>10</sub>	3
204	Thiruvananthapuram	Good	22	СО	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,
Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera,
Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna,
Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara,
Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,

Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Moderate	151	O <sub>3</sub>	1
206	Thrissur	Satisfactory	74	PM <sub>10</sub>	1
207	Tirupati	Satisfactory	61	PM <sub>10</sub>	2
208	Tonk	Satisfactory	95	PM <sub>2.5</sub>	1
209	Tumakuru	Moderate	183	PM <sub>10</sub>	1
210	Tumidih	Good	23	PM <sub>10</sub>	1
211	Udaipur	Satisfactory	61	PM <sub>2.5</sub>	1
212	Udupi	Satisfactory	73	O <sub>3</sub>	1
213	Vapi	Satisfactory	80	со	1
214	Varanasi	Good	28	SO <sub>2</sub>	4
215	Vatva	Satisfactory	62	PM <sub>10</sub>	1
216	Vijayapura	Good	46	PM <sub>10</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Beisar, Brajrajnagar, Bundi,

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur, Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Visakhapatnam	Satisfactory	81	PM <sub>10</sub>	1
218	Vrindavan	Good	31	PM <sub>10</sub>	1
219	Yadgir	Good	21	SO <sub>2</sub>	1
220	Yamunanagar	Satisfactory	79	PM <sub>10</sub>	1

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, - Araria, Ballabgarh, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Bundi,

### Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dharwad, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Nalbari, Nanded, Nandesari, Nayagarh, Pali, Palkalaiperur,

Parbhani, Purnia, Ratlam, Sirsa, Talcher, Tirupur, Ujjain, Ulhasnagar,

Vijayawada, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.