

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1 | Agra | Moderate | 125 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Satisfactory | 94 | PM ₁₀ | 1 |
| 3 | Ajmer | Satisfactory | 91 | PM ₁₀ | 1 |
| 4 | Alwar | Satisfactory | 81 | PM ₁₀ | 1 |
| 5 | Amaravati | Moderate | 135 | PM _{2.5} | 1 |
| 6 | Ambala | Moderate | 197 | PM _{2.5} | 1 |
| 7 | Amritsar | Poor | 205 | PM _{2.5} | 1 |
| 8 | Ankleshwar | Poor | 241 | PM _{2.5} | 1 |
| 9 | Asanol | Poor | 277 | PM _{2.5} | 1 |
| 10 | Aurangabad | Satisfactory | 92 | PM ₁₀ | 1 |
| 11 | Baghpat | Very Poor | 331 | PM _{2.5} | 1 |
| 12 | Bahadurgarh | Poor | 265 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|---|--|
| 13 | Ballabgarh | Very Poor | 338 | PM _{2.5} | 1 |
| 14 | Bathinda | Very Poor | 302 | PM _{2.5} | 1 |
| 15 | Bengaluru | Satisfactory | 77 | PM ₁₀ , PM _{2.5} , CO | 7 |
| 16 | Bhiwani | Poor | 292 | PM _{2.5} | 1 |
| 17 | Bhopal | Moderate | 110 | PM _{2.5} | 1 |
| 18 | Brajrajnagar | Moderate | 126 | PM _{2.5} | 1 |
| 19 | Chandigarh | Moderate | 116 | PM _{2.5} | 1 |
| 20 | Chandrapur | Moderate | 131 | PM _{2.5} | 1 |
| 21 | Chennai | Satisfactory | 96 | PM _{2.5} , PM ₁₀ | 3 |
| 22 | Chikkaballapur | Satisfactory | 91 | PM ₁₀ | 1 |
| 23 | Coimbatore | Satisfactory | 85 | PM _{2.5} | 1 |
| 24 | Damoh | Moderate | 135 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 25 | Delhi | Very Poor | 383 | PM _{2.5} , PM ₁₀ | 33 |
| 26 | Dewas | Satisfactory | 93 | PM ₁₀ | 1 |
| 27 | Dharuhera | Poor | 273 | PM _{2.5} | 1 |
| 28 | Eloor | Moderate | 169 | PM ₁₀ | 1 |
| 29 | Faridabad | Very Poor | 382 | PM _{2.5} | 1 |
| 30 | Fatehabad | Moderate | 135 | PM ₁₀ | 1 |
| 31 | GandhiNagar | Satisfactory | 76 | PM ₁₀ | 1 |
| 32 | Gaya | Poor | 249 | PM _{2.5} | 1 |
| 33 | Ghaziabad | Very Poor | 398 | PM _{2.5} | 4 |
| 34 | Greater_Noida | Very Poor | 386 | PM _{2.5} | 2 |
| 35 | Gurugram | Very Poor | 324 | PM _{2.5} | 2 |
| 36 | Guwahati | Poor | 285 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | or Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-----------|--------------|-------------|--------------------------------------|--|
| 37 | Haldia | Moderate | 164 | PM ₁₀ | 1 |
| 38 | Hapur | Poor | 210 | PM ₁₀ | 1 |
| 39 | Hisar | Poor | 279 | PM _{2.5} | 1 |
| 40 | Howrah | Very Poor | 359 | PM ₁₀ , PM _{2.5} | 3 |
| 41 | Hubballi | Satisfactory | 96 | PM ₁₀ | 1 |
| 42 | Hyderabad | Moderate | 125 | PM _{2.5} , PM ₁₀ | 5 |
| 43 | Indore | Moderate | 116 | PM _{2.5} | 1 |
| 44 | Jabalpur | Poor | 230 | PM _{2.5} | 1 |
| 45 | Jaipur | Moderate | 103 | PM ₁₀ | 3 |
| 46 | Jalandhar | Moderate | 122 | PM _{2.5} | 1 |
| 47 | Jind | Very Poor | 308 | PM _{2.5} | 1 |
| 48 | Jodhpur | Moderate | 134 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | or Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 49 | Jorapokhar | Poor | 224 | PM ₁₀ | 1 |
| 50 | Kaithal | Moderate | 156 | PM _{2.5} | 1 |
| 51 | Kalyan | Poor | 211 | PM ₁₀ | 1 |
| 52 | Kanpur | Very Poor | 348 | PM _{2.5} | 1 |
| 53 | Karnal | Poor | 267 | PM _{2.5} | 1 |
| 54 | Katni | Poor | 235 | PM _{2.5} | 1 |
| 55 | Khanna | Moderate | 160 | PM ₁₀ | 1 |
| 56 | Kolkata | Poor | 300 | PM ₁₀ , PM _{2.5} | 6 |
| 57 | Kota | Satisfactory | 91 | PM ₁₀ | 1 |
| 58 | Lucknow | Poor | 296 | PM _{2.5} | 3 |
| 59 | Ludhiana | Poor | 266 | PM _{2.5} | 1 |
| 60 | Maihar | Moderate | 130 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 61 | Mandi Gobindgarh | Moderate | 180 | PM _{2.5} | 1 |
| 62 | Mandideep | Moderate | 112 | PM ₁₀ | 1 |
| 63 | Mandikhera | Poor | 254 | PM _{2.5} | 1 |
| 64 | Manesar | Poor | 273 | PM _{2.5} | 1 |
| 65 | Meerut | Poor | 282 | PM _{2.5} | 3 |
| 66 | Moradabad | Very Poor | 319 | PM _{2.5} | 1 |
| 67 | Mumbai | Poor | 245 | PM _{2.5} | 10 |
| 68 | Muzaffarpur | Severe | 412 | PM _{2.5} | 1 |
| 69 | Mysuru | Satisfactory | 57 | PM ₁₀ | 1 |
| 70 | Narnaul | Moderate | 132 | PM _{2.5} | 1 |
| 71 | Nashik | Moderate | 134 | PM _{2.5} | 1 |
| 72 | Navi Mumbai | Poor | 249 | PM _{2.5} | 2 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 73 | Noida | Severe | 413 | PM _{2.5} | 4 |
| 74 | Pali | Moderate | 128 | PM _{2.5} | 1 |
| 75 | Palwal | Poor | 290 | PM _{2.5} | 1 |
| 76 | Panchkula | Moderate | 152 | PM _{2.5} | 1 |
| 77 | Panipat | Very Poor | 333 | PM ₁₀ | 1 |
| 78 | Patiala | Moderate | 127 | PM _{2.5} | 1 |
| 79 | Patna | Severe | 431 | PM _{2.5} | 1 |
| 80 | Pithampur | Moderate | 136 | PM _{2.5} | 1 |
| 81 | Pune | Poor | 205 | PM _{2.5} | 1 |
| 82 | Rajamahendravaram | Moderate | 146 | PM _{2.5} | 1 |
| 83 | Ramanagara | Satisfactory | 59 | SO ₂ | 1 |
| 84 | Ratlam | Moderate | 135 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 85 | Rohtak | Very Poor | 303 | PM _{2.5} | 1 |
| 86 | Rupnagar | Satisfactory | 94 | PM _{2.5} | 1 |
| 87 | Satna | Moderate | 103 | PM ₁₀ | 1 |
| 88 | Siliguri | Poor | 239 | PM _{2.5} | 1 |
| 89 | Sirsa | Moderate | 102 | PM ₁₀ | 1 |
| 90 | Solapur | Moderate | 116 | PM ₁₀ | 1 |
| 91 | Sonipat | Poor | 277 | PM ₁₀ | 1 |
| 92 | Talcher | Very Poor | 336 | PM _{2.5} | 1 |
| 93 | Thane | Satisfactory | 90 | PM ₁₀ | 1 |
| 94 | Thiruvananthapuram | Satisfactory | 75 | PM _{2.5} | 1 |
| 95 | Tirupati | Satisfactory | 74 | PM ₁₀ | 1 |
| 96 | Udaipur | Moderate | 151 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 97 | Ujjain | Satisfactory | 95 | PM ₁₀ | 1 |
| 98 | Varanasi | Very Poor | 304 | PM _{2.5} | 1 |
| 99 | Vatva | Moderate | 145 | PM ₁₀ | 1 |
| 100 | Visakhapatnam | Poor | 207 | PM _{2.5} | 1 |
| 101 | Yadgir | Satisfactory | 90 | PM _{2.5} | 1 |
| 102 | Yamunanagar | Poor | 216 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people | | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor Respiratory illness on prolonged exposure | | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Bhiwadi, Bulandshahr, Kalaburagi, Kurukshetra, Muzaffarnagar, Nagpur, Shillong, Singrauli, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.