Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	134	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	98	PM_{10}	1
3	Ajmer	Moderate	106	$PM_{2.5}$	1
4	Alwar	Satisfactory	93	$PM_{2.5}$	1
5	Amaravati	Poor	208	$PM_{2.5}$	1
6	Ambala	Moderate	154	$PM_{2.5}$	1
7	Amritsar	Moderate	130	$PM_{2.5}$	1
8	Ankleshwar	Poor	207	$PM_{2.5}$	1
9	Asanol	Poor	227	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	93	PM_{10}	1
11	Baghpat	Poor	257	$PM_{2.5}$	1
12	Bahadurgarh	Poor	201	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Severe	403	$PM_{2.5}$	1
14	Bathinda	Very Poor	321	$PM_{2.5}$	1
15	Bengaluru	Satisfactory	62	PM_{10}, CO, $PM_{2.5}$	9
16	Bhiwani	Poor	227	$PM_{2.5}$	1
17	Bhopal	Poor	260	$PM_{2.5}$	1
18	Brajrajnagar	Poor	241	$PM_{2.5}$	1
19	Bulandshahr	Very Poor	353	$PM_{2.5}$	1
20	Chandigarh	Satisfactory	80	PM_{10}	1
21	Chandrapur	Satisfactory	88	$PM_{2.5}$, PM_{10}	2
22	Chennai	Moderate	102	$PM_{2.5}$	2
23	Chikkaballapur	Good	44	O_3	1
24	Coimbatore	Satisfactory	58	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	145	$PM_{2.5}$	1
26	Delhi	Very Poor	350	$PM_{2.5}$	34
27	Dewas	Moderate	162	$PM_{2.5}$	1
28	Dharuhera	Moderate	197	$PM_{2.5}$	1
29	Eloor	Moderate	115	PM_{10}	1
30	Faridabad	Very Poor	370	$PM_{2.5}$	1
31	Fatehabad	Moderate	150	PM_{10}	1
32	GandhiNagar	Satisfactory	77	$PM_{2.5}$	1
33	Gaya	Very Poor	334	$PM_{2.5}$	1
34	Ghaziabad	Very Poor	370	$PM_{2.5}$	4
35	Greater_Noida	Very Poor	398	$PM_{2.5}$	2
36	Gurugram	Poor	211	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	130	PM_{10}	1
38	Hapur	Moderate	190	PM_{10}	1
39	Hisar	Poor	274	$PM_{2.5}$	1
40	Howrah	Very Poor	329	$PM_{2.5}$	3
41	Hubballi	Moderate	102	PM_{10}	1
42	Hyderabad	Moderate	148	$PM_{2.5}$	5
43	Indore	Poor	216	$PM_{2.5}$	1
44	Jabalpur	Very Poor	317	$PM_{2.5}$	1
45	Jaipur	Moderate	104	PM_{10}	3
46	Jalandhar	Moderate	155	$PM_{2.5}$	1
47	Jind	Poor	281	$PM_{2.5}$	1
48	Jodhpur	Moderate	194	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	228	PM_{10}	1
50	Kaithal	Moderate	119	$PM_{2.5}$	1
51	Kalyan	Poor	224	PM_{10}	1
52	Kanpur	Very Poor	385	$PM_{2.5}$	1
53	Karnal	Poor	284	$PM_{2.5}$	1
54	Katni	Poor	276	$PM_{2.5}$	1
55	Khanna	Moderate	121	PM_{10}	1
56	Kolkata	Poor	240	$PM_{2.5}$, PM_{10}	6
57	Kota	Moderate	110	PM_{10}	1
58	Kurukshetra	Poor	251	$PM_{2.5}$	1
59	Lucknow	Poor	300	$PM_{2.5}$	4
60	Ludhiana	Satisfactory	88	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Moderate	130	$PM_{2.5}$	1
62	Mandi Gobindgarh	Poor	232	$PM_{2.5}$	1
63	Mandideep	Moderate	131	PM_{10}	1
64	Mandikhera	Poor	276	$PM_{2.5}$	1
65	Manesar	Moderate	189	$PM_{2.5}$	1
66	Meerut	Poor	224	$PM_{2.5}$	3
67	Mumbai	Poor	280	$PM_{2.5}$	10
68	Muzaffarpur	Very Poor	364	$PM_{2.5}$	1
69	Mysuru	Good	41	PM_{10}	1
70	Nagpur	Satisfactory	74	NO_2	1
71	Narnaul	Poor	212	$PM_{2.5}$	1
72	Nashik	Moderate	132	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Very Poor	306	$PM_{2.5}$	2
74	Noida	Very Poor	383	$PM_{2.5}$	3
75	Pali	Moderate	153	$PM_{2.5}$	1
76	Palwal	Poor	265	$PM_{2.5}$	1
77	Panchkula	Moderate	151	$PM_{2.5}$	1
78	Panipat	Very Poor	315	PM_{10}	1
79	Patiala	Moderate	174	$PM_{2.5}$	1
80	Patna	Very Poor	386	$PM_{2.5}$	1
81	Pithampur	Poor	242	$PM_{2.5}$	1
82	Pune	Poor	201	$PM_{2.5}$	1
83	Rajamahendravaram	Moderate	174	$PM_{2.5}$	1
84	Ratlam	Moderate	121	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Poor	242	$PM_{2.5}$	1
86	Rupnagar	Satisfactory	86	PM_{10}	1
87	Satna	Moderate	112	PM_{10}	1
88	Siliguri	Very Poor	308	$PM_{2.5}$	1
89	Sirsa	Moderate	120	PM_{10}	1
90	Solapur	Moderate	118	PM_{10}	1
91	Sonipat	Very Poor	317	PM_{10}	1
92	Talcher	Poor	296	$PM_{2.5}$	1
93	Thane	Moderate	103	PM_{10}	1
94	Thiruvananthapuram	Satisfactory	85	$PM_{2.5}$	1
95	Tirupati	Satisfactory	77	PM_{10}	1
96	Udaipur	Moderate	161	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 25, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	136	$PM_{2.5}$	1
98	Vapi	Very Poor	327	$PM_{2.5}$	1
99	Varanasi	Poor	292	$PM_{2.5}$	1
100	Vatva	Moderate	132	PM_{10}	1
101	Visakhapatnam	Poor	209	$PM_{2.5}$	1
102	Yadgir	Satisfactory	83	$PM_{2.5}$	1
103	Yamunanagar	Moderate	141	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bhiwadi, Guwahati, Kalaburagi, Moradabad, Muzaffarnagar, Ramanagara, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.