

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	189	PM _{2.5}	1
2	Agra	Moderate	148	PM _{2.5}	5
3	Ahmedabad	Moderate	132	NO ₂ , PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	54	PM ₁₀	1
5	Ajmer	Satisfactory	79	PM ₁₀	1
6	Alwar	Moderate	101	PM ₁₀	1
7	Amaravati	Satisfactory	64	03	1
8	Ambala	Poor	231	PM _{2.5}	1
9	Amritsar	Poor	202	PM _{2.5}	1
10	Ankleshwar	Poor	248	PM _{2.5}	1
11	Asansol	Moderate	176	O ₃	1
12	Aurangabad	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	193	PM _{2.5}	1
14	Bahadurgarh	Poor	241	PM _{2.5}	1
15	Ballabgarh	Poor	206	PM _{2.5}	1
16	Bengaluru	Satisfactory	61	PM _{2.5} , PM ₁₀	8
17	Bhagalpur	Poor	288	PM _{2.5}	2
18	Bhiwadi	Poor	207	PM _{2.5}	1
19	Bhiwani	Poor	246	PM _{2.5}	1
20	Bhopal	Moderate	134	PM _{2.5}	1
21	Bidar	Poor	206	O ₃	1
22	Bihar Sharif	Very Poor	331	PM _{2.5}	1
23	Bilaspur	Moderate	102	PM ₁₀	1
24	Brajrajnagar	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Moderate	185	PM _{2.5}	1
26	Chamarajanagar	Good	36	PM ₁₀	1
27	Chandigarh	Moderate	120	PM _{2.5} , PM ₁₀	2
28	Chandrapur	Moderate	138	PM _{2.5}	2
29	Charkhi Dadri	Moderate	182	PM _{2.5}	1
30	Chennai	Good	39	CO, PM ₁₀	7
31	Chikkaballapur	Good	31	PM _{2.5}	1
32	Chikkamagaluru	Good	32	PM ₁₀	1
33	Coimbatore	Satisfactory	58	PM _{2.5}	1
34	Damoh	Moderate	132	PM _{2.5}	1
35	Darbhanga	Very Poor	324	PM _{2.5}	1
36	Davanagere	Good	42	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Poor	281	PM _{2.5}	31
38	Dewas	Moderate	103	PM ₁₀	1
39	Dharuhera	Moderate	129	PM ₁₀	1
40	Eloor	Satisfactory	62	PM ₁₀	1
41	Ernakulam	Satisfactory	56	со	1
42	Faridabad	Poor	221	PM _{2.5} , PM ₁₀	4
43	Fatehabad	Moderate	174	PM _{2.5}	1
44	Firozabad	Poor	228	PM _{2.5}	1
45	Gadag	Good	36	O ₃	1
46	Gandhinagar	Satisfactory	92	PM ₁₀ , PM _{2.5}	3
47	Gaya	Poor	225	PM _{2.5} , PM ₁₀	3
48	Ghaziabad	Poor	264	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Moderate	113	PM _{2.5}	1
50	Greater Noida	Moderate	192	PM _{2.5}	2
51	Gurugram	Poor	268	PM _{2.5}	2
52	Guwahati	Moderate	150	PM _{2.5}	2
53	Gwalior	Moderate	162	PM _{2.5} , PM ₁₀	2
54	Hajipur	Poor	249	PM _{2.5}	1
55	Haldia	Moderate	127	PM _{2.5}	1
56	Hapur	Moderate	174	PM ₁₀	1
57	Hassan	Good	42	PM _{2.5}	1
58	Hisar	Poor	285	PM _{2.5}	1
59	Howrah	Poor	206	PM _{2.5}	2
60	Hubballi	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	101	PM _{2.5} , PM ₁₀	6
62	Indore	Moderate	116	PM _{2.5}	1
63	Jabalpur	Moderate	136	PM ₁₀	1
64	Jaipur	Moderate	190	PM _{2.5} , PM ₁₀	2
65	Jalandhar	Moderate	165	PM _{2.5}	1
66	Jind	Poor	236	PM _{2.5}	1
67	Jodhpur	Moderate	177	PM _{2.5}	1
68	Kaithal	Moderate	135	PM _{2.5}	1
69	Kalaburgi	Moderate	126	PM _{2.5}	1
70	Kannur	Satisfactory	65	PM _{2.5}	1
71	Kanpur	Moderate	186	PM _{2.5}	3
72	Karnal	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Very Poor	311	O ₃	1
74	Katni	Moderate	173	PM _{2.5}	1
75	Khanna	Moderate	181	PM _{2.5}	1
76	Kishanganj	Poor	300	PM _{2.5}	1
77	Kochi	Satisfactory	91	PM _{2.5}	1
78	Kohima	Moderate	107	PM ₁₀	1
79	Kolar	Satisfactory	61	PM ₁₀	1
80	Kolkata	Poor	232	PM _{2.5}	7
81	Kollam	Satisfactory	83	PM _{2.5}	1
82	Koppal	Satisfactory	78	O ₃	1
83	Kota	Moderate	173	PM _{2.5}	1
84	Kozhikode	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Moderate	175	O ₃	1
86	Lucknow	Moderate	199	PM _{2.5} , PM ₁₀	6
87	Ludhiana	Moderate	196	PM _{2.5}	1
88	Maihar	Satisfactory	73	PM _{2.5}	1
89	Mandi Gobindgarh	Poor	264	PM _{2.5}	1
90	Mandideep	Satisfactory	81	PM ₁₀	1
91	Mandikhera	Satisfactory	52	PM _{2.5}	1
92	Manesar	Poor	295	PM _{2.5}	1
93	Manglore	Satisfactory	63	PM _{2.5}	1
94	Meerut	Poor	250	PM _{2.5}	3
95	Moradabad	Poor	245	PM _{2.5}	3
96	Motihari	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Moderate	173	PM _{2.5}	16
98	Muzaffarnagar	Poor	273	PM _{2.5}	1
99	Muzaffarpur	Poor	294	PM _{2.5}	3
100	Mysuru	Good	43	PM ₁₀	1
101	Nagpur	Moderate	147	PM _{2.5}	1
102	Naharlagun	Satisfactory	75	O ₃	1
103	Narnaul	Moderate	172	PM _{2.5}	1
104	Nashik	Moderate	159	PM _{2.5}	1
105	Navi Mumbai	Moderate	149	PM ₁₀	1
106	Noida	Poor	218	PM _{2.5}	3
107	Pali	Satisfactory	86	PM _{2.5}	1
108	Palwal	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	115	PM _{2.5}	1
110	Panipat	Moderate	155	PM ₁₀	1
111	Patiala	Moderate	112	PM ₁₀	1
112	Patna	Poor	261	PM _{2.5} , PM ₁₀	6
113	Pithampur	Moderate	128	PM _{2.5}	1
114	Prayagraj	Moderate	117	PM _{2.5}	3
115	Puducherry	Good	34	СО	1
116	Pune	Moderate	164	PM _{2.5}	3
117	Rajamahendravaram	Satisfactory	73	O ₃	1
118	Ramanagara	Good	44	PM _{2.5}	1
119	Ratlam	Moderate	108	PM ₁₀	1
120	Rohtak	Moderate	198	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Moderate	169	PM _{2.5}	1
122	Sagar	Satisfactory	58	PM _{2.5}	1
123	Saharsa	Poor	240	PM ₁₀	1
124	Sasaram	Very Poor	314	PM _{2.5}	1
125	Satna	Satisfactory	66	PM ₁₀	1
126	Shillong	Good	26	03	1
127	Shivamogga	Satisfactory	51	PM ₁₀	1
128	Siliguri	Moderate	132	PM ₁₀	1
129	Singrauli	Poor	271	PM _{2.5}	1
130	Sirsa	Moderate	196	PM _{2.5}	1
131	Solapur	Moderate	159	PM _{2.5}	1
132	Sonipat	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Satisfactory	64	PM ₁₀	1
134	Talcher	Satisfactory	99	PM ₁₀	1
135	Thane	Moderate	194	PM ₁₀	1
136	Thiruvananthapuram	Satisfactory	70	NO ₂ , PM ₁₀	2
137	Thoothukudi	Good	28	PM ₁₀	1
138	Thrissur	Good	50	PM _{2.5}	1
139	Tirupati	Good	42	со	1
140	Udaipur	Moderate	136	PM _{2.5}	1
141	Udupi	Satisfactory	53	03	1
142	Ujjain	Moderate	120	PM ₁₀	1
143	Vapi	Poor	219	PM _{2.5}	1
144	Varanasi	Moderate	122	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	127	PM ₁₀	1
146	Vijayapura	Good	41	PM _{2.5}	1
147	Visakhapatnam	Satisfactory	56	PM ₁₀	1
148	Vrindavan	Moderate	154	PM _{2.5}	1
149	Yadgir	Satisfactory	58	PM ₁₀	1
150	Yamunanagar	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Bettiah, Bhilai, Buxar, Chhapra, Durgapur, Gummidipoondi, Jorapokhar, Kalyan, Manguraha, Medikeri, Munger, Nandesari, Purnia, Raichur, Rajgir, Siwan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.