

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	43	PM <sub>2.5</sub>	1
2	Agra	Good	40	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	68	PM <sub>10</sub>	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
6	Alwar	Good	48	PM <sub>10</sub>	1
7	Amaravati	Good	35	03	1
8	Ambala	Moderate	141	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	97	03	1
10	Ankleshwar	Good	49	PM <sub>10</sub>	1
11	Araria	Satisfactory	62	NO <sub>2</sub>	1
12	Arrah	Satisfactory	83	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	69	PM <sub>10</sub>	1
14	Aurangabad	Satisfactory	64	PM <sub>2.5</sub>	1
15	Aurangabad	Satisfactory	83	PM <sub>10</sub>	1
16	Baddi	Satisfactory	96	PM <sub>10</sub>	1
17	Bagalkot	Good	43	PM <sub>10</sub>	1
18	Baghpat	Satisfactory	87	PM <sub>10</sub>	1
19	Bahadurgarh	Satisfactory	73	PM <sub>10</sub>	1
20	Ballabgarh	Moderate	106	PM <sub>10</sub>	1
21	Bareilly	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	2
22	Bathinda	Satisfactory	53	PM <sub>10</sub>	1
23	Begusarai	Good	35	PM <sub>2.5</sub>	1
24	Belgaum	Good	48	СО	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	58	CO, PM <sub>10</sub>	8
26	Bettiah	Good	43	PM <sub>10</sub>	1
27	Bhagalpur	Good	50	NO <sub>2</sub> , PM <sub>10</sub>	2
28	Bhilai	Good	18	со	1
29	Bhiwadi	Moderate	102	PM <sub>10</sub>	1
30	Bhiwani	Satisfactory	79	PM <sub>10</sub>	1
31	Bhopal	Good	30	03	1
32	Brajrajnagar	Good	48	со	1
33	Bulandshahr	Moderate	107	PM <sub>10</sub>	1
34	Chamarajanagar	Good	38	PM <sub>10</sub>	1
35	Chandigarh	Good	49	O <sub>3</sub> , PM <sub>10</sub>	3
36	Chandrapur	Satisfactory	59	СО	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Satisfactory	76	PM <sub>10</sub>	1
38	Chennai	Satisfactory	68	PM <sub>10</sub> , PM <sub>2.5</sub>	9
39	Chhapra	Satisfactory	67	со	1
40	Chikkamagaluru	Good	30	PM <sub>10</sub>	1
41	Damoh	Good	23	со	1
42	Darbhanga	Satisfactory	65	PM <sub>10</sub>	1
43	Davanagere	Good	14	PM <sub>10</sub>	1
44	Dehradun	Good	43	03	1
45	Delhi	Moderate	114	PM <sub>10</sub>	30
46	Dewas	Good	48	PM <sub>10</sub>	1
47	Dharuhera	Moderate	142	PM <sub>2.5</sub>	1
48	Eloor	Satisfactory	65	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	42	со	1
50	Faridabad	Moderate	185	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
51	Firozabad	Satisfactory	65	PM <sub>2.5</sub> , O <sub>3</sub>	2
52	Gadag	Good	38	PM <sub>2.5</sub>	1
53	Gandhinagar	Good	48	PM <sub>10</sub>	1
54	Gaya	Satisfactory	64	PM <sub>10</sub> , O <sub>3</sub>	2
55	Ghaziabad	Moderate	118	PM <sub>10</sub>	4
56	Gorakhpur	Good	47	SO <sub>2</sub>	1
57	Greater Noida	Moderate	120	PM <sub>10</sub>	2
58	Gummidipoondi	Good	25	PM <sub>2.5</sub>	1
59	Gurugram	Moderate	144	PM <sub>10</sub> , PM <sub>2.5</sub>	2
60	Guwahati	Satisfactory	58	PM <sub>10</sub>	2

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Good	42	PM <sub>10</sub>	2
62	Hajipur	Good	34	NO <sub>2</sub>	1
63	Hapur	Satisfactory	97	со	1
64	Haveri	Satisfactory	53	со	1
65	Hisar	Satisfactory	70	PM <sub>2.5</sub>	1
66	Hosur	Good	46	PM <sub>10</sub>	1
67	Howrah	Good	43	PM <sub>10</sub> , CO	3
68	Hubballi	Satisfactory	52	СО	1
69	Hyderabad	Satisfactory	53	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	12
70	Imphal	Satisfactory	72	O <sub>3</sub> , PM <sub>10</sub>	2
71	Indore	Satisfactory	66	PM <sub>10</sub>	1
72	Jabalpur	Good	45	СО	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQL is not coloulated for today's bulletin for Apantapur. Aurangebod

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	80	PM <sub>10</sub>	2
74	Jalandhar	Satisfactory	77	PM <sub>10</sub>	1
75	Jhansi	Good	27	PM <sub>2.5</sub>	1
76	Jind	Satisfactory	52	PM <sub>2.5</sub>	1
77	Jodhpur	Moderate	123	PM <sub>10</sub>	1
78	Kaithal	Good	48	PM <sub>10</sub>	1
79	Kalaburgi	Good	27	SO <sub>2</sub>	1
80	Kalyan	Satisfactory	59	PM <sub>10</sub>	1
81	Kannur	Satisfactory	54	PM <sub>10</sub>	1
82	Kanpur	Good	29	CO, PM <sub>10</sub>	4
83	Katihar	Satisfactory	83	со	1
84	Katni	Good	26	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Good	50	PM <sub>10</sub>	1
86	Kishanganj	Satisfactory	65	O <sub>3</sub>	1
87	Kochi	Satisfactory	99	PM <sub>2.5</sub>	1
88	Kolkata	Good	43	O <sub>3</sub> , CO, PM <sub>10</sub>	5
89	Kollam	Satisfactory	57	PM <sub>2.5</sub>	1
90	Koppal	Satisfactory	88	03	1
91	Kota	Satisfactory	64	PM <sub>10</sub>	1
92	Kozhikode	Satisfactory	62	PM <sub>10</sub>	1
93	Kurukshetra	Satisfactory	77	PM <sub>10</sub>	1
94	Lucknow	Good	39	CO, O <sub>3</sub> , PM <sub>2.5</sub>	6
95	Ludhiana	Satisfactory	77	PM <sub>2.5</sub>	1
96	Madikeri	Good	21	SO <sub>2</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	42	СО	1
98	Mandi Gobindgarh	Moderate	145	PM <sub>2.5</sub>	1
99	Mandideep	Good	39	03	1
100	Mandikhera	Good	45	PM <sub>10</sub>	1
101	Manesar	Moderate	115	PM <sub>2.5</sub>	1
102	Manglore	Good	49	со	1
103	Manguraha	Good	34	PM <sub>10</sub>	1
104	Meerut	Moderate	110	PM <sub>10</sub>	3
105	Moradabad	Satisfactory	78	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	6
106	Motihari	Satisfactory	52	O <sub>3</sub>	1
107	Mumbai	Satisfactory	57	CO, PM <sub>10</sub> , NO <sub>2</sub>	18
108	Muzaffarnagar	Satisfactory	92	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQL is not coloulated for today's bulletin for Apantapur. Aurangebod

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Satisfactory	70	O <sub>3</sub> , CO	2
110	Mysuru	Satisfactory	56	PM <sub>10</sub>	1
111	Nagpur	Satisfactory	57	со	1
112	Nandesari	Moderate	155	PM <sub>2.5</sub>	1
113	Narnaul	Good	43	PM <sub>2.5</sub>	1
114	Navi Mumbai	Satisfactory	52	CO, PM <sub>10</sub>	3
115	Noida	Moderate	116	PM <sub>10</sub>	3
116	Pali	Satisfactory	70	PM <sub>10</sub>	1
117	Palwal	Satisfactory	78	PM <sub>10</sub>	1
118	Panchkula	Good	42	PM <sub>2.5</sub>	1
119	Panipat	Satisfactory	96	PM <sub>10</sub>	1
120	Patiala	Satisfactory	72	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Satisfactory	74	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	6
122	Pithampur	Satisfactory	65	PM <sub>10</sub>	1
123	Prayagraj	Satisfactory	73	PM <sub>10</sub> , SO <sub>2</sub>	3
124	Puducherry	Satisfactory	55	PM <sub>10</sub>	1
125	Raichur	Satisfactory	61	со	1
126	Rajamahendravaram	Good	42	PM <sub>10</sub>	1
127	Ramanagara	Good	40	O <sub>3</sub>	1
128	Ramanathapuram	Moderate	134	СО	1
129	Ratlam	Good	42	PM <sub>10</sub>	1
130	Rupnagar	Satisfactory	100	PM <sub>10</sub>	1
131	Samastipur	Satisfactory	51	PM <sub>10</sub>	1
132	Sasaram	Satisfactory	55	NO <sub>2</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	27	PM <sub>10</sub>	1
134	Shillong	Good	30	PM <sub>10</sub> , SO <sub>2</sub>	2
135	Shivamogga	Good	45	PM <sub>10</sub>	1
136	Sirsa	Satisfactory	66	03	1
137	Solapur	Good	47	PM <sub>10</sub>	1
138	Sonipat	Moderate	116	PM <sub>10</sub>	1
139	Talcher	Satisfactory	99	СО	1
140	Thane	Satisfactory	57	PM <sub>10</sub>	1
141	Thiruvananthapuram	Good	31	PM <sub>10</sub>	1
142	Tirupati	Good	44	PM <sub>10</sub>	1
143	Ujjain	Satisfactory	76	PM <sub>10</sub>	1
144	Varanasi	Good	42	PM <sub>10</sub> , CO	3

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Satisfactory	63	PM <sub>10</sub>	1
146	Vijayapura	Good	40	PM <sub>10</sub>	1
147	Visakhapatnam	Moderate	105	PM <sub>10</sub>	1
148	Vrindavan	Satisfactory	71	PM <sub>2.5</sub>	1
149	Yamunanagar	Satisfactory	65	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.