

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	165	PM _{2.5}	1
2	Agra	Moderate	173	PM _{2.5}	1
3	Ahmedabad	Poor	212	03	1
4	Aizawl	Satisfactory	59	PM ₁₀	1
5	Ajmer	Moderate	106	PM ₁₀	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Satisfactory	76	PM ₁₀	1
8	Ambala	Moderate	183	PM _{2.5}	1
9	Amritsar	Moderate	152	PM _{2.5}	1
10	Ankleshwar	Moderate	145	PM _{2.5}	1
11	Asansol	Moderate	162	PM _{2.5}	1
12	Aurangabad	Satisfactory	88	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	318	PM _{2.5}	1
14	Bahadurgarh	Poor	261	PM _{2.5}	1
15	Ballabgarh	Poor	219	PM _{2.5}	1
16	Bathinda	Moderate	118	PM ₁₀	1
17	Bengaluru	Good	49	CO, PM ₁₀ , NO ₂	7
18	Bhiwadi	Poor	230	PM _{2.5}	1
19	Bhiwani	Moderate	171	O ₃	1
20	Bhopal	Moderate	146	PM ₁₀	1
21	Bidar	Satisfactory	91	PM ₁₀	1
22	Bulandshahr	Very Poor	318	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	70	PM ₁₀	1
24	Chandigarh	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	124	PM _{2.5}	2
26	Chennai	Good	46	PM ₁₀ , CO, PM _{2.5}	7
27	Chikkaballapur	Good	36	O ₃	1
28	Chikkamagaluru	Good	36	03	1
29	Delhi	Poor	288	PM _{2.5} , PM ₁₀	37
30	Dewas	Satisfactory	98	O ₃	1
31	Dharuhera	Poor	252	PM ₁₀	1
32	Durgapur	Poor	272	PM _{2.5}	1
33	Ernakulam	Satisfactory	52	PM ₁₀	1
34	Faridabad	Poor	265	PM ₁₀ , PM _{2.5}	4
35	Fatehabad	Satisfactory	60	PM _{2.5}	1
36	Gadag	Satisfactory	51	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	100	PM ₁₀	1
38	Gaya	Moderate	185	O ₃	1
39	Ghaziabad	Very Poor	318	PM _{2.5}	4
40	Greater Noida	Poor	294	PM _{2.5}	2
41	Gurugram	Poor	296	PM _{2.5}	4
42	Guwahati	Poor	259	PM ₁₀ , PM _{2.5}	2
43	Hajipur	Moderate	195	PM ₁₀	1
44	Hapur	Moderate	149	PM ₁₀	1
45	Hisar	Poor	258	PM _{2.5}	1
46	Howrah	Poor	273	PM _{2.5}	3
47	Hyderabad	Moderate	104	PM ₁₀ , PM _{2.5}	5
48	Jabalpur	Moderate	163	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	131	PM _{2.5} , PM ₁₀	3
50	Jalandhar	Moderate	184	PM _{2.5}	1
51	Jind	Poor	254	PM _{2.5}	1
52	Jodhpur	Poor	207	PM _{2.5}	1
53	Jorapokhar	Moderate	156	03	1
54	Kaithal	Moderate	157	PM ₁₀	1
55	Kalaburgi	Poor	225	PM ₁₀	1
56	Kalyan	Moderate	195	PM _{2.5}	1
57	Kannur	Good	47	PM _{2.5}	1
58	Kanpur	Poor	241	PM _{2.5}	2
59	Karnal	Poor	204	PM _{2.5}	1
60	Katni	Moderate	185	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	121	PM ₁₀	1
62	Kochi	Satisfactory	65	PM _{2.5}	1
63	Kohima	Moderate	118	PM ₁₀	1
64	Kolar	Good	47	SO ₂	1
65	Kolkata	Poor	261	PM _{2.5}	7
66	Kollam	Satisfactory	66	PM ₁₀	1
67	Koppal	Good	48	O ₃	1
68	Kota	Moderate	123	PM ₁₀	1
69	Kozhikode	Satisfactory	80	PM ₁₀	1
70	Kurukshetra	Poor	228	PM _{2.5}	1
71	Lucknow	Poor	231	PM _{2.5} , PM ₁₀	4
72	Ludhiana	Moderate	118	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	75	PM ₁₀	1
74	Mandi Gobindgarh	Moderate	190	PM _{2.5}	1
75	Mandideep	Moderate	158	PM ₁₀	1
76	Mandikhera	Moderate	127	PM _{2.5}	1
77	Manesar	Poor	236	PM _{2.5}	1
78	Medikeri	Good	30	СО	1
79	Meerut	Very Poor	316	PM _{2.5}	2
80	Moradabad	Very Poor	345	PM _{2.5}	1
81	Mumbai	Moderate	144	O ₃ , PM _{2.5}	19
82	Muzaffarnagar	Poor	261	PM _{2.5}	1
83	Mysuru	Good	45	PM ₁₀	1
84	Nandesari	Moderate	112	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	236	PM ₁₀	1
86	Nashik	Moderate	145	PM _{2.5}	1
87	Navi Mumbai	Moderate	169	PM _{2.5}	3
88	Noida	Poor	290	PM _{2.5}	2
89	Pali	Moderate	165	PM ₁₀	1
90	Palwal	Satisfactory	97	PM ₁₀	1
91	Panchkula	Poor	208	PM _{2.5}	1
92	Panipat	Satisfactory	84	со	1
93	Patiala	Moderate	123	PM ₁₀	1
94	Patna	Poor	224	PM _{2.5} , PM ₁₀	5
95	Pithampur	Moderate	122	PM _{2.5}	1
96	Puducherry	Good	38	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	108	PM _{2.5} , PM ₁₀ , CO	7
98	Rajamahendravaram	Moderate	106	PM ₁₀	1
99	Ratlam	Moderate	151	PM ₁₀	1
100	Rohtak	Poor	249	PM _{2.5}	1
101	Rupnagar	Satisfactory	74	PM ₁₀	1
102	Sagar	Satisfactory	99	PM _{2.5}	1
103	Satna	Moderate	127	PM ₁₀	1
104	Shivamogga	Satisfactory	85	NO ₂	1
105	Siliguri	Poor	251	PM _{2.5}	1
106	Singrauli	Poor	224	PM ₁₀	1
107	Sirsa	Moderate	178	PM _{2.5}	1
108	Sonipat	Moderate	171	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Moderate	171	PM _{2.5}	1
110	Talcher	Moderate	157	PM ₁₀	1
111	Thane	Poor	223	PM ₁₀	1
112	Thiruvananthapuram	Good	46	PM ₁₀	1
113	Thrissur	Satisfactory	76	03	1
114	Tirupati	Good	45	со	1
115	Udaipur	Moderate	158	PM _{2.5}	1
116	Ujjain	Poor	228	PM _{2.5}	1
117	Vapi	Moderate	122	PM ₁₀	1
118	Varanasi	Poor	230	PM _{2.5}	1
119	Vatva	Poor	204	PM _{2.5}	1
120	Vijayapura	Good	43	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	138	PM ₁₀	1
122	Yadgir	Satisfactory	55	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bagalkot, Brajrajnagar, Charkhi Dadri, Coimbatore, Damoh, Davanagere, Eloor, Gummidipoondi, Gwalior, Haldia, Hubballi, Indore, Manglore, Muzaffarpur, Nagpur, Raichur, Ramanagara, Shillong, Solapur, Thoothukudi, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.