

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	287	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	113	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	98	PM <sub>2.5</sub>	1
4	Alwar	Moderate	103	PM <sub>2.5</sub>	1
5	Amaravati	Satisfactory	57	PM <sub>10</sub>	1
6	Ambala	Moderate	175	PM <sub>2.5</sub>	1
7	Amritsar	Good	47	O <sub>3</sub>	1
8	Ankleshwar	Moderate	174	PM <sub>2.5</sub>	1
9	Asanol	Poor	272	PM <sub>2.5</sub>	1
10	Aurangabad	Moderate	105	PM <sub>10</sub>	1
11	Bahadurgarh	Moderate	147	PM <sub>10</sub>	1
12	Ballabgarh	Very Poor	354	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	87	со	1
14	Bengaluru	Satisfactory	68	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	8
15	Bhiwadi	Poor	295	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	176	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	158	PM <sub>2.5</sub>	1
18	Brajrajnagar	Poor	214	PM <sub>2.5</sub>	1
19	Bulandshahr	Very Poor	318	PM <sub>2.5</sub>	1
20	Chandigarh	Moderate	103	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	62	PM <sub>2.5</sub>	2
22	Chennai	Satisfactory	86	PM <sub>2.5</sub> , O <sub>3</sub>	4
23	Chikkaballapur	Satisfactory	66	PM <sub>10</sub>	1
24	Coimbatore	Satisfactory	59	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	117	PM <sub>2.5</sub>	1
26	Delhi	Very Poor	370	PM <sub>2.5</sub>	35
27	Dewas	Moderate	118	PM <sub>2.5</sub>	1
28	Dharuhera	Poor	244	PM <sub>10</sub>	1
29	Faridabad	Very Poor	358	PM <sub>2.5</sub>	1
30	Fatehabad	Moderate	106	PM <sub>2.5</sub>	1
31	GandhiNagar	Satisfactory	77	PM <sub>10</sub>	1
32	Gaya	Poor	244	PM <sub>2.5</sub>	1
33	Ghaziabad	Very Poor	386	PM <sub>2.5</sub>	3
34	Greater_Noida	Very Poor	374	PM <sub>2.5</sub>	2
35	Gurugram	Poor	292	PM <sub>2.5</sub>	2
36	Guwahati	Poor	289	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	109	PM <sub>10</sub>	1
38	Hapur	Moderate	136	PM <sub>10</sub>	1
39	Hisar	Poor	212	PM <sub>2.5</sub>	1
40	Howrah	Poor	254	PM <sub>2.5</sub>	3
41	Hubballi	Satisfactory	67	PM <sub>10</sub>	1
42	Hyderabad	Satisfactory	79	PM <sub>10</sub>	5
43	Indore	Moderate	167	PM <sub>2.5</sub>	1
44	Jabalpur	Moderate	176	PM <sub>2.5</sub>	1
45	Jaipur	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Jalandhar	Satisfactory	93	PM <sub>2.5</sub>	1
47	Jind	Poor	201	PM <sub>2.5</sub>	1
48	Jodhpur	Moderate	151	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	220	PM <sub>10</sub>	1
50	Kaithal	Moderate	135	PM <sub>10</sub>	1
51	Kalaburagi	Satisfactory	72	PM <sub>10</sub>	1
52	Kalyan	Poor	232	PM <sub>10</sub>	1
53	Kanpur	Very Poor	341	PM <sub>2.5</sub>	1
54	Karnal	Poor	201	PM <sub>2.5</sub>	1
55	Katni	Moderate	163	PM <sub>2.5</sub>	1
56	Khanna	Satisfactory	89	PM <sub>10</sub>	1
57	Kolkata	Poor	232	PM <sub>2.5</sub> , O <sub>3</sub>	7
58	Kota	Satisfactory	87	PM <sub>10</sub>	1
59	Kurukshetra	Moderate	174	PM <sub>2.5</sub>	1
60	Lucknow	Very Poor	342	PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Satisfactory	52	PM <sub>10</sub>	1
62	Maihar	Satisfactory	65	PM <sub>2.5</sub>	1
63	Mandi Gobindgarh	Moderate	159	PM <sub>2.5</sub>	1
64	Mandideep	Satisfactory	99	PM <sub>10</sub>	1
65	Mandikhera	Poor	234	PM <sub>2.5</sub>	1
66	Manesar	Moderate	192	PM <sub>2.5</sub>	1
67	Meerut	Poor	262	PM <sub>2.5</sub>	3
68	Mumbai	Moderate	174	PM <sub>10</sub> , PM <sub>2.5</sub>	9
69	Muzaffarnagar	Very Poor	313	PM <sub>2.5</sub>	1
70	Muzaffarpur	Very Poor	377	PM <sub>2.5</sub>	1
71	Mysuru	Satisfactory	62	PM <sub>2.5</sub>	1
72	Nagpur	Moderate	115	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	98	PM <sub>2.5</sub>	1
74	Navi Mumbai	Moderate	149	PM <sub>2.5</sub> , CO	2
75	Noida	Very Poor	387	PM <sub>2.5</sub>	4
76	Pali	Moderate	112	PM <sub>10</sub>	1
77	Palwal	Very Poor	332	PM <sub>2.5</sub>	1
78	Panchkula	Satisfactory	72	PM <sub>2.5</sub>	1
79	Panipat	Poor	261	PM <sub>10</sub>	1
80	Patiala	Satisfactory	100	PM <sub>10</sub>	1
81	Patna	Poor	274	PM <sub>2.5</sub>	4
82	Pithampur	Moderate	182	PM <sub>2.5</sub>	1
83	Pune	Moderate	149	PM <sub>2.5</sub>	1
84	Ramanagara	Satisfactory	53	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	129	PM <sub>10</sub>	1
86	Rohtak	Poor	250	PM <sub>2.5</sub>	1
87	Rupnagar	Moderate	120	PM <sub>10</sub>	1
88	Satna	Satisfactory	77	PM <sub>10</sub>	1
89	Singrauli	Poor	295	PM <sub>2.5</sub>	1
90	Sirsa	Moderate	103	PM <sub>10</sub>	1
91	Solapur	Moderate	117	PM <sub>10</sub>	1
92	Sonipat	Moderate	170	PM <sub>10</sub>	1
93	Thane	Satisfactory	84	PM <sub>10</sub>	1
94	Thiruvananthapuram	Satisfactory	53	PM <sub>10</sub>	1
95	Tirupati	Good	44	PM <sub>10</sub>	1
96	Udaipur	Satisfactory	90	PM <sub>10</sub>	1

## Possible Health Impacts

Good Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	139	PM <sub>2.5</sub>	1
98	Vapi	Very Poor	311	PM <sub>2.5</sub>	1
99	Varanasi	Poor	278	PM <sub>2.5</sub>	1
100	Vatva	Moderate	178	PM <sub>2.5</sub>	1
101	Vijayapura	Satisfactory	71	O <sub>3</sub>	1
102	Visakhapatnam	Satisfactory	94	PM <sub>10</sub>	1
103	Yadgir	Satisfactory	55	PM <sub>2.5</sub>	1
104	Yamunanagar	Moderate	187	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Baghpat, Eloor, Moradabad, Narnaul, Rajamahendravaram, Shillong, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.