Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	145	$PM_{2.5}$	1
2	Ajmer	Poor	214	$PM_{2.5}$	1
3	Alwar	Satisfactory	100	$PM_{2.5}$	1
4	Amaravati	Satisfactory	73	$PM_{2.5}$	1
5	Ambala	Poor	241	$PM_{2.5}$	1
6	Amritsar	Moderate	178	$PM_{2.5}$	1
7	Asanol	Poor	215	$PM_{2.5}$	1
8	Aurangabad	Moderate	117	$PM_{2.5}$	1
9	Baghpat	Very Poor	345	$PM_{2.5}$	1
10	Bahadurgarh	Very Poor	301	$PM_{2.5}$	1
11	Ballabgarh	Very Poor	384	$PM_{2.5}$	1
12	Bathinda	Moderate	158	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	69	CO, $PM_{2.5}$, O_3	7
14	Bhiwadi	Very Poor	381	$PM_{2.5}$	1
15	Bhiwani	Very Poor	323	$PM_{2.5}$	1
16	Bhopal	Moderate	197	$PM_{2.5}$	1
17	Brajrajnagar	Satisfactory	63	CO	1
18	Bulandshahr	Very Poor	366	$PM_{2.5}$	1
19	Chandigarh	Satisfactory	97	$PM_{2.5}$	1
20	Chandrapur	Moderate	110	$PM_{2.5}$	1
21	Chennai	Satisfactory	57	CO, $PM_{2.5}$, O_3	4
22	Coimbatore	Satisfactory	58	$PM_{2.5}$	1
23	Damoh	Satisfactory	69	$PM_{2.5}$	1
24	Delhi	Severe	417	$PM_{2.5}$	32

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	156	$PM_{2.5}$	1
26	Dharuhera	Poor	220	PM_{10}	1
27	Eloor	Moderate	115	PM_{10}	1
28	Faridabad	Severe	418	$PM_{2.5}$	1
29	Fatehabad	Moderate	152	$PM_{2.5}$	1
30	GandhiNagar	Satisfactory	73	PM_{10}	1
31	Gaya	Poor	298	$PM_{2.5}$	1
32	Ghaziabad	Very Poor	384	$PM_{2.5}$, PM_{10}	4
33	Greater_Noida	Very Poor	372	$PM_{2.5}$, PM_{10}	2
34	Gurugram	Severe	429	$PM_{2.5}$	1
35	Guwahati	Moderate	113	$PM_{2.5}$	1
36	Hapur	Poor	219	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	299	$PM_{2.5}$	1
38	Howrah	Very Poor	308	$PM_{2.5}$	3
39	Hubballi	Moderate	125	PM_{10}	1
40	Hyderabad	Satisfactory	59	$PM_{2.5}$, PM_{10}	4
41	Indore	Poor	216	$PM_{2.5}$	1
42	Jabalpur	Moderate	149	$PM_{2.5}$	1
43	Jaipur	Moderate	143	$PM_{2.5}$, PM_{10}	3
44	Jalandhar	Poor	247	$PM_{2.5}$	1
45	Jind	Very Poor	305	$PM_{2.5}$	1
46	Jodhpur	Poor	278	$PM_{2.5}$	1
47	Jorapokhar	Moderate	132	PM_{10}	1
48	Kaithal	Moderate	159	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Poor	225	PM_{10}	1
50	Kanpur	Severe	418	$PM_{2.5}$	1
51	Karnal	Poor	294	$PM_{2.5}$	1
52	Khanna	Moderate	129	PM_{10}	1
53	Kolkata	Poor	249	$PM_{2.5}$	6
54	Kota	Poor	205	$PM_{2.5}$	1
55	Kurukshetra	Poor	251	$PM_{2.5}$	1
56	Lucknow	Very Poor	327	$PM_{2.5}$	4
57	Ludhiana	Moderate	176	$PM_{2.5}$	1
58	Mandi Gobindgarh	Moderate	125	$PM_{2.5}$	1
59	Mandideep	Satisfactory	98	PM_{10}	1
60	Mandikhera	Poor	293	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Manesar	Poor	297	$PM_{2.5}$	1
62	Meerut	Poor	275	$PM_{2.5}$	2
63	Moradabad	Severe	401	$PM_{2.5}$	1
64	Mumbai	Poor	243	$PM_{2.5}$	10
65	Muzaffarpur	Severe	450	$PM_{2.5}$	1
66	Mysuru	Good	38	O_3	1
67	Nagpur	Satisfactory	75	PM_{10}	1
68	Narnaul	Poor	293	$PM_{2.5}$	1
69	Nashik	Moderate	123	$PM_{2.5}$	1
70	Navi Mumbai	Poor	225	$PM_{2.5}$, CO	3
71	Noida	Severe	410	$PM_{2.5}$	4
72	Pali	Poor	216	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Very Poor	392	$PM_{2.5}$	1
74	Panchkula	Satisfactory	58	$PM_{2.5}$	1
75	Panipat	Very Poor	340	PM_{10}	1
76	Patiala	Moderate	120	$PM_{2.5}$	1
77	Patna	Very Poor	362	$PM_{2.5}$	4
78	Pithampur	Poor	219	$PM_{2.5}$	1
79	Pune	Moderate	116	$PM_{2.5}$	1
80	Rajamahendravaram	Satisfactory	97	O_3	1
81	Ramanagara	Satisfactory	52	SO_2	1
82	Ratlam	Poor	211	$PM_{2.5}$	1
83	Rohtak	Very Poor	312	$PM_{2.5}$	1
84	Rupnagar	Poor	249	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Satisfactory	93	PM_{10}	1
86	Siliguri	Moderate	130	$PM_{2.5}$	1
87	Singrauli	Poor	203	$PM_{2.5}$	1
88	Solapur	Moderate	101	CO	1
89	Sonipat	Poor	268	PM_{10}	1
90	Thane	Satisfactory	90	PM_{10}	1
91	Thiruvananthapuram	Satisfactory	58	$PM_{2.5}$	1
92	Tirupati	Good	24	$PM_{2.5}$	1
93	Udaipur	Moderate	184	$PM_{2.5}$	1
94	Ujjain	Poor	234	$PM_{2.5}$	1
95	Varanasi	Very Poor	368	$PM_{2.5}$	1
96	Vatva	Poor	267	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 02, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	87	$PM_{2.5}$	1
98	Yadgir	Satisfactory	56	$PM_{2.5}$	1
99	Yamunanagar	Poor	290	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Haldia, Kalaburagi, Katni, Maihar, Muzaffarnagar, Shillong, Sirsa, Talcher, Vapi, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.