Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	166	$PM_{2.5}$	1
2	Agra	Satisfactory	98	O_3, PM_{10}, $PM_{2.5}$	6
3	Ahmedabad	Moderate	113	PM_{10}, $PM_{2.5}$	9
4	Aizawl	Satisfactory	80	PM_{10}	1
5	Ajmer	Moderate	122	$PM_{2.5}$	1
6	Alwar	Satisfactory	72	PM_{10}	1
7	Ambala	Moderate	134	$PM_{2.5}$	1
8	Amritsar	Moderate	102	PM_{10}	1
9	Ankleshwar	Poor	232	$PM_{2.5}$	1
10	Araria	Moderate	189	$PM_{2.5}$	1
11	Arrah	Satisfactory	99	PM_{10}	1
12	Aurangabad	Moderate	103	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	$PM_{2.5}$	1
14	Bahadurgarh	Moderate	154	$PM_{2.5}$	1
15	Ballabgarh	Poor	254	$PM_{2.5}$	1
16	Bathinda	Satisfactory	73	PM_{10}	1
17	Bengaluru	Satisfactory	98	PM_{10}, $PM_{2.5}$	8
18	Bettiah	Moderate	161	$PM_{2.5}$	1
19	Bhagalpur	Moderate	192	PM_{10}	2
20	Bhilai	Satisfactory	56	PM_{10}	1
21	Bhiwadi	Moderate	188	$PM_{2.5}$	1
22	Bhiwani	Moderate	178	$PM_{2.5}$	1
23	Bhopal	Moderate	117	PM_{10}	1
24	Bidar	Moderate	106	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	114	NO_2	1
26	Bilaspur	Satisfactory	63	CO	1
27	Bulandshahr	Moderate	172	PM_{10}	1
28	Buxar	Moderate	176	PM_{10}	1
29	Chamarajanagar	Good	33	PM_{10}	1
30	Chandigarh	Moderate	133	$PM_{2.5}$, O_3, PM_{10}	3
31	Chandrapur	Moderate	156	O_3, PM_{10}	2
32	Charkhi Dadri	Moderate	179	$PM_{2.5}$	1
33	Chennai	Moderate	112	PM_{10}, O_3	5
34	Chhapra	Moderate	168	$PM_{2.5}$	1
35	Chikkaballapur	Moderate	104	$PM_{2.5}$	1
36	Chikkamagaluru	Satisfactory	63	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	61	$PM_{2.5}$	1
38	Damoh	Satisfactory	59	$PM_{2.5}$	1
39	Darbhanga	Moderate	161	O_3	1
40	Davanagere	Satisfactory	95	PM_{10}	1
41	Delhi	Moderate	173	$PM_{2.5}$, PM_{10}	34
42	Dewas	Satisfactory	62	$PM_{2.5}$	1
43	Dharuhera	Moderate	162	PM_{10}	1
44	Durgapur	Poor	299	PM_{10}	1
45	Eloor	Satisfactory	75	PM_{10}	1
46	Ernakulam	Moderate	103	$PM_{2.5}$	1
47	Faridabad	Moderate	179	$PM_{2.5}$, O_3	4
48	Fatehabad	Moderate	115	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	108	$PM_{2.5}$	2
50	Gadag	Satisfactory	78	$PM_{2.5}$	1
51	Gandhinagar	Satisfactory	97	$PM_{2.5}$, PM_{10}	3
52	Gaya	Moderate	124	NO_2, $PM_{2.5}$	3
53	Ghaziabad	Moderate	192	$PM_{2.5}$, PM_{10}	4
54	Gorakhpur	Satisfactory	63	PM_{10}	1
55	Greater Noida	Moderate	130	PM_{10}	2
56	Gummidipoondi	Satisfactory	56	PM_{10}	1
57	Gurugram	Poor	201	$PM_{2.5}$, PM_{10}	4
58	Guwahati	Moderate	134	PM_{10}	2
59	Gwalior	Moderate	141	PM_{10}	1
60	Hajipur	Moderate	176	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	120	PM_{10}	1
62	Hapur	Moderate	157	O_3	1
63	Hassan	Satisfactory	72	PM_{10}	1
64	Hisar	Moderate	176	$PM_{2.5}$	1
65	Howrah	Poor	261	$PM_{2.5}$	2
66	Hubballi	Moderate	122	PM_{10}	1
67	Hyderabad	Moderate	104	$PM_{2.5}$, PM_{10}	6
68	Indore	Moderate	102	O_3	1
69	Jabalpur	Moderate	124	$PM_{2.5}$	1
70	Jaipur	Moderate	125	$PM_{2.5}$, PM_{10}	3
71	Jalandhar	Moderate	113	PM_{10}	1
72	Jhansi	Moderate	110	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	107	PM_{10}	1
74	Jodhpur	Moderate	134	$PM_{2.5}$	1
75	Kaithal	Satisfactory	94	PM_{10}	1
76	Kalyan	Poor	212	$PM_{2.5}$	1
77	Kannur	Satisfactory	57	PM_{10}	1
78	Kanpur	Satisfactory	95	NO_2, PM_{10}	3
79	Karnal	Satisfactory	83	PM_{10}	1
80	Katihar	Moderate	187	PM_{10}	1
81	Katni	Moderate	147	PM_{10}	1
82	Khanna	Moderate	125	PM_{10}	1
83	Kishanganj	Poor	242	$PM_{2.5}$	1
84	Kochi	Moderate	160	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	90	PM_{10}	1
86	Kolkata	Moderate	164	$PM_{2.5}$, PM_{10}	7
87	Kollam	Satisfactory	95	PM_{10}	1
88	Koppal	Satisfactory	88	O_3	1
89	Kota	Moderate	109	$PM_{2.5}$	1
90	Kozhikode	Satisfactory	61	PM_{10}	1
91	Kurukshetra	Moderate	157	$PM_{2.5}$	1
92	Lucknow	Satisfactory	88	PM_{10}	5
93	Ludhiana	Moderate	112	PM_{10}	1
94	Madikeri	Satisfactory	67	PM_{10}	1
95	Mandi Gobindgarh	Poor	232	PM_{10}	1
96	Mandideep	Moderate	112	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	107	PM_{10}	1
98	Manglore	Satisfactory	87	NO_2	1
99	Meerut	Moderate	188	PM_{10}, $PM_{2.5}$	2
100	Moradabad	Moderate	101	$PM_{2.5}$, PM_{10}	4
101	Motihari	Moderate	151	O_3	1
102	Mumbai	Moderate	132	PM_{10}, $PM_{2.5}$	15
103	Munger	Poor	211	$PM_{2.5}$	1
104	Muzaffarnagar	Moderate	180	O_3	1
105	Muzaffarpur	Moderate	186	PM_{10}, $PM_{2.5}$	3
106	Mysuru	Satisfactory	55	PM_{10}	1
107	Nagpur	Satisfactory	80	CO	1
108	Naharlagun	Satisfactory	91	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	99	CO	1
110	Narnaul	Moderate	107	$PM_{2.5}$	1
111	Nashik	Satisfactory	57	$PM_{2.5}$	1
112	Navi Mumbai	Moderate	162	$PM_{2.5}$, PM_{10}	3
113	Noida	Moderate	142	$PM_{2.5}$, PM_{10}	4
114	Pali	Moderate	103	$PM_{2.5}$	1
115	Palwal	Satisfactory	90	PM_{10}	1
116	Panchkula	Moderate	128	$PM_{2.5}$	1
117	Patiala	Satisfactory	96	PM_{10}	1
118	Patna	Moderate	165	$PM_{2.5}$, PM_{10}	6
119	Pithampur	Moderate	117	$PM_{2.5}$	1
120	Prayagraj	Satisfactory	93	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Moderate	111	$PM_{2.5}$	1
122	Pune	Satisfactory	86	NO_2, $PM_{2.5}$, CO	6
123	Purnia	Moderate	122	PM_{10}	1
124	Rajamahendravaram	Moderate	147	$PM_{2.5}$	1
125	Rajgir	Moderate	110	PM_{10}	1
126	Ramanagara	Satisfactory	77	PM_{10}	1
127	Rohtak	Moderate	152	$PM_{2.5}$	1
128	Rupnagar	Moderate	156	$PM_{2.5}$	1
129	Sagar	Satisfactory	65	CO	1
130	Saharsa	Poor	269	$PM_{2.5}$	1
131	Sasaram	Moderate	116	PM_{10}	1
132	Satna	Satisfactory	59	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	49	O_3	1
134	Shivamogga	Satisfactory	66	NO_2	1
135	Siliguri	Poor	205	$PM_{2.5}$	1
136	Singrauli	Poor	282	PM_{10}	1
137	Sirsa	Satisfactory	85	PM_{10}	1
138	Siwan	Moderate	133	PM_{10}	1
139	Solapur	Satisfactory	80	$PM_{2.5}$	1
140	Sonipat	Moderate	122	PM_{10}	1
141	Srinagar	Satisfactory	51	PM_{10}	1
142	Talcher	Moderate	106	$PM_{2.5}$	1
143	Thane	Moderate	171	O_3	1
144	Thiruvananthapuram	Good	50	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Satisfactory	59	PM_{10}	1
146	Thrissur	Satisfactory	84	$PM_{2.5}$	1
147	Tirupati	Satisfactory	97	$PM_{2.5}$	1
148	Udaipur	Moderate	108	$PM_{2.5}$	1
149	Ujjain	Moderate	133	$PM_{2.5}$	1
150	Vapi	Moderate	183	PM_{10}	1
151	Varanasi	Satisfactory	84	PM_{10}	4
152	Vatva	Moderate	113	PM_{10}	1
153	Vijayapura	Good	46	PM_{10}	1
154	Visakhapatnam	Moderate	188	$PM_{2.5}$	1
155	Vrindavan	Satisfactory	84	PM_{10}	1
156	Yadgir	Satisfactory	81	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Amaravati, Asansol, Baghpat, Brajrajnagar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Panipat, Raichur, Ratlam, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.