Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM_{10}	1
2	Agra	Moderate	182	$PM_{2.5}$	6
3	Ahmedabad	Moderate	196	PM_{10}	1
4	Aizawl	Good	44	PM_{10}	1
5	Ajmer	Moderate	145	$PM_{2.5}$	1
6	Alwar	Moderate	125	$PM_{2.5}$	1
7	Amaravati	Satisfactory	80	PM_{10}	1
8	Amritsar	Moderate	185	$PM_{2.5}$	1
9	Anantapur	Moderate	156	$PM_{2.5}$	1
10	Araria	Poor	258	$PM_{2.5}$	1
11	Arrah	Moderate	163	O_3	1
12	Asansol	Moderate	160	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	140	$PM_{2.5}$	1
14	Baddi	Moderate	164	O_3	1
15	Bagalkot	Satisfactory	56	PM_{10}	1
16	Baghpat	Poor	256	$PM_{2.5}$	1
17	Bahadurgarh	Very Poor	326	$PM_{2.5}$	1
18	Ballabgarh	Moderate	101	PM_{10}	1
19	Bareilly	Moderate	155	$PM_{2.5}$	2
20	Bathinda	Moderate	193	$PM_{2.5}$	1
21	Begusarai	Very Poor	328	$PM_{2.5}$	1
22	Belgaum	Moderate	175	$PM_{2.5}$	1
23	Bengaluru	Moderate	130	$PM_{2.5}$, PM_{10}	9
24	Bettiah	Very Poor	306	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Moderate	163	$PM_{2.5}$	2
26	Bhilai	Moderate	196	$PM_{2.5}$	2
27	Bhiwadi	Poor	230	$PM_{2.5}$	1
28	Bhiwani	Poor	291	$PM_{2.5}$	1
29	Bhopal	Moderate	152	$PM_{2.5}$, PM_{10}	2
30	Bidar	Satisfactory	58	CO	1
31	Bihar Sharif	Moderate	194	PM_{10}	1
32	Bilaspur	Satisfactory	77	PM_{10}	1
33	Bulandshahr	Very Poor	329	$PM_{2.5}$	1
34	Chamarajanagar	Satisfactory	57	PM_{10}	1
35	Chandigarh	Moderate	145	$PM_{2.5}$, O_3	3
36	Chandrapur	Moderate	194	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Very Poor	313	$PM_{2.5}$	1
38	Chengalpattu	Moderate	104	PM_{10}	1
39	Chennai	Moderate	105	$PM_{2.5}$, PM_{10}	9
40	Chhapra	Poor	256	$PM_{2.5}$	1
41	Chikkaballapur	Satisfactory	99	PM_{10}	1
42	Chikkamagaluru	Satisfactory	75	$PM_{2.5}$	1
43	Coimbatore	Moderate	117	$PM_{2.5}$	1
44	Damoh	Satisfactory	76	$PM_{2.5}$	1
45	Darbhanga	Poor	295	$PM_{2.5}$	1
46	Davanagere	Moderate	101	$PM_{2.5}$	1
47	Delhi	Very Poor	354	PM_{10}, $PM_{2.5}$	27
48	Dewas	Moderate	136	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	364	PM_{10}	1
50	Dindigul	Satisfactory	75	$PM_{2.5}$	1
51	Durgapur	Moderate	160	PM_{10}	1
52	Eloor	Satisfactory	77	PM_{10}	1
53	Ernakulam	Good	50	CO	1
54	Faridabad	Very Poor	315	$PM_{2.5}$, PM_{10}	4
55	Firozabad	Moderate	125	$PM_{2.5}$	2
56	Gadag	Satisfactory	84	O_3	1
57	Gandhinagar	Moderate	112	PM_{10}	1
58	Gangtok	Good	29	$PM_{2.5}$	1
59	Gaya	Moderate	158	$PM_{2.5}$, PM_{10}	3
60	Ghaziabad	Very Poor	373	$PM_{2.5}$, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	125	PM_{10}	1
62	Greater Noida	Very Poor	368	$PM_{2.5}$	2
63	Gurugram	Very Poor	362	$PM_{2.5}$	3
64	Guwahati	Moderate	131	$PM_{2.5}$	2
65	Gwalior	Moderate	184	PM_{10}, $PM_{2.5}$	2
66	Hajipur	Poor	264	$PM_{2.5}$	1
67	Haldia	Satisfactory	66	PM_{10}	1
68	Hapur	Very Poor	301	$PM_{2.5}$	1
69	Hassan	Satisfactory	78	$PM_{2.5}$	1
70	Haveri	Satisfactory	96	PM_{10}	1
71	Hisar	Very Poor	310	$PM_{2.5}$	1
72	Hosur	Moderate	114	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Moderate	125	$PM_{2.5}$, PM_{10}	3
74	Hubballi	Satisfactory	95	$PM_{2.5}$	1
75	Hyderabad	Satisfactory	94	$PM_{2.5}$, PM_{10}	13
76	Imphal	Moderate	132	O_3, PM_{10}	2
77	Indore	Moderate	152	PM_{10}	1
78	Jabalpur	Poor	208	$PM_{2.5}$	1
79	Jaipur	Moderate	153	$PM_{2.5}$, PM_{10}	3
80	Jalandhar	Moderate	148	$PM_{2.5}$	1
81	Jhansi	Moderate	165	$PM_{2.5}$	1
82	Jind	Very Poor	327	$PM_{2.5}$	1
83	Jodhpur	Moderate	136	$PM_{2.5}$	1
84	Jorapokhar	Moderate	103	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Very Poor	332	$PM_{2.5}$	1
86	Kalaburgi	Moderate	112	$PM_{2.5}$	1
87	Kalyan	Moderate	152	PM_{10}	1
88	Kanchipuram	Satisfactory	55	SO_2	1
89	Kannur	Satisfactory	66	PM_{10}	1
90	Kanpur	Poor	207	$PM_{2.5}$	3
91	Karnal	Poor	252	$PM_{2.5}$	1
92	Katihar	Poor	278	$PM_{2.5}$	1
93	Katni	Moderate	162	PM_{10}	1
94	Khanna	Moderate	134	$PM_{2.5}$	1
95	Khurja	Very Poor	316	PM_{10}	1
96	Kishanganj	Moderate	143	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Poor	221	$PM_{2.5}$	1
98	Kohima	Moderate	116	SO_2	1
99	Kolar	Moderate	103	PM_{10}	1
100	Kolkata	Moderate	107	$PM_{2.5}$, PM_{10}	7
101	Kollam	Moderate	127	PM_{10}	1
102	Koppal	Moderate	160	O_3	1
103	Korba	Satisfactory	98	PM_{10}	2
104	Kota	Moderate	125	PM_{10}	1
105	Kozhikode	Satisfactory	76	PM_{10}	1
106	Kurukshetra	Poor	276	$PM_{2.5}$	1
107	Lucknow	Poor	225	$PM_{2.5}$, PM_{10}	6
108	Ludhiana	Poor	258	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Satisfactory	78	PM_{10}	1
110	Maihar	Good	45	PM_{10}	1
111	Mandi Gobindgarh	Moderate	122	PM_{10}	1
112	Mandideep	Moderate	147	PM_{10}	1
113	Mandikhera	Moderate	116	PM_{10}	1
114	Manesar	Very Poor	314	$PM_{2.5}$	1
115	Manglore	Satisfactory	75	$PM_{2.5}$	1
116	Meerut	Very Poor	316	$PM_{2.5}$	3
117	Moradabad	Moderate	185	$PM_{2.5}$	6
118	Motihari	Very Poor	343	$PM_{2.5}$	1
119	Mumbai	Moderate	163	$PM_{2.5}$, PM_{10}	17
120	Munger	Moderate	174	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Moderate	169	O_3	1
122	Muzaffarpur	Poor	215	$PM_{2.5}$, PM_{10}	3
123	Mysuru	Satisfactory	87	PM_{10}	1
124	Narnaul	Moderate	134	PM_{10}	1
125	Nashik	Satisfactory	97	$PM_{2.5}$	1
126	Navi Mumbai	Poor	219	$PM_{2.5}$, PM_{10}	3
127	Noida	Very Poor	354	$PM_{2.5}$, PM_{10}	3
128	Ooty	Satisfactory	86	PM_{10}	1
129	Pali	Satisfactory	92	$PM_{2.5}$	1
130	Palwal	Poor	251	PM_{10}	1
131	Panchkula	Satisfactory	81	$PM_{2.5}$	1
132	Panipat	Moderate	196	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	185	$PM_{2.5}$	1
134	Patna	Poor	256	$PM_{2.5}$, PM_{10}	6
135	Pithampur	Moderate	104	PM_{10}	1
136	Prayagraj	Moderate	196	$PM_{2.5}$	3
137	Puducherry	Satisfactory	78	PM_{10}	1
138	Pune	Moderate	122	$PM_{2.5}$	1
139	Purnia	Poor	241	$PM_{2.5}$	1
140	Raipur	Moderate	150	$PM_{2.5}$, PM_{10}	3
141	Rajamahendravaram	Satisfactory	83	$PM_{2.5}$	1
142	Rajgir	Moderate	119	$PM_{2.5}$	1
143	Ramanagara	Satisfactory	88	PM_{10}	1
144	Ramanathapuram	Satisfactory	98	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	119	PM_{10}	1
146	Rohtak	Moderate	152	$PM_{2.5}$	1
147	Sagar	Good	38	CO	1
148	Saharsa	Poor	270	$PM_{2.5}$	1
149	Salem	Satisfactory	87	SO_2	1
150	Sasaram	Moderate	159	O_3	1
151	Satna	Good	47	O_3	1
152	Shillong	Good	48	$PM_{2.5}$	1
153	Shivamogga	Satisfactory	61	PM_{10}	1
154	Siliguri	Satisfactory	100	PM_{10}	1
155	Singrauli	Poor	271	$PM_{2.5}$	1
156	Sivasagar	Good	14	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Very Poor	312	$PM_{2.5}$	1
158	Solapur	Satisfactory	79	PM_{10}	1
159	Srinagar	Poor	230	$PM_{2.5}$	1
160	Talcher	Moderate	147	$PM_{2.5}$	1
161	Thane	Moderate	160	PM_{10}	1
162	Thiruvananthapuram	Satisfactory	82	$PM_{2.5}$	2
163	Thoothukudi	Satisfactory	58	PM_{10}	1
164	Tirupati	Satisfactory	58	$PM_{2.5}$	1
165	Tiruppur	Moderate	191	PM_{10}	1
166	Udaipur	Moderate	109	PM_{10}	1
167	Varanasi	Moderate	176	$PM_{2.5}$, PM_{10}	4
168	Vatva	Moderate	152	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Oct 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vijayapura	Satisfactory	53	PM_{10}	1
170	Visakhapatnam	Moderate	103	PM_{10}	1
171	Vrindavan	Moderate	150	$PM_{2.5}$	1
172	Yadgir	Satisfactory	61	$PM_{2.5}$	1
173	Yamunanagar	Moderate	156	PM_{10}	1
174	vellore	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Brajrajnagar, Buxar, Dehradun, Fatehabad, Gummidipoondi, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rupnagar, Samastipur, Sirsa, Sonipat, Thrissur, Udupi, Ujjain, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.