

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	196	PM _{2.5}	1
2	Agra	Poor	244	PM _{2.5}	1
3	Ahmedabad	Moderate	114	PM ₁₀	1
4	Aizawl	Good	14	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM _{2.5}	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Satisfactory	60	03	1
8	Ambala	Very Poor	315	PM ₁₀	1
9	Amritsar	Moderate	192	PM _{2.5}	1
10	Asansol	Moderate	192	PM _{2.5}	1
11	Aurangabad	Satisfactory	74	PM ₁₀	1
12	Bagalkot	Satisfactory	65	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	284	PM _{2.5}	1
14	Bahadurgarh	Poor	224	PM _{2.5}	1
15	Ballabgarh	Moderate	159	PM ₁₀	1
16	Bathinda	Satisfactory	92	PM ₁₀	1
17	Bengaluru	Satisfactory	57	PM ₁₀ , CO	10
18	Bhiwadi	Poor	273	PM _{2.5}	1
19	Bhiwani	Moderate	130	O ₃	1
20	Bhopal	Moderate	118	PM ₁₀	1
21	Brajrajnagar	Satisfactory	82	PM _{2.5}	1
22	Bulandshahr	Very Poor	302	PM _{2.5}	1
23	Chandigarh	Moderate	111	PM _{2.5}	1
24	Chandrapur	Satisfactory	68	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	192	PM _{2.5}	1
26	Chennai	Satisfactory	67	O ₃ , CO, PM ₁₀	6
27	Chikkaballapur	Good	45	PM ₁₀	1
28	Damoh	Moderate	102	PM _{2.5}	1
29	Delhi	Poor	256	PM _{2.5}	35
30	Dewas	Satisfactory	88	PM ₁₀	1
31	Dharuhera	Poor	280	PM _{2.5}	1
32	Eloor	Good	40	03	1
33	Ernakulam	Satisfactory	69	со	1
34	Faridabad	Poor	236	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Very Poor	324	PM _{2.5}	1
36	Gandhinagar	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	134	PM _{2.5} , O ₃	2
38	Ghaziabad	Poor	300	PM _{2.5}	4
39	Greater Noida	Poor	273	PM _{2.5}	2
40	Gurugram	Poor	242	PM _{2.5}	4
41	Guwahati	Moderate	174	PM _{2.5}	1
42	Gwalior	Poor	226	PM _{2.5}	1
43	Hajipur	Satisfactory	93	PM ₁₀	1
44	Hapur	Moderate	191	O ₃	1
45	Hisar	Poor	258	PM _{2.5}	1
46	Howrah	Poor	232	PM _{2.5}	3
47	Hubballi	Good	40	PM ₁₀	1
48	Hyderabad	Satisfactory	74	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	92	O ₃	1
50	Jabalpur	Moderate	195	PM _{2.5}	1
51	Jaipur	Moderate	122	O ₃ , PM ₁₀ , PM _{2.5}	3
52	Jalandhar	Moderate	156	PM _{2.5}	1
53	Jind	Poor	285	PM _{2.5}	1
54	Jodhpur	Moderate	139	PM _{2.5}	1
55	Kaithal	Moderate	189	PM _{2.5}	1
56	Kalaburgi	Satisfactory	77	PM ₁₀	1
57	Kannur	Satisfactory	60	PM ₁₀	1
58	Kanpur	Very Poor	312	PM _{2.5}	1
59	Katni	Poor	241	PM _{2.5}	1
60	Khanna	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Satisfactory	62	PM ₁₀	1
62	Kolkata	Poor	228	PM _{2.5}	7
63	Kollam	Moderate	117	PM _{2.5}	1
64	Kota	Moderate	108	PM _{2.5}	1
65	Kozhikode	Satisfactory	58	PM ₁₀	1
66	Kurukshetra	Poor	209	PM _{2.5}	1
67	Lucknow	Poor	229	PM _{2.5}	4
68	Ludhiana	Moderate	114	PM ₁₀	1
69	Maihar	Good	36	со	1
70	Mandi Gobindgarh	Moderate	199	PM _{2.5}	1
71	Mandideep	Moderate	115	PM ₁₀	1
72	Mandikhera	Moderate	104	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Poor	227	PM _{2.5}	1
74	Medikeri	Good	39	O ₃	1
75	Meerut	Very Poor	316	PM _{2.5}	3
76	Moradabad	Very Poor	324	PM _{2.5}	1
77	Mumbai	Moderate	110	PM _{2.5} , PM ₁₀	15
78	Muzaffarnagar	Poor	243	PM _{2.5}	1
79	Muzaffarpur	Poor	242	PM _{2.5} , PM ₁₀	2
80	Mysuru	Good	34	PM ₁₀	1
81	Nagpur	Satisfactory	73	PM _{2.5}	1
82	Nandesari	Satisfactory	65	со	1
83	Narnaul	Moderate	110	PM _{2.5}	1
84	Nashik	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Satisfactory	79	PM ₁₀	1
86	Noida	Poor	268	PM _{2.5}	4
87	Pali	Satisfactory	90	PM ₁₀	1
88	Palwal	Moderate	107	PM ₁₀	1
89	Panchkula	Moderate	186	PM _{2.5}	1
90	Panipat	Poor	203	PM ₁₀	1
91	Patiala	Moderate	111	PM ₁₀	1
92	Patna	Poor	288	PM _{2.5}	5
93	Pithampur	Moderate	102	PM _{2.5}	1
94	Pune	Satisfactory	66	PM _{2.5} , PM ₁₀ , CO	5
95	Rajamahendravaram	Satisfactory	78	PM ₁₀	1
96	Ratlam	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Poor	212	PM _{2.5}	1
98	Rupnagar	Moderate	138	PM ₁₀	1
99	Sagar	Satisfactory	73	PM _{2.5}	1
100	Satna	Satisfactory	72	PM ₁₀	1
101	Shillong	Good	25	PM _{2.5}	1
102	Shivamogga	Good	37	PM ₁₀	1
103	Singrauli	Poor	292	PM _{2.5}	1
104	Sirsa	Moderate	175	PM _{2.5}	1
105	Solapur	Satisfactory	78	PM ₁₀	1
106	Sonipat	Moderate	153	PM ₁₀	1
107	Talcher	Moderate	113	PM ₁₀	1
108	Thane	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Good	50	PM ₁₀ , CO	2
110	Thoothukudi	Good	39	O ₃	1
111	Thrissur	Satisfactory	52	O ₃	1
112	Tirupati	Good	39	СО	1
113	Udaipur	Satisfactory	97	PM ₁₀	1
114	Ujjain	Moderate	151	O ₃	1
115	Vapi	Moderate	196	PM _{2.5}	1
116	Varanasi	Poor	248	PM _{2.5}	1
117	Vatva	Moderate	102	PM ₁₀	1
118	Vijayapura	Good	39	со	1
119	Yamunanagar	Very Poor	311	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Chamarajanagar, Chikkamagaluru, Coimbatore, Jorapokhar, Kalyan, Karnal, Kochi, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.