

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	102	PM _{2.5}	1
2	Agra	Satisfactory	57	O ₃ , NO ₂	5
3	Ahmedabad	Satisfactory	54	PM ₁₀	8
4	Ajmer	Satisfactory	65	PM ₁₀	1
5	Akola	Good	48	PM ₁₀	1
6	Alwar	Good	49	со	1
7	Amaravati	Good	28	03	1
8	Ambala	Satisfactory	91	со	1
9	Amravati	Good	40	PM ₁₀	2
10	Amritsar	Moderate	104	PM ₁₀	1
11	Ankleshwar	Moderate	146	со	1
12	Araria	Satisfactory	95	PM _{2.5}	1

Notes:

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	39	PM ₁₀	1
14	Arrah	Satisfactory	85	PM ₁₀	1
15	Asansol	Satisfactory	66	PM ₁₀	1
16	Aurangabad (Maharashtra)	Good	37	PM ₁₀	2
17	Baddi	Satisfactory	94	PM ₁₀	1
18	Badlapur	Good	41	PM ₁₀	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Satisfactory	69	03	1
21	Bahadurgarh	Good	48	со	1
22	Baran	Good	36	03	1
23	Baripada	Satisfactory	59	PM ₁₀	1
24	Barmer	Satisfactory	55	03	1

Notes:

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	85	PM ₁₀	1
26	Belapur	Good	37	PM ₁₀	1
27	Belgaum	Good	47	со	1
28	Bengaluru	Good	39	PM ₁₀ , O ₃	11
29	Bettiah	Satisfactory	69	PM _{2.5}	1
30	Bhagalpur	Moderate	112	PM ₁₀	2
31	Bharatpur	Good	43	PM ₁₀	1
32	Bhilai	Good	26	PM ₁₀ , PM _{2.5}	2
33	Bhilwara	Good	48	PM ₁₀	1
34	Bhiwadi	Satisfactory	58	PM ₁₀	1
35	Bhiwani	Satisfactory	57	со	1
36	Bhopal	Good	30	PM ₁₀ , SO ₂	3

Notes:

Jarbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Satisfactory	64	PM ₁₀	1
38	Bikaner	Satisfactory	60	O ₃	1
39	Bilaspur	Satisfactory	59	PM ₁₀	1
40	Bileipada	Satisfactory	94	PM ₁₀	1
41	Brajrajnagar	Good	48	PM ₁₀	1
42	Bulandshahr	Good	31	со	1
43	Byrnihat	Moderate	191	PM _{2.5}	1
44	Chamarajanagar	Good	46	PM ₁₀	1
45	Chandigarh	Satisfactory	53	PM _{2.5}	3
46	Chandrapur	Good	49	PM ₁₀	1
47	Charkhi Dadri	Good	50	PM _{2.5}	1
48	Chengalpattu	Satisfactory	54	со	1

Notes:

Jarbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	62	со	7
50	Chhapra	Satisfactory	91	PM ₁₀	1
51	Chikkaballapur	Good	30	PM _{2.5}	1
52	Chikkamagaluru	Good	31	PM ₁₀	1
53	Chittoor	Good	28	O ₃	1
54	Chittorgarh	Satisfactory	64	PM _{2.5}	1
55	Damoh	Good	24	СО	1
56	Davanagere	Good	22	O ₃	1
57	Delhi	Satisfactory	65	O ₃ , CO	29
58	Dewas	Good	33	03	1
59	Dhanbad	Moderate	183	со	1
60	Dharuhera	Satisfactory	70	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Good	30	O ₃	1
62	Dhule	Good	44	со	1
63	Durgapur	Satisfactory	54	PM ₁₀	1
64	Eloor	Good	47	PM ₁₀	1
65	Faridabad	Satisfactory	59	PM ₁₀ , PM _{2.5}	4
66	Fatehabad	Moderate	133	03	1
67	Firozabad	Good	26	SO ₂	1
68	Gandhinagar	Good	35	PM ₁₀ , CO	3
69	Gangtok	Satisfactory	69	SO ₂	1
70	Gaya	Satisfactory	88	со	3
71	Ghaziabad	Good	40	O ₃ , PM ₁₀	4
72	Gorakhpur	Satisfactory	65	PM _{2.5}	1

Notes:

Parbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gac

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Satisfactory	60	PM ₁₀ , O ₃	2
74	Gummidipoondi	Good	46	PM ₁₀	1
75	Gurugram	Moderate	127	PM _{2.5} , CO	3
76	Guwahati	Satisfactory	85	CO, PM ₁₀	3
77	Gwalior	Good	45	PM _{2.5} , O ₃	3
78	Hajipur	Satisfactory	64	PM ₁₀	1
79	Haldia	Good	47	PM ₁₀	1
80	Hanumangarh	Satisfactory	56	PM ₁₀	1
81	Hassan	Good	49	PM ₁₀	1
82	Haveri	Good	39	со	1
83	Hisar	Moderate	168	03	1
84	Hosur	Good	26	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	60	PM ₁₀	3
86	Hubballi	Good	45	СО	2
87	Hyderabad	Satisfactory	52	PM ₁₀ , PM _{2.5}	9
88	Indore	Good	30	03	1
89	Jabalpur	Satisfactory	54	PM ₁₀	3
90	Jaipur	Good	48	PM ₁₀ , PM _{2.5}	6
91	Jaisalmer	Satisfactory	54	PM ₁₀	1
92	Jalandhar	Satisfactory	88	PM ₁₀	1
93	Jalgaon	Good	45	PM ₁₀	1
94	Jalna	Good	38	NO ₂	1
95	Jhalawar	Good	29	PM ₁₀	1
96	Jhansi	Satisfactory	59	PM ₁₀	1

Notes:

Darbhanga, Dausa, Dehradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Satisfactory	63	PM _{2.5}	1
98	Jind	Moderate	101	СО	1
99	Jodhpur	Good	44	03	4
100	Kaithal	Good	25	PM _{2.5}	1
101	Kalyan	Satisfactory	58	со	1
102	Kannur	Satisfactory	70	PM ₁₀	1
103	Kanpur	Good	48	СО	4
104	Karauli	Good	45	O ₃	1
105	Karnal	Good	36	PM ₁₀	1
106	Kashipur	Good	50	PM ₁₀	1
107	Katihar	Moderate	125	PM _{2.5}	1
108	Katni	Good	37	PM ₁₀	1

Notes:

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	71	PM _{2.5}	1
110	Kishanganj	Satisfactory	87	PM ₁₀	1
111	Kohima	Satisfactory	53	SO ₂	1
112	Kolar	Good	27	PM ₁₀	1
113	Kolhapur	Good	36	PM ₁₀	2
114	Kolkata	Good	40	O ₃ , PM ₁₀	7
115	Kollam	Satisfactory	53	PM ₁₀	1
116	Korba	Good	37	СО	2
117	Kota	Good	35	PM ₁₀	3
118	Kunjemura	Good	28	PM ₁₀	1
119	Latur	Satisfactory	52	PM ₁₀	1
120	Lucknow	Satisfactory	54	CO, PM ₁₀	6

Notes:

Jarbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	56	PM ₁₀	1
122	Madikeri	Good	35	PM _{2.5}	1
123	Mahad	Satisfactory	69	PM ₁₀	1
124	Maihar	Good	30	со	1
125	Mandi Gobindgarh	Good	38	03	1
126	Mandideep	Good	44	PM ₁₀	1
127	Mandikhera	Good	30	PM ₁₀	1
128	Manesar	Satisfactory	58	PM _{2.5}	1
129	Mangalore	Good	38	PM ₁₀	1
130	Manguraha	Satisfactory	58	со	1
131	Meerut	Good	44	со	3
132	Moradabad	Good	50	PM ₁₀	3

Notes:

Jarbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Motihari	Satisfactory	88	PM _{2.5}	1
134	Mumbai	Satisfactory	57	со	21
135	Munger	Satisfactory	69	PM ₁₀	1
136	Muzaffarnagar	Good	46	PM _{2.5}	1
137	Muzaffarpur	Satisfactory	78	NO ₂	2
138	Mysuru	Good	39	PM ₁₀	1
139	Nagaur	Good	40	03	1
140	Nagpur	Good	42	PM ₁₀	4
141	Naharlagun	Good	39	PM _{2.5}	1
142	Nalbari	Moderate	129	PM ₁₀	1
143	Nanded	Good	44	O ₃	1
144	Nashik	Good	29	PM ₁₀ , O ₃	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Navi Mumbai	Good	42	PM ₁₀	5
146	Nayagarh	Good	37	PM _{2.5}	1
147	Noida	Good	40	NO ₂ , PM ₁₀	3
148	Ooty	Good	24	PM ₁₀	1
149	Pali	Satisfactory	93	PM ₁₀	1
150	Palkalaiperur	Good	24	SO ₂	1
151	Palwal	Satisfactory	53	PM _{2.5}	1
152	Panchkula	Good	46	O ₃	1
153	Panipat	Satisfactory	71	PM ₁₀	1
154	Parbhani	Satisfactory	81	со	1
155	Patiala	Good	46	со	1
156	Patna	Satisfactory	92	PM _{2.5}	6

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pimpri Chinchwad	Good	38	PM _{2.5}	3
158	Pithampur	Good	40	со	1
159	Pratapgarh	Good	35	03	1
160	Prayagraj	Satisfactory	73	PM ₁₀	3
161	Pune	Satisfactory	77	NO ₂ , PM ₁₀	7
162	Raipur	Good	38	PM ₁₀ , NO ₂	4
163	Rairangpur	Good	39	PM _{2.5}	1
164	Rajgir	Satisfactory	66	PM _{2.5}	1
165	Rajsamand	Good	45	со	1
166	Ramanagara	Good	26	PM ₁₀	1
167	Ramanathapuram	Good	17	PM ₁₀	1
168	Ratlam	Good	10	SO ₂	1

Notes:

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rishikesh	Good	29	со	1
170	Rourkela	Moderate	114	PM ₁₀ , PM _{2.5}	3
171	Rupnagar	Satisfactory	56	PM ₁₀	1
172	Sagar	Good	38	со	2
173	Saharsa	Satisfactory	94	PM ₁₀	1
174	Salem	Good	28	PM _{2.5}	1
175	Samastipur	Satisfactory	66	PM _{2.5}	1
176	Sangli	Good	34	PM ₁₀	1
177	Satna	Satisfactory	75	PM ₁₀	1
178	Sawai Madhopur	Good	49	O ₃	1
179	Shillong	Satisfactory	69	PM ₁₀	1
180	Shivamogga	Good	39	PM ₁₀	1

Notes:

Jarbnanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sikar	Good	45	03	1
182	Silchar	Good	22	PM ₁₀	1
183	Siliguri	Satisfactory	56	PM ₁₀	1
184	Singrauli	Good	48	03	1
185	Sirohi	Good	35	O ₃	1
186	Sirsa	Satisfactory	87	O ₃	1
187	Sivasagar	Good	30	PM ₁₀	1
188	Solapur	Satisfactory	66	PM ₁₀	3
189	Suakati	Good	50	PM ₁₀	1
190	Surat	Moderate	183	PM ₁₀	1
191	Talcher	Satisfactory	60	СО	1
192	Tensa	Good	43	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Jarbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thane	Good	44	PM ₁₀	1
194	Thiruvananthapuram	Good	26	CO, O ₃	2
195	Thoothukudi	Good	37	PM ₁₀	1
196	Thrissur	Satisfactory	59	PM ₁₀	1
197	Tirupati	Good	41	со	1
198	Tonk	Good	36	PM _{2.5}	1
199	Tumakuru	Satisfactory	82	со	1
200	Tumidih	Good	24	со	1
201	Udaipur	Good	45	со	1
202	Ujjain	Satisfactory	69	со	1
203	Ulhasnagar	Satisfactory	52	PM ₁₀	1
204	Vapi	Moderate	108	со	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Parbhanga, Dausa, Denradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Gac

Notes: Keo

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Good	30	PM ₁₀	4
206	Vatva	Satisfactory	82	PM ₁₀	1
207	Vijayapura	Good	46	PM ₁₀	1
208	Vijayawada	Satisfactory	81	PM ₁₀	2
209	Visakhapatnam	Satisfactory	59	PM _{2.5}	1
210	Vrindavan	Good	32	SO ₂	1
211	Yadgir	Good	34	PM ₁₀	1
212	Yamunanagar	Satisfactory	67	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Banswara, Bareilly, Begusarai, Bhiwandi, Bidar, Boisar, Bundi, Buxar, Chhal, Churu, Coimbatore, Cuddalore,

Darbhanga, Dausa, Dehradun, Dholpur, Dindigul, Dungarpur, Ernakulam, Cad

Hapur, Imphal, Jalore, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Khanna, Kochi, Koppal, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Nagaon, Nandesari, Narnaul, Puducherry, Purnia, Raichur, Rajamahendravaram, Rohtak, Sasaram, Siwan, Sonipat, Sri Ganganagar, Srinagar, Tirupur, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases