



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	208	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	200	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	108	PM <sub>10</sub>	1
4	Alwar	Moderate	111	PM <sub>2.5</sub>	1
5	Amaravati	Satisfactory	65	PM <sub>10</sub>	1
6	Ambala	Moderate	156	PM <sub>10</sub>	1
7	Amritsar	Moderate	127	PM <sub>2.5</sub>	1
8	Ankleshwar	Moderate	115	PM <sub>10</sub>	1
9	Asanol	Moderate	136	PM <sub>2.5</sub>	1
10	Aurangabad	Moderate	121	OZONE	1
11	Baghpat	Poor	254	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	180	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	284	PM <sub>2.5</sub>	1
14	Bathinda	Moderate	129	PM <sub>10</sub>	1
15	Bengaluru	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub> , OZONE	8
16	Bhiwadi	Poor	266	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	165	PM <sub>2.5</sub>	1
18	Brajrajnagar	Poor	254	PM <sub>2.5</sub>	1
19	Bulandshahr	Poor	246	PM <sub>2.5</sub>	1
20	Chandrapur	Moderate	189	OZONE	1
21	Chennai	Satisfactory	76	PM <sub>2.5</sub> , OZONE, CO	3
22	Chikkaballapur	Moderate	106	PM <sub>10</sub>	1
23	Damoh	Satisfactory	97	PM <sub>10</sub>	1
24	Delhi	Poor	233	PM <sub>10</sub> , PM <sub>2.5</sub>	35

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	141	PM <sub>10</sub>	1
26	Dharuhera	Poor	219	PM <sub>2.5</sub>	1
27	Durgapur	Satisfactory	99	PM <sub>10</sub>	1
28	Faridabad	Poor	225	PM <sub>2.5</sub>	1
29	Fatehabad	Moderate	158	PM <sub>10</sub>	1
30	GandhiNagar	Moderate	119	PM <sub>10</sub>	1
31	Gaya	Poor	207	PM <sub>2.5</sub>	1
32	Ghaziabad	Poor	270	PM <sub>10</sub> , PM <sub>2.5</sub>	3
33	Greater_Noida	Poor	266	PM <sub>2.5</sub>	1
34	Gurugram	Poor	250	PM <sub>2.5</sub>	1
35	Guwahati	Poor	268	PM <sub>2.5</sub>	1
36	Hapur	Poor	246	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Poor	203	PM <sub>2.5</sub>	1
38	Howrah	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	2
39	Hyderabad	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	5
40	Jaipur	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	3
41	Jalandhar	Moderate	110	PM <sub>10</sub>	1
42	Jind	Moderate	185	PM <sub>10</sub>	1
43	Jodhpur	Moderate	177	PM <sub>2.5</sub>	1
44	Kaithal	Moderate	154	PM <sub>10</sub>	1
45	Kalaburgi	Moderate	121	PM <sub>10</sub>	1
46	Kanpur	Poor	240	PM <sub>2.5</sub>	1
47	Karnal	Moderate	144	PM <sub>10</sub>	1
48	Khanna	Moderate	101	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpqb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kolkata	Satisfactory	94	PM <sub>10</sub>	2
50	Kota	Moderate	128	PM <sub>2.5</sub>	1
51	Kurushketra	Moderate	129	PM <sub>10</sub>	1
52	Loni_Dehat	Poor	267	PM <sub>10</sub>	1
53	Lucknow	Poor	287	PM <sub>2.5</sub>	4
54	Ludhiana	Satisfactory	91	PM <sub>2.5</sub>	1
55	Maihar	Satisfactory	64	PM <sub>10</sub>	1
56	Mandi Gobindgarh	Moderate	136	PM <sub>10</sub>	1
57	Mandideep	Poor	208	PM <sub>10</sub>	1
58	Mandikhera	Moderate	163	PM <sub>2.5</sub>	1
59	Manesar	Poor	211	PM <sub>10</sub>	1
60	Moradabad	Poor	298	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mumbai	Satisfactory	99	PM <sub>10</sub>	1
62	Muzaffarnagar	Poor	278	PM <sub>2.5</sub>	1
63	Muzaffarpur	Poor	291	PM <sub>2.5</sub>	1
64	Nagpur	Moderate	120	PM <sub>10</sub>	1
65	Narnaul	Moderate	142	PM <sub>2.5</sub>	1
66	Nashik	Moderate	141	PM <sub>2.5</sub>	1
67	Navi Mumbai	Moderate	108	CO	1
68	Noida	Poor	247	PM <sub>2.5</sub>	2
69	Pali	Moderate	113	PM <sub>10</sub>	1
70	Palwal	Poor	238	PM <sub>2.5</sub>	1
71	Panchkula	Satisfactory	95	PM <sub>2.5</sub>	1
72	Panipat	Moderate	134	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patiala	Moderate	169	PM <sub>10</sub>	1
74	Pithampur	Moderate	150	PM <sub>10</sub>	1
75	Pune	Moderate	135	PM <sub>10</sub>	1
76	Rajamahendravaram	Satisfactory	62	OZONE	1
77	Ratlam	Moderate	160	PM <sub>10</sub>	1
78	Rohtak	Moderate	130	PM <sub>2.5</sub>	1
79	Satna	Moderate	137	PM <sub>10</sub>	1
80	Singrauli	Poor	240	PM <sub>10</sub>	1
81	Sirsa	Moderate	191	PM <sub>2.5</sub>	1
82	Solapur	Moderate	140	PM <sub>10</sub>	1
83	Sonipat	Moderate	182	PM <sub>2.5</sub>	1
84	Talcher	Poor	207	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Mar 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thane	Moderate	170	PM <sub>2.5</sub>	1
86	Thiruvananthapuram	Satisfactory	83	PM <sub>10</sub>	1
87	Tirupati	Satisfactory	97	OZONE	1
88	Udaipur	Satisfactory	70	PM <sub>10</sub>	1
89	Ujjain	Moderate	129	PM <sub>10</sub>	1
90	Vapi	Moderate	174	PM <sub>2.5</sub>	1
91	Varanasi	Poor	264	PM <sub>10</sub>	1
92	Vatva	Moderate	180	PM <sub>10</sub>	1
93	Vijayawada	Satisfactory	58	PM <sub>10</sub>	1
94	Visakhapatnam	Satisfactory	97	PM <sub>10</sub>	1
95	Yamunanagar	Poor	207	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Haldia, Hubballi, Jorapokhar, Patna, Rupnagar, Siliguri as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.