

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	58	PM _{2.5}	2
2	Agra	Satisfactory	65	PM ₁₀	6
3	Ahmedabad	Satisfactory	86	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	30	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM ₁₀	1
6	Alwar	Satisfactory	67	PM ₁₀	1
7	Ambala	Good	34	PM ₁₀	1
8	Amritsar	Moderate	105	PM _{2.5}	1
9	Anantapur	Good	47	PM ₁₀	1
10	Ankleshwar	Satisfactory	58	со	1
11	Araria	Moderate	159	PM _{2.5}	1
12	Ariyalur	Satisfactory	65	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

Byrnihat, Chengalpattu, Chittoor, Damoh, Darbhanga, Davanagere, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Imphal, Kashipur, Khanna, Kozhikode, Kunjemura, Mandikhera, Milupara, Nagaon, Naharlagun, Nalbari, Nandesari, Palwal, Purnia, Rairangpur, Sagar, Sasaram, Sawai Madhopur, Srinagar, Tensa, Thane, Tirupati, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	125	NO ₂	1
14	Aurangabad (Bihar)	Satisfactory	94	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	94	PM ₁₀	1
16	Baddi	Satisfactory	83	O ₃	1
17	Baghpat	Moderate	175	PM _{2.5}	1
18	Bahadurgarh	Moderate	117	PM _{2.5}	1
19	Banswara	Moderate	124	PM ₁₀	1
20	Bareilly	Satisfactory	59	PM ₁₀	1
21	Baripada	Satisfactory	70	PM ₁₀	1
22	Barmer	Satisfactory	82	PM ₁₀	1
23	Bathinda	Satisfactory	96	PM ₁₀	1
24	Begusarai	Moderate	184	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	80	O ₃ , PM ₁₀	9
26	Bettiah	Moderate	170	PM _{2.5}	1
27	Bhagalpur	Moderate	146	PM ₁₀	2
28	Bharatpur	Satisfactory	94	PM ₁₀	1
29	Bhilai	Satisfactory	53	PM ₁₀	3
30	Bhiwadi	Moderate	129	PM ₁₀	1
31	Bhiwani	Moderate	108	PM ₁₀	1
32	Bhopal	Satisfactory	89	PM ₁₀ , O ₃	3
33	Bikaner	Moderate	145	PM ₁₀	1
34	Bilaspur	Satisfactory	82	PM ₁₀	1
35	Bileipada	Moderate	153	PM ₁₀	1
36	Bulandshahr	Moderate	122	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	50	PM ₁₀	1
38	Chandigarh	Satisfactory	72	PM ₁₀	3
39	Chandrapur	Moderate	113	PM _{2.5}	1
40	Charkhi Dadri	Poor	222	PM _{2.5}	1
41	Chennai	Satisfactory	72	PM ₁₀ , SO ₂	7
42	Chhal	Good	43	PM _{2.5}	1
43	Chhapra	Moderate	139	PM ₁₀	1
44	Chikkaballapur	Satisfactory	52	PM ₁₀	1
45	Chikkamagaluru	Good	44	03	1
46	Chittorgarh	Moderate	169	PM _{2.5}	1
47	Churu	Moderate	151	03	1
48	Coimbatore	Moderate	158	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Cuddalore	Good	25	PM _{2.5}	1
50	Dausa	Moderate	139	PM ₁₀	1
51	Dehradun	Satisfactory	60	PM ₁₀	1
52	Delhi	Moderate	179	PM ₁₀ , PM _{2.5}	38
53	Dewas	Satisfactory	92	PM ₁₀	1
54	Dharuhera	Moderate	143	PM _{2.5}	1
55	Durgapur	Satisfactory	99	PM ₁₀	1
56	Faridabad	Moderate	149	PM ₁₀	3
57	Firozabad	Satisfactory	72	PM ₁₀ , PM _{2.5}	2
58	Gandhinagar	Satisfactory	92	PM _{2.5} , PM ₁₀	3
59	Gangtok	Satisfactory	51	O ₃	1
60	Gaya	Satisfactory	88	O ₃ , CO	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Moderate	152	PM ₁₀	4
62	Gorakhpur	Satisfactory	67	PM ₁₀	1
63	Greater Noida	Poor	239	PM ₁₀	2
64	Gurugram	Moderate	157	PM _{2.5}	3
65	Guwahati	Satisfactory	70	PM _{2.5}	2
66	Gwalior	Moderate	102	O ₃ , PM _{2.5}	3
67	Hajipur	Moderate	118	PM ₁₀	1
68	Haldia	Satisfactory	52	PM ₁₀	1
69	Hanumangarh	Satisfactory	94	PM ₁₀	1
70	Hassan	Good	38	PM _{2.5}	1
71	Haveri	Satisfactory	54	PM ₁₀	1
72	Hisar	Satisfactory	76	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	85	СО	1
74	Howrah	Satisfactory	64	со	3
75	Hubballi	Satisfactory	68	PM ₁₀	2
76	Hyderabad	Satisfactory	74	PM ₁₀	10
77	Indore	Satisfactory	92	PM ₁₀	2
78	Jabalpur	Moderate	105	PM ₁₀	1
79	Jaipur	Moderate	117	PM ₁₀	4
80	Jalandhar	Satisfactory	66	PM ₁₀	1
81	Jhalawar	Moderate	101	PM ₁₀	1
82	Jhansi	Satisfactory	62	SO ₂	1
83	Jhunjhunu	Moderate	185	03	1
84	Jind	Satisfactory	74	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	102	PM ₁₀	2
86	Jorapokhar	Moderate	110	PM ₁₀	1
87	Kadapa	Satisfactory	80	PM _{2.5}	1
88	Kaithal	Satisfactory	56	PM ₁₀	1
89	Kalaburgi	Satisfactory	74	PM ₁₀	2
90	Kalyan	Moderate	105	PM ₁₀	1
91	Kanchipuram	Good	33	PM ₁₀	1
92	Kannur	Satisfactory	86	PM ₁₀	1
93	Kanpur	Satisfactory	99	NO ₂	3
94	Karauli	Good	44	O ₃	1
95	Karnal	Satisfactory	61	PM ₁₀	1
96	Katihar	Moderate	133	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katni	Moderate	140	PM ₁₀	1
98	Keonjhar	Satisfactory	98	PM ₁₀	1
99	Khurja	Satisfactory	84	PM _{2.5}	1
100	Kishanganj	Moderate	110	PM _{2.5}	1
101	Kochi	Satisfactory	63	PM ₁₀	1
102	Kohima	Good	50	PM ₁₀	1
103	Kolar	Satisfactory	68	PM ₁₀	1
104	Kolkata	Moderate	102	O ₃	6
105	Kollam	Satisfactory	75	PM ₁₀	1
106	Koppal	Satisfactory	98	PM ₁₀	1
107	Korba	Satisfactory	76	NO ₂ , PM ₁₀	2
108	Kota	Satisfactory	82	PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

Byrnihat, Chengalpattu, Chittoor, Damoh, Darbhanga, Davanagere, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Imphal, Kashipur, Khanna, Kozhikode, Kunjemura, Mandikhera, Milupara, Nagaon, Naharlagun, Nalbari, Nandesari, Palwal, Purnia, Rairangpur, Sagar, Sasaram, Sawai Madhopur, Srinagar, Tensa, Thane, Tirupati, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Satisfactory	76	PM ₁₀	1
110	Lucknow	Satisfactory	84	PM ₁₀ , PM _{2.5}	6
111	Ludhiana	Satisfactory	52	PM ₁₀	1
112	Madikeri	Good	33	PM ₁₀	1
113	Maihar	Good	36	со	1
114	Mandi Gobindgarh	Satisfactory	67	PM ₁₀	1
115	Mandideep	Moderate	120	PM ₁₀	1
116	Manesar	Moderate	130	PM ₁₀	1
117	Mangalore	Satisfactory	79	PM ₁₀	1
118	Manguraha	Satisfactory	74	O ₃	1
119	Meerut	Moderate	162	PM _{2.5}	3
120	Moradabad	Moderate	160	PM _{2.5}	6

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Motihari	Moderate	105	NO ₂	1
122	Mumbai	Satisfactory	86	PM _{2.5} , PM ₁₀	18
123	Munger	Moderate	146	PM ₁₀	1
124	Muzaffarnagar	Moderate	177	PM _{2.5}	1
125	Muzaffarpur	Moderate	194	03	3
126	Mysuru	Satisfactory	56	03	1
127	Nagpur	Moderate	148	PM _{2.5}	1
128	Narnaul	Moderate	106	PM ₁₀	1
129	Nashik	Satisfactory	62	PM ₁₀	1
130	Navi Mumbai	Moderate	109	PM _{2.5} , PM ₁₀	3
131	Nayagarh	Moderate	121	PM ₁₀	1
132	Noida	Moderate	170	PM ₁₀ , PM _{2.5}	4

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

Byrnihat, Chengalpattu, Chittoor, Damoh, Darbhanga, Davanagere, Dhanbad, Dharwad, Dholpur, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hapur, Imphal, Kashipur, Khanna, Kozhikode, Kunjemura, Mandikhera, Milupara, Nagaon, Naharlagun, Nalbari, Nandesari, Palwal, Purnia, Rairangpur, Sagar, Sasaram, Sawai Madhopur, Srinagar, Tensa, Thane, Tirupati, Tumakuru, Tumidih, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ooty	Satisfactory	86	PM ₁₀	1
134	Pali	Satisfactory	73	СО	1
135	Palkalaiperur	Satisfactory	51	SO ₂	1
136	Panchkula	Good	46	со	1
137	Panipat	Satisfactory	90	PM ₁₀	1
138	Patiala	Satisfactory	52	PM ₁₀	1
139	Patna	Moderate	125	PM _{2.5} , PM ₁₀	6
140	Pithampur	Satisfactory	86	PM ₁₀	1
141	Pratapgarh	Satisfactory	76	03	1
142	Prayagraj	Satisfactory	66	PM ₁₀	3
143	Puducherry	Good	31	03	1
144	Pune	Satisfactory	94	NO ₂ , CO	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raichur	Satisfactory	51	SO ₂	1
146	Raipur	Satisfactory	90	PM ₁₀ , NO ₂	4
147	Rajamahendravaram	Good	36	PM ₁₀	1
148	Rajgir	Satisfactory	77	PM ₁₀	1
149	Rajsamand	Good	47	03	1
150	Ramanagara	Satisfactory	52	PM ₁₀	1
151	Ramanathapuram	Good	24	PM ₁₀	1
152	Ratlam	Satisfactory	71	PM ₁₀	1
153	Rishikesh	Good	36	03	1
154	Rohtak	Satisfactory	96	PM _{2.5}	1
155	Rourkela	Moderate	120	PM ₁₀	2
156	Rupnagar	Satisfactory	82	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Saharsa	Moderate	150	PM _{2.5}	1
158	Salem	Good	40	PM ₁₀	1
159	Samastipur	Moderate	155	PM ₁₀	1
160	Satna	Moderate	158	PM ₁₀	1
161	Shillong	Good	43	PM _{2.5}	1
162	Shivamogga	Satisfactory	53	O ₃	1
163	Sikar	Moderate	103	PM ₁₀	1
164	Silchar	Good	50	СО	1
165	Siliguri	Satisfactory	58	O ₃	1
166	Singrauli	Poor	265	PM ₁₀	1
167	Sirohi	Satisfactory	81	O ₃	1
168	Sirsa	Satisfactory	70	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sivasagar	Good	15	PM _{2.5}	1
170	Siwan	Moderate	136	PM ₁₀	1
171	Solapur	Moderate	114	PM ₁₀	1
172	Sonipat	Moderate	125	PM ₁₀	1
173	Sri Ganganagar	Moderate	151	PM ₁₀	1
174	Suakati	Satisfactory	75	PM ₁₀	1
175	Surat	Satisfactory	82	СО	1
176	Talcher	Moderate	130	PM _{2.5}	1
177	Thiruvananthapuram	Good	45	PM ₁₀	2
178	Thoothukudi	Satisfactory	58	PM ₁₀	1
179	Thrissur	Satisfactory	83	PM ₁₀	1
180	Tirupur	Good	47	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tonk	Moderate	122	PM ₁₀	1
182	Udaipur	Satisfactory	67	PM ₁₀	1
183	Ujjain	Moderate	113	PM ₁₀	1
184	Vapi	Satisfactory	96	PM _{2.5}	1
185	Varanasi	Satisfactory	52	PM ₁₀ , PM _{2.5}	4
186	Vatva	Moderate	132	PM _{2.5}	1
187	Vijayapura	Good	42	PM ₁₀	1
188	Vijayawada	Severe	418	PM _{2.5}	1
189	Visakhapatnam	Satisfactory	70	PM ₁₀	1
190	Vrindavan	Moderate	133	PM ₁₀	1
191	Yadgir	Satisfactory	62	PM ₁₀	1
192	Yamunanagar	Satisfactory	84	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amaravati, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.