

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	196	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	117	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	112	PM ₁₀ , PM _{2.5}	6
4	Aizawl	Satisfactory	87	PM ₁₀	1
5	Ajmer	Moderate	124	PM _{2.5}	1
6	Alwar	Satisfactory	98	PM _{2.5}	1
7	Amaravati	Satisfactory	96	PM _{2.5}	1
8	Ambala	Moderate	136	PM _{2.5}	1
9	Amritsar	Moderate	178	PM _{2.5}	1
10	Anantapur	Satisfactory	61	03	1
11	Araria	Very Poor	377	PM _{2.5}	1
12	Arrah	Very Poor	366	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	263	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	357	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	156	PM ₁₀	1
16	Baddi	Very Poor	337	PM _{2.5}	1
17	Bagalkot	Satisfactory	67	O ₃	1
18	Bahadurgarh	Poor	216	PM _{2.5}	1
19	Ballabgarh	Very Poor	315	PM _{2.5}	1
20	Bareilly	Moderate	128	PM _{2.5} , PM ₁₀	2
21	Baripada	Poor	272	PM _{2.5}	1
22	Belgaum	Moderate	147	PM ₁₀	1
23	Bengaluru	Satisfactory	82	PM _{2.5} , PM ₁₀	9
24	Bettiah	Severe	422	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Very Poor	378	PM _{2.5}	2
26	Bhilai	Satisfactory	91	PM ₁₀	2
27	Bhiwadi	Poor	248	PM _{2.5}	1
28	Bhiwani	Poor	222	PM _{2.5}	1
29	Bhopal	Moderate	169	PM _{2.5}	2
30	Bidar	Satisfactory	81	со	1
31	Bihar Sharif	Very Poor	303	PM _{2.5}	1
32	Bileipada	Very Poor	315	PM _{2.5}	1
33	Brajrajnagar	Moderate	119	PM ₁₀	1
34	Bulandshahr	Poor	281	PM _{2.5}	1
35	Byrnihat	Severe	417	PM _{2.5}	1
36	Chamarajanagar	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Very Poor	329	PM _{2.5}	2
38	Chandrapur	Moderate	178	O ₃	2
39	Charkhi Dadri	Poor	237	PM _{2.5}	1
40	Chengalpattu	Moderate	109	PM _{2.5}	1
41	Chennai	Moderate	115	PM _{2.5}	8
42	Chhapra	Very Poor	387	PM _{2.5}	1
43	Chikkaballapur	Moderate	109	PM ₁₀	1
44	Chikkamagaluru	Good	38	PM ₁₀	1
45	Chittoor	Satisfactory	52	PM ₁₀	1
46	Coimbatore	Satisfactory	98	PM _{2.5}	1
47	Damoh	Satisfactory	69	PM _{2.5}	1
48	Davanagere	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	338	PM ₁₀ , PM _{2.5}	37
50	Dewas	Moderate	112	PM ₁₀	1
51	Dharuhera	Poor	295	PM _{2.5}	1
52	Dindigul	Poor	244	NO ₂	1
53	Durgapur	Poor	226	PM _{2.5}	1
54	Eloor	Satisfactory	91	PM ₁₀	1
55	Faridabad	Very Poor	353	PM ₁₀ , PM _{2.5}	3
56	Fatehabad	Poor	244	PM _{2.5}	1
57	Firozabad	Moderate	106	PM ₁₀	2
58	Gandhinagar	Moderate	133	PM _{2.5} , PM ₁₀	3
59	Gangtok	Moderate	152	PM _{2.5}	1
60	Gaya	Very Poor	315	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	274	PM ₁₀	4
62	Gorakhpur	Moderate	158	PM _{2.5}	1
63	Greater Noida	Very Poor	346	PM _{2.5}	2
64	Gummidipoondi	Moderate	190	PM _{2.5}	1
65	Gurugram	Very Poor	311	PM _{2.5}	4
66	Guwahati	Very Poor	341	PM _{2.5}	4
67	Gwalior	Very Poor	316	PM _{2.5}	3
68	Hajipur	Poor	289	PM _{2.5}	1
69	Haldia	Moderate	170	PM ₁₀	1
70	Hapur	Moderate	110	PM _{2.5}	1
71	Hassan	Satisfactory	54	PM ₁₀	1
72	Haveri	Satisfactory	92	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	268	PM _{2.5}	3
74	Hubballi	Satisfactory	98	PM ₁₀	2
75	Hyderabad	Satisfactory	83	PM ₁₀	13
76	Imphal	Moderate	140	PM _{2.5} , SO ₂	2
77	Indore	Moderate	101	PM ₁₀	1
78	Jabalpur	Poor	256	PM _{2.5}	1
79	Jaipur	Moderate	127	PM ₁₀	3
80	Jalandhar	Moderate	179	PM _{2.5}	1
81	Jhansi	Moderate	154	PM ₁₀	1
82	Jodhpur	Moderate	152	PM _{2.5}	1
83	Kaithal	Moderate	185	PM _{2.5}	1
84	Kalaburgi	Satisfactory	67	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Poor	264	PM ₁₀	1
86	Kanchipuram	Satisfactory	76	PM ₁₀	1
87	Kannur	Satisfactory	94	PM _{2.5}	1
88	Kanpur	Moderate	153	PM _{2.5}	3
89	Karnal	Moderate	153	PM _{2.5}	1
90	Katihar	Severe	416	PM _{2.5}	1
91	Keonjhar	Very Poor	306	PM _{2.5}	1
92	Khanna	Moderate	106	PM ₁₀	1
93	Khurja	Poor	269	PM _{2.5}	1
94	Kishanganj	Very Poor	364	PM _{2.5}	1
95	Kochi	Moderate	122	PM _{2.5}	1
96	Kohima	Moderate	126	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	213	PM _{2.5}	7
98	Kollam	Satisfactory	76	PM ₁₀	1
99	Koppal	Moderate	112	03	1
100	Korba	Moderate	142	PM ₁₀	1
101	Kota	Moderate	197	PM _{2.5}	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Moderate	188	PM _{2.5}	1
104	Lucknow	Poor	221	PM _{2.5}	6
105	Ludhiana	Poor	213	PM _{2.5}	1
106	Madikeri	Good	41	03	1
107	Maihar	Satisfactory	75	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	184	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Moderate	110	SO ₂	1
110	Mandikhera	Moderate	120	PM ₁₀	1
111	Manesar	Poor	300	PM _{2.5}	1
112	Mangalore	Moderate	101	PM ₁₀	1
113	Manguraha	Moderate	154	PM _{2.5}	1
114	Meerut	Very Poor	316	PM _{2.5} , PM ₁₀	3
115	Moradabad	Moderate	147	PM _{2.5}	6
116	Motihari	Very Poor	315	PM ₁₀	1
117	Mumbai	Poor	256	PM _{2.5} , NO ₂	19
118	Munger	Very Poor	328	PM _{2.5}	1
119	Muzaffarnagar	Poor	258	PM _{2.5}	1
120	Muzaffarpur	Very Poor	351	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun,

Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	42	03	1
122	Nagpur	Poor	217	PM _{2.5}	1
123	Nalbari	Very Poor	302	PM _{2.5}	1
124	Narnaul	Very Poor	317	PM _{2.5}	1
125	Nashik	Moderate	112	PM _{2.5}	1
126	Navi Mumbai	Very Poor	325	PM _{2.5}	3
127	Nayagarh	Poor	245	PM _{2.5}	1
128	Noida	Very Poor	315	PM _{2.5}	4
129	Ooty	Satisfactory	73	PM ₁₀	1
130	Pali	Moderate	110	PM _{2.5}	1
131	Palwal	Satisfactory	80	PM ₁₀	1
132	Panchkula	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	148	PM ₁₀	1
134	Patiala	Moderate	120	PM ₁₀	1
135	Patna	Very Poor	362	PM ₁₀ , PM _{2.5}	6
136	Pithampur	Moderate	128	PM ₁₀	1
137	Prayagraj	Moderate	176	PM ₁₀	3
138	Puducherry	Satisfactory	76	PM ₁₀	1
139	Raichur	Satisfactory	91	PM ₁₀	1
140	Raipur	Moderate	107	PM ₁₀	4
141	Rairangpur	Moderate	198	PM _{2.5}	1
142	Rajamahendravaram	Moderate	121	PM _{2.5}	1
143	Rajgir	Very Poor	350	PM _{2.5}	1
144	Ramanathapuram	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun,

Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Satisfactory	99	PM ₁₀	1
146	Rohtak	Poor	212	PM _{2.5}	1
147	Rourkela	Poor	272	PM _{2.5}	3
148	Rupnagar	Poor	206	PM ₁₀	1
149	Sagar	Moderate	114	PM _{2.5} , CO	2
150	Salem	Satisfactory	60	PM ₁₀	1
151	Samastipur	Very Poor	385	PM _{2.5}	1
152	Sasaram	Very Poor	313	PM _{2.5}	1
153	Satna	Satisfactory	88	PM ₁₀	1
154	Shillong	Moderate	167	PM _{2.5}	1
155	Shivamogga	Good	48	PM ₁₀	1
156	Siliguri	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Singrauli	Very Poor	306	PM _{2.5}	1
158	Sirsa	Moderate	175	PM _{2.5}	1
159	Sivasagar	Satisfactory	52	PM _{2.5}	1
160	Siwan	Severe	404	PM _{2.5}	1
161	Sonipat	Poor	230	PM ₁₀	1
162	Suakati	Poor	286	PM _{2.5}	1
163	Surat	Poor	299	PM _{2.5}	1
164	Tensa	Poor	281	PM _{2.5}	1
165	Thane	Poor	213	PM ₁₀	1
166	Thiruvananthapuram	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
167	Thoothukudi	Satisfactory	52	PM ₁₀	1
168	Thrissur	Moderate	118	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Satisfactory	86	PM _{2.5}	2
170	Tirupur	Good	50	PM ₁₀	1
171	Udaipur	Moderate	183	PM ₁₀	1
172	Udupi	Moderate	104	со	1
173	Ujjain	Moderate	135	PM _{2.5}	1
174	Vapi	Very Poor	346	PM _{2.5}	1
175	Varanasi	Moderate	117	PM _{2.5} , PM ₁₀	4
176	Vijayapura	Good	46	PM ₁₀	1
177	Visakhapatnam	Moderate	147	PM _{2.5}	1
178	Vrindavan	Moderate	142	PM _{2.5}	1
179	Yadgir	Satisfactory	70	PM ₁₀	1
180	Yamunanagar	Poor	274	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	vellore	Moderate	116	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ariyalur, Notes: Baghpat, Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Darbhanga, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Jind, Jorapokhar, Katni, Kolar, Kunjemura, Naharlagun, Nandesari, Pune, Purnia, Ramanagara, Saharsa, Silchar, Solapur, Srinagar, Talcher, Tumakuru, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.