Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	179	$PM_{2.5}$	1
2	Agra	Moderate	149	$PM_{2.5}$	1
3	Ahmedabad	Moderate	132	PM_{10}	1
4	Aizawl	Satisfactory	71	$PM_{2.5}$	1
5	Ajmer	Satisfactory	77	PM_{10}	1
6	Alwar	Satisfactory	76	PM_{10}	1
7	Amaravati	Moderate	164	$PM_{2.5}$	1
8	Ambala	Moderate	158	$PM_{2.5}$	1
9	Amritsar	Moderate	127	PM_{10}	1
10	Ankleshwar	Moderate	148	PM_{10}	1
11	Asansol	Moderate	167	$PM_{2.5}$	1
12	Aurangabad	Moderate	123	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Moderate	115	NO_2	1
14	Baghpat	Poor	279	$PM_{2.5}$	1
15	Bahadurgarh	Poor	224	$PM_{2.5}$	1
16	Ballabgarh	Moderate	146	PM_{10}	1
17	Bathinda	Satisfactory	92	PM_{10}	1
18	Bengaluru	Satisfactory	69	PM_{10}, $PM_{2.5}$, O_3	9
19	Bhiwadi	Poor	218	$PM_{2.5}$	1
20	Bhiwani	Moderate	118	PM_{10}	1
21	Bhopal	Poor	213	$PM_{2.5}$	1
22	Brajrajnagar	Moderate	174	$PM_{2.5}$	1
23	Bulandshahr	Very Poor	313	$PM_{2.5}$	1
24	Chandigarh	Satisfactory	95	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	128	PM_{10}	1
26	Charkhi Dadri	Moderate	142	PM_{10}	1
27	Chennai	Satisfactory	64	$PM_{2.5}$, PM_{10}	6
28	Chikkaballapur	Satisfactory	63	$PM_{2.5}$	1
29	Chikkamagaluru	Satisfactory	61	O_3	1
30	Damoh	Moderate	123	$PM_{2.5}$	1
31	Delhi	Poor	281	$PM_{2.5}$	38
32	Dewas	Moderate	168	$PM_{2.5}$	1
33	Dharuhera	Poor	231	$PM_{2.5}$	1
34	Durgapur	Moderate	161	PM_{10}	1
35	Eloor	Good	37	CO	1
36	Ernakulam	Satisfactory	95	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	214	$PM_{2.5}$, PM_{10}	4
38	Fatehabad	Moderate	194	$PM_{2.5}$	1
39	Gandhinagar	Satisfactory	97	PM_{10}	1
40	Gaya	Satisfactory	97	$PM_{2.5}$	2
41	Ghaziabad	Very Poor	304	$PM_{2.5}$	4
42	Greater Noida	Poor	297	$PM_{2.5}$	2
43	Gurugram	Poor	224	$PM_{2.5}$	4
44	Guwahati	Poor	272	$PM_{2.5}$	1
45	Gwalior	Moderate	154	$PM_{2.5}$	2
46	Hajipur	Moderate	160	PM_{10}	1
47	Haldia	Moderate	144	PM_{10}	1
48	Hapur	Moderate	126	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	226	$PM_{2.5}$	1
50	Howrah	Poor	231	$PM_{2.5}$, PM_{10}	3
51	Hubballi	Moderate	110	$PM_{2.5}$	1
52	Hyderabad	Moderate	149	$PM_{2.5}$	5
53	Indore	Moderate	166	$PM_{2.5}$	1
54	Jaipur	Satisfactory	88	O_3, $PM_{2.5}$	2
55	Jalandhar	Moderate	176	$PM_{2.5}$	1
56	Jind	Poor	267	$PM_{2.5}$	1
57	Jodhpur	Moderate	118	PM_{10}	1
58	Jorapokhar	Satisfactory	95	PM_{10}	1
59	Kaithal	Moderate	119	PM_{10}	1
60	Kalaburgi	Moderate	110	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	133	PM_{10}	1
62	Kannur	Satisfactory	97	$PM_{2.5}$	1
63	Kanpur	Poor	270	$PM_{2.5}$	2
64	Karnal	Poor	205	$PM_{2.5}$	1
65	Katni	Moderate	153	$PM_{2.5}$	1
66	Khanna	Moderate	148	$PM_{2.5}$	1
67	Kochi	Satisfactory	74	CO	1
68	Kohima	Moderate	115	$PM_{2.5}$	1
69	Kolkata	Poor	222	$PM_{2.5}$	7
70	Kollam	Moderate	116	CO	1
71	Kota	Moderate	126	$PM_{2.5}$	1
72	Kozhikode	Satisfactory	77	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	242	$PM_{2.5}$	1
74	Lucknow	Poor	272	$PM_{2.5}$	4
75	Ludhiana	Moderate	151	$PM_{2.5}$	1
76	Maihar	Satisfactory	53	PM_{10}	1
77	Mandi Gobindgarh	Moderate	128	PM_{10}	1
78	Mandideep	Moderate	125	PM_{10}	1
79	Mandikhera	Satisfactory	58	PM_{10}	1
80	Manesar	Moderate	138	$PM_{2.5}$	1
81	Medikeri	Good	47	PM_{10}	1
82	Meerut	Poor	294	$PM_{2.5}$	2
83	Moradabad	Very Poor	319	$PM_{2.5}$	1
84	Mumbai	Poor	203	$PM_{2.5}$	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	222	$PM_{2.5}$, PM_{10}	2
86	Mysuru	Satisfactory	64	O_3	1
87	Narnaul	Moderate	140	PM_{10}	1
88	Nashik	Moderate	124	$PM_{2.5}$	1
89	Navi Mumbai	Poor	260	$PM_{2.5}$	3
90	Noida	Poor	288	$PM_{2.5}$	3
91	Pali	Satisfactory	67	O_3	1
92	Palwal	Moderate	101	CO	1
93	Panchkula	Poor	229	$PM_{2.5}$	1
94	Panipat	Moderate	174	PM_{10}	1
95	Patiala	Moderate	111	PM_{10}	1
96	Patna	Moderate	197	$PM_{2.5}$	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	197	$PM_{2.5}$	1
98	Pune	Moderate	112	$PM_{2.5}$	5
99	Raichur	Moderate	112	PM_{10}	1
100	Rajamahendravaram	Moderate	163	$PM_{2.5}$	1
101	Ramanagara	Satisfactory	56	O_3	1
102	Ratlam	Moderate	114	PM_{10}	1
103	Rohtak	Poor	241	$PM_{2.5}$	1
104	Sagar	Satisfactory	63	$PM_{2.5}$	1
105	Satna	Satisfactory	100	PM_{10}	1
106	Shivamogga	Satisfactory	74	PM_{10}	1
107	Siliguri	Very Poor	316	$PM_{2.5}$	1
108	Singrauli	Moderate	138	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	85	PM_{10}	1
110	Sonipat	Poor	207	PM_{10}	1
111	Talcher	Moderate	119	PM_{10}	1
112	Thane	Moderate	143	PM_{10}	1
113	Thiruvananthapuram	Good	46	PM_{10}, CO	2
114	Thoothukudi	Satisfactory	58	O_3	1
115	Thrissur	Satisfactory	70	O_3	1
116	Tirupati	Satisfactory	79	$PM_{2.5}$	1
117	Udaipur	Moderate	172	$PM_{2.5}$	1
118	Ujjain	Moderate	179	$PM_{2.5}$	1
119	Vapi	Moderate	141	PM_{10}	1
120	Varanasi	Poor	203	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	123	PM_{10}	1
122	Vijayapura	Satisfactory	57	CO	1
123	Visakhapatnam	Moderate	177	$PM_{2.5}$	1
124	Yadgir	Satisfactory	85	PM_{10}	1
125	Yamunanagar	Poor	299	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Jabalpur, Koppal, Muzaffarnagar, Nagpur, Nandesari, Rupnagar, Shillong, Solapur as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.